CHEMTEX
1747 7th Avenue, Port Arthur, Texas 77642, (409) 983-4575

PLAINTIFF'S EXHIBIT
UC-1916

Project: Brownsville-Intersale, Job #782

RESULTS OF ANALYSIS

Sample Identification	Asbestos Concentration Fibers/cc*
Filter Cassette#	
043	0.020
044	0.017
045	0.013
046	0.013
047	0.011
048	0.010
049	0.012
050	0.012
051	0.012
052	0.010
053	0.017

* Corrected for Blanks.

CNReddy

Dr. C. N. Reddy, Ph.D
Laboratory Director

CHEMTEX #: 11178805

BRD 1269

Published by AsbestosClaims.Law
asbestosclaims.law/library/16975/1

CHEMTEX
Environmental Laboratory
1747 7th Avenue, Port Arthur, Texas 77642, (409) 983-4575

BROWNSVILLE
NOV 1
BROWNSVILLE

Client: J & D Enterprises
1090 South 4th St.
Beaumont, Texas 77701

Att: JoAnn Kelley

Sample Source: Filters
Date Collected: 10/20/88
Collected By: N/A
Date Received: 10/31/88
CHEMTEX #: 10318802
Report Date: 11/8/88

CHEMTEX Environmental Laboratory Inc., received NINE 37-mm Filter Cassettes from J & D Enterprises, to be analyzed for fiber concentrations. The samples were received on October 31, 1988 and analyzed on November 4, 1988 in accordance with NIOSH Analytical Method No. 7400/Rule A.

A pie-shaped portion of each MCE filter was cleared with 1:1 Dimethyl phthalate-Diethyl oxalate mixture and examined by Phase Contrast Microscope at a magnification of 400X. Upon examination, the length and width of asbestos fibers were measured by using a Walton-Beckett G22 graticule. Any fibers less than five microns in length are not considered to be asbestos. Any particulates with a length greater than five microns and a length to diameter ratio of 3 to or greater are considered to be asbestos fibers.

Quality assurance practices employed include graticule calibration, recounts, Blanks, Inter laboratory counting, participating in Proficiency Evaluation Testing Program with NIOSH (NIOSH PAT/LAB # 77642-001).

Please see following page for results.

C N Reddy

Dr. C. N. Reddy, Ph.D
Laboratory Director

CJW/CNR

Union Carbide trial exhibit UC-1916: CHEMTEX Environmental Laboratory Asbestos Fiber Analysis Report to J & D...
Published by AsbestosClaims.Law
ACL Doc 16975 · Page 2 of 3
asbestosclaims.law/library/16975/2

CHEMTEX 1747 7th Avenue, Port Arthur, Texas 77642, (409) 983-4575

Project: Browns 16 Technical, Brownsville.

RESULTS OF ANALYSIS

Sample Identification Filter Cassette#	Asbestos Concentration Fibers/cc*
034	0.008
035	0.006
036	0.008
037	0.007
038	0.007
039	0.006
040	0.006
041	0.008
042	0.005

* Corrected for Blanks.

CNReddy

Dr. C. N. Reddy, Ph.D
Laboratory Director

CHEMTEX #: 10318802

CJW/CNR

BRD 1271