"J-M"

ASBESTOS PACKINGS

CATALOG NO. 101



H.W. JOHNS-MANVILLE CO.

100 William Street, New York

NEW YORK	ST. LOUIS	SEATTLE
MILWAUKEE	PITTSBURG	KANSAS CITY
CHICAGO	CLEVELAND	MINNEAPOLIS
BOSTON	SAN FRANCISCO	DALLAS
PHILADELPHIA	LOS ANGELES	NEW ORLEANS
	LONDON	

4200

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/1

"J-M"
ASBESTOS
PACKINGS



"A Reputation behind it"

H. W. JOHNS - MANVILLE CO.

NEW YORK
MILWAUKEE
CHICAGO
BOSTON
PHILADELPHIA

ST. LOUIS
PITTSBURG
CLEVELAND
SAN FRANCISCO
LOS ANGELES
LONDON

SEATTLE
KANSAS CITY
MINNEAPOLIS
LITTLE ROCK
NEW ORLEANS

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/2

Copyright 1906 by
H. W. Johns-Manville Co.

INTRODUCTION

The requirements of modern steam plant operation have become so exacting that engineering practice has developed the use of high pressure and superheated steam where low pressure was generally used a few years ago. The high temperatures resulting from the increased pressures employed have created a demand for packings which, in their natural composition, possess the highest heat-resisting properties, together with the greatest durability and maximum efficiency. Rubber, and other organic packings, have failed to meet these conditions, and are not capable of development (because of their natural weaknesses) to the high standard required by the up-to-date steam plant. The engineering profession has, therefore, turned to the use of packings, the base of which is Asbestos fiber, a material which is unaffected by the high temperatures, and which can be woven into fabrics possessing maximum strength and wearing qualities.


As pioneers, and the largest manufacturers of Asbestos and Magnesia Products in the world, we have developed a line of Asbestos Packings, after years of careful research by engineering experts, that have proved their merit by continued service under the most severe conditions. "J-M" Asbestos Packings are recognized as the standard by the engineering profession and, as developed by us, have reached a high plane of efficiency.

Realizing also that there are some conditions where asbestos packings do not prove satisfactory or where conditions do not demand them, we have developed a complete line of packings from rubber and organic fabric bases. We offer these Packings only after continued experimenting to satisfy ourselves of their being worthy to be included in our line.

We will gladly furnish any special information regarding our Packings or give our customers the benefit of our large experience in this line in the way of advice or suggestions regarding the most suitable packing to meet any given conditions.


H. W. JOHNS-MANVILLE CO.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/3



BROOKLYN FACTORY OF H. W. JOHNS-MANVILLE CO.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/4




MILWAUKEE FACTORY OF H. W. JOHNS-MANVILLE CO.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/5



WEST MILWAUKEE FACTORY, H. W. JOHNS-MANVILLE CO.



ASBESTOS MINES, DANVILLE, P. Q., CANADA, H. W. JOHNS-MANVILLE CO.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/6

SECTION No. 1

"J-M" SHEET PACKINGS

"KEARSARGE" Asbesto-Metallic.
"J-M" Asbesto-Metallic.
"VULCABESTON."
"LIBERTY."
"MOBILENE" Gas Engine.
"TRIPLEX."
"IMPERMEABLE."
"J-M" Hydraulic.
"J-M" Plumbago.
"J-M" Black Oil Proof.
"J-M" Fiber Asbestos.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/7

"KEARSARGE"

ASBESTO-METALLIC SHEET PACKING

FOR HIGH PRESSURE STEAM



STYLE NO. 100

"Kearsarge" Asbesto-Metallic Sheet Packing is made from asbestos yarn and strands of fine brass wire, firmly twisted and woven together, and coated with "J-M" Packing Compound. It is flexible and very strong. It adapts itself to all uneven surfaces and makes a superior flat packing for high pressure steam. This is one of our most reliable and efficient sheet packings for high pressure steam. We regularly furnish this packing in one-, two- and three-ply, with or without wire gauze lamination, as ordered. Graphited if desired.

Furnished in rolls, 40 inches wide, 250 pounds each.

Approx. thickness	Approx. weight per square yard
1/32 inch	4½ lbs.
1/16 "	5 "
⅛ "	10 "
¼ "	18 "

Style No. 100.....$1.00 per lb.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 1... Published by AsbestosClaims.Law
ACL Doc 21282 · Page 8 of 48 asbestosclaims.law/library/21282/8

"MOBILENE"

SHEET PACKING

FOR GAS AND GASOLENE ENGINE CYLINDER HEADS



STYLE NO. 101

The peculiar conditions of gas and gasolene engine work have proved that ordinary organic packings are totally unreliable for this purpose.

In our "Mobilene" we offer a specially prepared, tightly woven, pure asbestos and wire cloth, treated with a high heat-resisting compound, red on one side, black on the other, to meet the severe requirements incident to this service.

Furnished in rolls, 250 lbs. each, weight per square yard 4½ lbs., 40 inches wide, standard thickness 1-32 inch; other thicknesses if desired.

Style No. 101.....**$1.50 per lb.**

"J-M"

ASBESTO-METALLIC SHEET PACKING

STYLE NO. 102

"J-M" Asbesto-Metallic Sheet Packing is similar in construction to "Kearsarge," and is intended for use under similar conditions. It is made to meet the demand for a cheaper grade of Asbesto-Metallic Sheet.

Regularly supplied in all thicknesses, with or without wire gauze lamination, as ordered. Graphited if desired.

Furnished in rolls, 40 inches wide, 250 lbs. each.

Approx. thickness	Approx. weight per square yard
1/32 inch	lbs.
1/16 "	5½ "
⅛ "	11 "
¼ "	21½ "

Style No. 102.....**$1.00 per lb.**

ASBESTOS AND RUBBER CLOTH

STYLE NO. 103

This Sheet Packing is made similar to our "Kearsarge" Sheet, but does not contain wire. It is very elastic and strong, and can easily be cut into desired shapes suitable for all steam packing purposes.

Supplied in all thicknesses, 1-16 inch and up. Graphited if desired.

Furnished in rolls, 40 inches wide, 250 lbs. each.

Approx. thickness	Approx. weight per square yard
1/16 inch	4 lbs.
⅛ "	8 "
3/16 "	12 "
¼ "	16 "


Style No. 103.....**$1.00 per lb.**

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 9 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/9

"TRIPLEX"

SHEET PACKING

THE BEST PACKING FOR THE HARDEST SERVICE



STYLE NO. 104

A practical combination of wire interwoven asbestos cloth with water-proof, heat-resisting compound. Joints packed with this Sheet do not have to be followed up when steam is turned on the line, nor will it burn or squeeze out under highest temperature.

In "Triplex" we offer a packing that is absolutely reliable for any condition found in the steam plant, from the ordinary to the most severe. It will work with equal efficiency on high pressure or superheated steam, hot water or air.

Furnished in rolls, 200 lbs. each, 1/16 and 1/8 inch thick, 40 inches wide.

Style No. 104 ..... **$1.50 per lb.**

"VULCABESTON"

SHEET PACKING

FOR SUPERHEATED STEAM



STYLE NO. 105

In "Vulcabeston" Sheet Packing we continue to offer a well-known and reliable fibrous sheet made especially to meet the conditions of high pressure and superheated steam.

This is the only packing the base of which is composed wholly of pure, long asbestos fiber. Our patented process of vulcanizing this product gives it great strength and pliability, together with expansive properties. It will not harden, crack, or char.

Furnished in standard sheets 35x35 inches, and in rolls 10 and 20 yards, 35 inches wide. This can also be made 40 and 48 inches wide if desired.


	Thickness	Per sheet or lineal yard
Style No. 105	—1/32 inch	**$2.40**
" " "	—1/16 "	**3.00**
" " "	—3/32 "	**4.00**
" " "	—1/8 "	**4.60**

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 10 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/10

"IMPERMEABLE"

SHEET PACKING

FOR OILS, ACIDS, ALKALI AND AMMONIA



STYLE NO. 106

This Packing fills a long-felt want for an efficient and reliable sheet to withstand the severe conditions found in handling oils, acids, alkalies, ammonia, etc. These have no deteriorating effect upon this Packing, and all tests have proved its remarkable superiority over any other material for these conditions.

In sheets 40x40 inches.

Approx. thickness	Approx. weight per sheet
1/32 inch	3 lbs.
1/16 "	6 "
1/8 "	12 "
1/4 "	21 "

Style No. 106 .....$1.00 per lb.

"LIBERTY"

SHEET PACKING

FOR ORDINARY STEAM PLANT CONDITIONS



STYLE NO. 107

Our "Liberty" Red Rubber Sheet Packing is made with and without wire gauze insertion, and has no superior among the various materials of a like character now on the market. It is offered as an efficient rubber packing to meet ordinary conditions. Furnished in rolls of 200 lbs., 36 inches wide.

Approx. thickness	Approx. weight per square yard without wire	Approx. weight per square yard with wire (Not made.)
1/32 inch	3½ lbs.	8 lbs.
1/16 "	6½ "	12 "
3/32 "	10 "	16 "
1/8 "	13½ "	23 "
3/16 "	20 "	29 "
1/4 "	25 "	

Style No. 107, without wire.....**$1.00 per lb.**
Style No. 108, with wire.....**$1.00 per lb.**

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/11

"J-M" HYDRAULIC SHEET PACKING

FOR COLD WATER JOINTS

This is a special cloth insertion sheet for service on cold water joints. Furnished also with cloth one side and both sides in three grades.

Style No. 109, in rolls, 200 lbs., 36 in. wide.....**75c. per lb.**
" " **110,** in rolls, 200 lbs., 36 in. wide.....**50c.** "
" " **111,** in rolls, 200 lbs., 36 in. wide.....**25c.** "

"J-M" BLACK OIL PROOF SHEET

Style No. 112, in rolls, 200 lbs., 36 in. wide.....**$1.00 per lb.**

"J-M" PLUMBAGO SHEET

Style No. 113, in rolls, 200 lbs., 36 in. wide.....**$1.00 per lb.**

"J-M" FIBER ASBESTOS SHEET

Style No. 114, in sheets, 40 in. square.....**$1.00 per lb.**

SECTION No. 2

"J-M" GASKETS

"KEARSARGE" Asbesto-Metallic Jointless.
"KEARSARGE" Asbesto-Metallic Jointless Tube Plate.
"KEARSARGE" Asbesto-Metallic Standard Tube Plate.
"KEARSARGE" Asbesto-Metallic Standard.
"KEARSARGE" Asbesto-Metallic Flange.
"KEARSARGE" Asbesto-Metallic Gasketing Tape.
"KEARSARGE" Asbesto-Metallic Tubular.
"LIBERTY" Red Rubber Tubular.
"LIBERTY" Red Rubber Flange.
"LIBERTY" Red Rubber for Intermediate and Low-Pressure Steam.
"VULCABESTON" Moulded.
"VULCABESTON" Moulded Flange.
"VULCABESTON" Union Washer.
"VULCABESTON" Rope Flange.
"VULCABESTON" Valve Bonnet.
"MOBILENE" Cut.
"J-M" Asbesto-Metallic.
"J-M" Hydraulic.
"IMPERMEABLE."
ASBESTOS MILL BOARD GASKETS AND WASHERS.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 12 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/12

"KEARSARGE"

ASBESTO-METALLIC JOINTLESS GASKETS

(Patented)

FOR BOILER MANHOLES AND HANDHOLES



STYLE NO. 115

Our Kearsarge Jointless Boiler Gasket is a decided improvement on the regular style asbesto-metallic gasket, as it is constructed of an endless circular strip of asbesto-metallic cloth, double-folded and cemented with "J-M" Heat-Resisting Compound. This method of manufacture eliminates the necessity of the cotton tape used for making the joints of ordinary asbestos gaskets. Its greater efficiency enables the engineer to use it over and over again, because it has no tape joint to tear when opening the boiler, and avoids all possibility of "blow-outs."

Furnished in any standard size and thickness.

Style No. 115 .....$2.00 per lb.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 10... Published by AsbestosClaims.Law
ACL Doc 21282 · Page 13 of 48 asbestosclaims.law/library/21282/13

"KEARSARGE"

ASBESTO-METALLIC STANDARD GASKETS

THE STANDARD HIGH PRESSURE BOILER GASKET



STYLE NO. 116


This style of gasket, through years of satisfactory service, under the most trying conditions, has proved its merit to the engineering profession. Its high qualities have led to its adoption as the standard gasket by thousands of representative steam plants, and by the largest boiler manufacturers. We furnish the Kearsarge Standard Gaskets oval, triangular and circular, in any required size, and thickness. These Gaskets are light in weight, and, owing to their flexibility, readily conform to the flange.

Style No. 116.—Standard manhole sizes.....**$1.50 per lb.**
Style No. 117.—Standard handhole sizes.....**$2.00 per lb.**

"KEARSARGE"

ASBESTO-METALLIC JOINTLESS TUBE PLATE GASKETS

FOR TUBE PLATES OF WATER TUBE BOILERS AND SUPERHEATERS



STYLE NO. 118

Our jointless gaskets are the most efficient and reliable for use on the tube plates of high pressure water tube boilers and superheaters. The absence of a taped joint admits of an even bearing surface over the entire surface of the flange, thus preventing the possibility of leak of steam or water and consequent danger of blow-out.


We carry a large stock of Kearsarge Jointless Gaskets to fit tube plates of all standard boilers and superheaters. Our large manufacturing facilities enable us to furnish special gaskets to order at short notice.

Style No. 118.—Standard sizes.....**15c. each**

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/14

"KEARSARGE"
ASBESTO-METALLIC STANDARD TUBE PLATE GASKETS

FOR TUBE PLATES OF WATER TUBE BOILERS AND SUPERHEATERS



STYLE NO. 119

The Kearsarge Standard Gasket surpasses all ordinary gaskets for use on the tube plates of water tube boilers and superheaters. We carry a large stock of these gaskets for standard makes of boilers and superheaters.

Style No. 119.—Standard sizes.....**15c. each**

"KEARSARGE"
ASBESTO-METALLIC GASKETING TAPE


STYLE NO. 120



This material is furnished braided or folded, from our "Kearsarge" Asbesto-Metallic stock, and may be conveniently used as a gasket or packing on large cylinder heads. Put up in 5- and 10-lb. rolls; any width or thickness.

Style No. 120, in rolls.....**$1.50 per lb.**

"VULCABESTON"
MOULDED GASKETS



STYLE NO. 121

The remarkable efficiency of "Vulcabeston" Packing against high-pressure and superheated steam has resulted in a general demand for Vulcabeston Moulded Gaskets for boiler service. We are prepared to furnish Gaskets moulded to template to fit any boiler, manhole or handhole. These are also recommended for water-tube boilers and superheaters.

Prices on application.

"J-M"
ASBESTO-METALLIC GASKETS

These gaskets are folded from our "J-M" Asbesto-Metallic Sheet Packing, and are designed to meet a demand for cheaper quality gasket.


Style No. 122.—Standard manhole sizes.....**$1.00 per lb.**
" " **123.**—Standard handhole sizes..... **1.50** "

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 15 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/15

"KEARSARGE"

ASBESTO-METALLIC TUBULAR GASKETS

FOR EMERGENCY AND REPAIR WORK



STYLE NO. 124

This style is offered to meet the general demand for an emergency gasket for high-pressure steam. Its superiority over rubber and organic tubular gaskets is readily recognized. A prominent feature of this Gasket is that it will not burn nor squeeze out under high pressure and temperature. It is considerably lighter than a rubber tubular gasket; consequently more economical. Put up in 5 and 10-lb. boxes.

Style No. 124.....$1.50 per lb.

"LIBERTY"

TUBULAR GASKETS

STYLE NO. 125


This Gasket tubing is made of the same red rubber compound as our Liberty Sheet Packing, and gives excellent service on ordinary pressure. Put up in 5 and 10-lb. boxes.

Style No. 125.....$1.00 per lb.

"KEARSARGE"

ASBESTO-METALLIC FLANGE JOINT GASKETS

FOR HIGH PRESSURE STEAM



STYLE NO. 126

These Gaskets meet all requirements for an efficient and durable gasket for packing flanges. Will withstand highest temperature and pressure, and are sufficiently elastic to compensate for expansion and contraction; maintain a perfectly tight joint against vibration of pipe line, and prevent leakage of steam or condensation. Folded from our "Kearsarge" Asbesto-Metallic stock with raw edge outside, leaving no unfinished edges exposed to the action of the steam; approximately 1/16 inch thick, made exactly to size to go inside bolt holes for standard, extra heavy, male and female, and tongue and groove flanges. Furnished 1/8-inch to order if desired.

List of styles, sizes and prices on the following pages.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 16 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/16

"KEARSARGE"

ASBESTO-METALLIC FLANGE JOINT GASKETS

FOR STANDARD FLANGES

STYLE NO. 126

	Each		Each
¾" x 2⅛"	$ .09	10 x 13⅜	$ .81
1 x 2 9/16	.09	12 x 16⅛	.93
1¼ x 2 15/16	.11	14 x 17¾	1.05
1½ x 3⅜	.12	15 x 19	1.32
2 x 4⅛	.16	16 x 20¼	1.38
2½ x 4⅞	.20	18 x 21⅝	1.44
3 x 5⅜	.23	20 x 23⅞	1.53
3½ x 6⅜	.26	22 x 26	1.62
4 x 6¾	.29	24 x 28¼	1.71
4½ x 7	.30	26 x 30½	1.80
5 x 7¾	.33	28 x 32¾	2.40
6 x 8¾	.39	30 x 34⅝	3.00
7 x 10	.45	36 x 41⅜	3.75
8 x 11	.51	42 x 48	4.20
9 x 12½	.60	48 x 54½	4.80

FOR EXTRA HEAVY FLANGES

STYLE NO. 127

Gaskets I. D. O. D.	Each	Gaskets I. D. O. D.	Each
1" x 2⅝"	$ .12	4 x 7⅛	$ .33
1¼ x 3⅛	.15	4½ x 7⅞	.36
1½ x 3⅞	.20	5 x 8⅝	.48
2 x 4⅜	.21	6 x 9⅞	.54
2½ x 5⅛	.30	7 x 11⅛	.57
3 x 6½	.30	8 x 12⅛	.66
3½ x 6⅝	.30	9 x 13⅛	.72

"KEARSARGE"

ASBESTO-METALLIC FLANGE JOINT GASKETS

EXTRA HEAVY FLANGES—(CONT'D)

STYLE NO. 127

Gaskets I. D. O. D.	Each	Gaskets I. D. O. D.	Each
10" x 14⅜"	$ .87	17¼ x 23⅝	$1.77
12 x 16⅞	1.02	19¼ x 25⅝	1.95
13¼ x 19⅛	1.17	21¼ x 27⅝	2.07
14¼ x 20⅛	1.29	23¼ x 30⅛	2.31
15¼ x 21⅝	1.50		

FOR MALE AND FEMALE FLANGES

STYLE NO. 128

Gaskets I. D. O. D.	Each	Gaskets I. D. O. D.	Each
1" x 2 5/16"	$ .11	8 x 10⅝	$ .57
1¼ x 2¾	.14	9 x 11⅝	.66
1½ x 3⅛	.18	10 x 12¾	.72
2 x 3⅝	.20	12 x 15¼	.81
2½ x 4⅛	.21	13¼ x 16½	.96
3 x 5	.21	14¼ x 17½	1.05
3½ x 5½	.23	15¼ x 18½	1.29
4 x 6	.24	17¼ x 21	1.14
4½ x 6½	.26	19¼ x 23	1.80
5 x 7¼	.30	21¼ x 25½	1.95
6 x 8⅜	.36	23¼ x 27½	2.19
7 x 9⅜	.39		

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 17 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/17

"KEARSARGE"

ASBESTO-METALLIC FLANGE JOINT GASKETS

FOR TONGUE AND GROOVE FLANGES

STYLE NO. 129

Gaskets I. D. O. D.	Each	Gaskets I. D. O. D.	Each
1¾" x 2½"	$ .06	9⅝ x 10⅞	$ .18
2⅛ x 3	.06	10⅝ x 11⅞	.24
2¾ x 3⅝	.06	11⅝ x 13⅛	.29
3½ x 4⅛	.07	13⅝ x 15⅛	.33
3⅝ x 4⅝	.08	15⅞ x 17⅜	.39
4¼ x 5¼	.09	17⅛ x 18⅝	.45
4¾ x 5¾	.10	18⅜ x 20⅛	.54
5¼ x 6¼	.11	20⅛ x 22⅜	.60
5¾ x 6¾	.12	22 5/16 x 24 5/16	.66
6¼ x 7¼	.13	24½ x 26½	.72
7½ x 8½	.14	26½ x 28½	.78
8⅝ x 9⅝	.15		

"IMPERMEABLE" GASKETS

FOR ACIDS, AMMONIA, OILS, ETC.

STYLE NO. 130


The "Impermeable" Gasket is furnished in all sizes and thicknesses, for use on any surface where conditions peculiar to the handling of acids, ammonia, oils, etc., are met.

Prices on application.

"VULCABESTON"

MOULDED FLANGE GASKETS

FOR SUPERHEATED STEAM



STYLE NO. 131

We are prepared to furnish our Vulcabeston in moulded ring form for inside bolt holes for any ordinary size or style of flange. "Vulcabeston" Flange Gaskets have proved their superiority over all others as a reliable and efficient flange packing for superheated and highest pressure steam, and are used for this purpose by the largest manufacturers and users of superheated steam apparatus.

Furnished in thicknesses, 1/32 and 1/16 inch.

List of styles, sizes and prices on the following pages.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 18 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/18

"VULCABESTON"
MOULDED GASKETS

FOR STANDARD FLANGES

1-32" THICK

STYLE NO 131

Size of Gasket	Per 100	Size of Gasket	Per 100
¾ x 2⅛	$ 4.00	9 x 12½	$ 34.00
1 x 2 9/16	4.50	10 x 13⅜	36.00
1¼ x 2 15/16	5.00	12 x 16⅛	52.00
1½ x 2⅜	6.50	15 x 17¾	55.00
2 x 4⅛	8.00	15 x 19	61.00
2½ x 4⅞	9.50	16 x 20¼	74.00
3 x 5⅜	10.50	18 x 21⅝	76.00
3½ x 6⅜	14.50	20 x 23⅞	80.00
4 x 6¾	15.50	22 x 26	92.00
4½ x 7	16.50	23¼ x 28¼	102.00
5 x 7¾	17.00	26 x 30½	108.00
6 x 8¾	20.50	28 x 32¾	124.00
7 x 10	22.50	30 x 34⅝	135.00
8 x 11	24.50	36 x 41⅜	180.00

FOR STANDARD FLANGES

1-16" THICK

STYLE NO. 132

Size of Gasket	Per 100	Size of Gasket	Per 100
6 x 8¾	$ 31.00	18 x 21⅝	$132.00
7 x 10	38.00	20 x 23⅞	142.00
8 x 11	41.00	22 x 26	160.00
9 x 12½	56.00	24 x 28¼	178.00
10 x 13⅜	61.00	26 x 30½	180.00
12 x 16⅛	84.00	28 x 32¾	214.00
14 x 17¾	88.00	30 x 34⅝	225.00
15 x 19	108.00	36 x 41⅜	310.00
16 x 20¼	128.00		

"VULCABESTON"
MOULDED GASKETS

FOR EXTRA HEAVY FLANGES

1-32" THICK

STYLE NO. 133

Size of Gasket	Per 100	Size of Gasket	Per 100
1 x 2⅝	$ 4.50	8 x 12⅛	$ 34.00
1¼ x 3⅛	6.00	9 x 13⅛	37.00
1½ x 3⅞	8.00	10 x 14⅜	42.00
2 x 4⅜	8.50	12 x 16⅞	56.00
2½ x 5⅛	10.50	13¼ x 19⅛	72.00
3 x 6½	14.50	14¼ x 20⅛	80.00
3½ x 6⅝	15.00	15¼ x 21⅝	92.00
4 x 7⅛	16.00	17¼ x 23⅝	96.00
4½ x 7⅞	18.00	19¼ x 25⅝	110.00
5 x 8⅝	21.00	21¼ x 27⅝	120.00
6 x 9⅞	26.00	23¼ x 30⅛	130.00
7 x 11⅛	30.00		

FOR EXTRA HEAVY FLANGES

1-16" THICK

STYLE NO. 134

Size of Gasket	Per 100	Size of Gasket	Per 100
3 x 6½	$ 25.00	10 x 14⅜	$ 73.00
3½ x 6⅝	26.00	12 x 16⅞	98.00
4 x 7⅛	27.00	13¼ x 19⅛	135.00
4½ x 7⅞	31.00	14¼ x 20⅛	140.00
5 x 8⅝	35.00	15¼ x 21⅝	168.00
6 x 9⅞	44.00	17¼ x 23⅝	176.00
7 x 11⅛	52.00	19¼ x 25⅝	204.00
8 x 12⅛	59.00	21¼ x 27⅝	215.00
9 x 13⅛	63.00	23¼ x 30⅛	250.00

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 19 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/19

"VULCABESTON"

MOULDED GASKETS

FOR MALE AND FEMALE FLANGES

1-32" THICK

STYLE NO. 135

Size of Gasket	Per 100	Size of Gasket	Per 100
1 x 2 5/16	$ 4.00	8 x 10⅝	$ 22.00
1¼ x 2¾	4.50	9 x 11⅝	23.00
1½ x 3⅛	6.00	10 x 12¾	28.00
2 x 3⅝	6.50	12 x 15¼	39.00
2⅛ x 4⅛	7.00	13¼ x 16½	44.00
3 x 5	9.50	14¼ x 17½	45.00
3½ x 5½	10.00	15¼ x 18½	48.00
4 x 6	11.00	17¼ x 21	62.00
4½ x 6½	11.50	19¼ x 23	66.00
5 x 7¼	14.00	21¼ x 25½	84.00
6 x 8⅜	16.00	23¼ x 27½	90.00
7 x 9⅜	19.00		

FOR MALE AND FEMALE FLANGES

1-16" THICK

STYLE NO. 136

Size of Gasket	Per 100	Size of Gasket	Per 100
3 x 5	$ 14.50	10 x 12¾	$ 46.50
3½ x 5½	15.50	12 x 15¼	67.50
4 x 6	16.50	13¼ x 16½	75.50
4½ x 6½	18.00	14¼ x 17½	78.00
5 x 7¼	22.00	15¼ x 18½	80.00
6 x 8⅜	26.00	17¼ x 21	105.00
7 x 9⅜	31.00	19¼ x 23	115.00
8 x 10⅝	36.00	21¼ x 25½	144.00
9 x 11⅝	40.00	23¼ x 27½	156.00

"VULCABESTON"

RING GASKETS

FOR TONGUE GROOVE FLANGES

1-32" THICK

STYLE NO. 137

Size of Gasket	Per 100	Size of Gasket	Per 100
1¾ x 2½	$ 4.00	9⅝ x 10⅞	$ 15.00
2⅛ x 3	5.00	10⅝ x 11⅞	15.50
2¾ x 3⅝	5.50	11⅝ x 13⅛	21.00
3½ x 4⅛	6.00	13⅝ x 15⅛	27.00
3⅝ x 4⅝	6.50	15⅞ x 17⅜	29.00
4¼ x 5¼	7.00	17⅛ x 18⅝	30.00
4¾ x 5¾	7.50	18⅜ x 20⅛	39.00
5¼ x 6¼	8.00	20⅜ x 22⅜	45.00
5¾ x 6¾	8.50	22 5/16 x 24 5/16	46.50
6¼ x 7¼	9.50	24½ x 26½	55.00
7½ x 8½	10.50	26½ x 28½	57.00

FOR TONGUE GROOVE FLANGES

1-16" THICK

STYLE NO. 138

Size of Gasket	Per 100	Size of Gasket	Per 100
3½ x 4⅛	$ 6.50	11⅝ x 13⅛	$ 32.00
3⅝ x 4⅝	8.50	13⅝ x 15⅛	40.00
4¼ x 5¼	10.00	15⅞ x 17⅜	44.00
4¾ x 5¾	11.00	17⅛ x 18⅝	45.00
5¼ x 6¼	11.50	18⅜ x 20⅛	60.00
5¾ x 6¾	12.00	20⅜ x 22⅜	70.00
6¼ x 7¼	13.50	22 5/16 x 24 5/16	75.00
7½ x 8½	15.50	24½ x 26½	85.00
9⅝ x 10⅞	22.50	26½ x 28½	90.00
10⅝ x 11⅞	24.00		

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 20 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/20

"VULCABESTON" UNION WASHERS



STYLE NO. 139

These Washers are moulded from our well-known "Vulcabeston" Compound to meet a growing demand for a satisfactory Packing for pipe unions, and are specially adapted for such service as steam, hot water, ammonia, gas and air.

We can furnish promptly Vulcabeston Moulded Washers to fit any style or shape of pipe union at proportionate prices.

FOR STANDARD UNIONS—STYLE NO. 139

Size of Pipe	Size of Washers	1-16 In. Thick. Price Per 100	1/8 In. Thick. Price Per 100
1/4 in.	13/16 in. x 17/32 in.	$1.50	$2.00
3/8 "	1 " x 5/8 "	1.75	2.25
1/2 "	1 1/8 " x 3/4 "	2 00	2 50
3/4 "	1 7/16 " x 15/16 "	2.25	2 75
1 "	1 11/16 " x 1 3/16 "	2.75	3.25
1 1/4 "	2 1/16 " x 1 7/16 "	3 25	4 00
1 1/2 "	2 1/2 " x 1 13/16 "	3.75	5 00
2 "	2 7/8 " x 2 1/4 "	4 25	5 50
2 1/2 "	3 1/2 " x 2 11/16 "	6.75	8 00
3 "	4 3/16 " x 3 1/4 "	8 00	10.00

FOR "CRANE" UNIONS STYLE NO. 140

Size of Pipe	Size of Washers	1-16 In. Thick. Price Per 100	1/8 In. Thick. Price Per 100
1/2 in.	3/4 in. x 13/16 in.	$2.25	$2.75
3/4 "	1 3/32 " x 1 3/4 "	2.75	3 25
1 "	1 11/32 " x 1 31/32 "	3.25	4.00
1 1/4 "	1 5/8 " x 2 5/16 "	4 00	4 75
1 1/2 "	1 3/4 " x 2 1/2 "	4.25	5.00
2 "	2 3/32 " x 3 1/8 "	4.50	5 25
2 1/2 "	2 13/16 " x 3 11/16 "	6.25	8.00

When ordering Union Washers, specify whether "Standard" or "Crane" are wanted.

"MOBILENE" CUT GASKETS



STYLE NO. 141

We furnish all styles and shapes of Gaskets for gas or gasolene engines from our "Mobilene" Sheet Packing, 1/32 inch thick.

Furnished to template only. Prices on application.

"LIBERTY" FLANGE GASKETS

FOR INTERMEDIATE AND LOW PRESSURE STEAM



STYLE NO. 142


Made from our well-known "Liberty" Sheet, for all types of flanges and flange unions. This is a very popular form of gasket for general steam plant service.

Prices on application.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 21 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/21

ASBESTOS MILL-BOARD
GASKETS AND WASHERS

FOR SPECIALTY WORK



STYLE NO. 143

Regular sizes not exceeding 42 inches outside diameter, from 1/32 to ½ inch thick, cut to order from Asbestos Mill-Board; sizes in excess of 42 inches, specially built up to order. These Gaskets weigh less than one-half as much as Rubber.

Regular shapes, round or square. Irregular shaped Gaskets or Rings and Washers.

Prices on application.

"LIBERTY" GASKETS


FOR INTERMEDIATE AND LOW PRESSURE STEAM

STYLE NO. 144

Made from the same material as our "Liberty" Red Rubber Sheet, with or without wire insertion.

Style No. 144.....$1.50 per lb.

"VULCABESTON"
ROPE FLANGE GASKETS



STYLE NO. 145

These rings are made from our "Vulcabeston" Rope Packing. The manner in which these are made produces a very tough and durable gasket, as the method of coiling the vulcanized asbestos rope results in a multiplex and jointless gasket, bound together with fine wire. These Gaskets are regularly furnished 1/16 and ⅛-inch thick, and should be applied only inside the bolt holes.

Prices on application.

"J-M" HYDRAULIC GASKETS

FOR HYDRAULIC SERVICE

STYLE NO. 146


We furnish Gaskets cut to size in any desired thickness from our "J-M" Hydraulic Sheet Packing.

Prices on application.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 22 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/22

"VULCABESTON"
VALVE BONNET GASKETS

FOR HIGH PRESSURE AND SUPERHEATED STEAM



STYLE NO. 147

We recommend our "Vulcabeston" Moulded Gaskets for packing flanges of valves. They can be furnished in any desired thickness or shape, and are at present used by some of the largest valve manufacturers, and also by the largest power plants, with excellent results. This is the only efficient moulded Gasket which can be furnished in 1/32 inch thickness.

Prices on application.

SPECIAL "VULCABESTON" PIECES

We make a specialty of furnishing Vulcabeston Moulded Packings of special shapes and of varying degrees of density from the soft packing stock to the very hardest disc stock. We have had great success with the Vulcabeston Moulded specialties for ball and swivel joints, hose couplings, and for all conditions where great strength with some degree of elasticity, combined with high heat-resisting qualities, is required.

SECTION No. 3

"J-M" RING PACKINGS

"JEWETT" Moulded Ring.
"JEWETT" Asbestos Ring.
"JEWETT" Air Pump Ring.
"JEWETT" Air Compressor Ring.
"VULCABESTON" Convex and Concave Ring.
"VULCABESTON" Convex and Concave Throttle Stem Ring.
"VULCABESTON" Air Brake Ring.
"KEARSARGE" Ring.
"KEARSARGE" Air Pump Ring.
"VICTOR" Ring.
"DUPLEX" Combination Ring.
"DURO" Ring.
"J-M" Diagonal Ring.
"AQUA" Hydraulic Ring.
"KEYSTONE" Combination Air Pump Ring.
"BESTA-MONIA" Ring.
"HYDRO" Waterproof Hydraulic Ring.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/23

"JEWETT"

MOULDED ASBESTOS RING PACKING

FOR RODS AND VALVE STEMS

The demand for a thoroughly lubricated packing free from ingredients which have a tendency to gum or cut the rod has resulted in our placing on the market the "Jewett" Moulded Ring.

This packing is moulded by a special mechanical process from a thoroughly lubricated asbestos fabric. The body of the Ring is composed of the softest and silkiest asbestos fibers that it is possible to produce, and is treated in such a way that it is absolutely free from any trace of grit. This is the only packing in which *every fiber* of the base of the material is thoroughly lubricated before being made into Rings, thereby insuring a minimum of friction and guaranteeing a perfect wearing surface on the rod, combined with a maximum durability.

We offer these rings in several styles to meet the various conditions which are found in the engine room. We list on the following pages a few of the standard styles in which these Rings are made, and call especial attention to the fact that they can be produced in many other styles to meet special conditions.


We also desire to call especial attention to the fact that these Rings are not cut from a spiral packing, but are made in accurate moulds and to the exact size of the box.

Styles and descriptions of these rings are given on the following pages.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog... Published by AsbestosClaims.Law
ACL Doc 21282 · Page 24 of 48 asbestosclaims.law/library/21282/24

"JEWETT"
MOULDED ASBESTOS RING PACKING

FOR ALL RECIPROCATING OR OSCILLATING RODS, LUBRICATORS AND VALVE STEMS, AGAINST HIGH OR LOW PRESSRE STEAM, OR GAS, AIR AND PETROLEUM OIL



STYLE NO. 30

No. 30 is composed of an absolutely pure and carefully carded long fiber asbestos. It is braided jacket over jacket and thoroughly lubricated throughout. With this Packing the engineer is enabled to obtain a perfect fit, without the friction generally found with the application of other high pressure packings. Great durability with minimum friction is guaranteed. Made concave and convex if desired.

Style No. 30.....$1.50 per lb.

Special prices for sizes below ⅝-inch outside diameter.



STYLE NO. 10

This Ring is the same general style as the No. 30, described above, except that each strand is reinforced with a fine brass wire, to meet the requirements for a Packing of this kind. Made Soft, Medium or Hard. Furnished concave and convex if desired.

Style No. 10.....$1.50 per lb.

Special prices for sizes below ⅝-inch outside diameter.

Give diameter of rod and diameter and depth of stuffing box.

"JEWETT"
MOULDED ASBESTOS RING PACKING

FOR THROTTLE VALVE STEMS



STYLE NO. 20

This Ring is moulded from our "Kearsarge" Asbesto-Metallic Cloth compressed to great density, to meet the severe requirements incident to this service. We can furnish this Ring in concave and convex style, if desired.

Style No. 20.....$1.50 per lb.

Special prices for sizes below ⅝-inch outside diameter.

FOR GATE, GLOBE, ANGLE, ETC., VALVE STEMS, AGAINST HIGH OR LOW PRESSURE STEAM, GAS, AIR, OIL OR AMMONIA



STYLE NO. 50

This packing is used exclusively by the largest valve manufacturers. Its advantages over string valve packing are found in the ease of application, saving of labor, perfection of fit and thoroughness of lubrication. Made Soft, Medium or Hard.

Style No. 50.....$1.50 per lb.

Special prices for sizes below ⅝-inch outside diameter.

Give diameter of rod and diameter and depth of stuffing box.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 25 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/25

"JEWETT"

MOULDED RING PACKING

FOR COLD WATER AND BRINE



STYLE NO. 40

Style No. 40 Ring is made up similar to Styles Nos. 10 and 30, described on page 36, and consists of materials, which, by long, practical tests, have proved to be unequaled for withstanding the severe conditions incident to handling cold water, brine, etc. These Rings are thoroughly impregnated with "J-M" Waterproof Lubricating Compound. They have been tested successfully up to 2,000 pounds hydraulic pressure, and their remarkable efficiency for this service assures the user of the most satisfactory results.

Style No. 40.....**$1.50 per lb.**


Special prices for sizes below ⅝-inch outside diameter.

Give diameter of rod and diameter and depth of stuffing box.

"KEARSARGE"

RING PACKING

FOR HIGH PRESSURE AND HIGH SPEED ENGINES



STYLE NO. 148

Our "Kearsarge" Ring Packing is offered to meet the requirements for a packing with an expansion rubber back or core for reciprocating or oscillating rods on high speed and high pressure engines of all types, and on expansion joints. This is made of a specially woven fabric, with or without wire reinforcement, and is of the same construction as our well-known "Kearsarge" Coil Packing. It is thoroughly lubricated with "J-M" Lubricating Compound.

Style No. 148.—Rubber core, without wire.
" " **149.**—Rubber core, with wire.
" " **150.**—Expansion back, without wire.
" " **151.**—Expansion back, with wire.

Above styles.....**$2.00 per lb.**


Give diameter of rod and diameter and depth of stuffing box.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 26 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/26

"VULCABESTON"

CONCAVE AND CONVEX RINGS

FOR VALVE STEMS AGAINST SUPERHEATED STEAM



STYLE NO. 152

This style is the only satisfactory packing yet found for valve stems against superheated steam. They have been adopted by some of the largest valve manufacturers and constructing engineers.

These Rings are moulded from our well-known "Vulcabeston" stock, and fit the stuffing box perfectly. We are prepared to furnish these on short notice for all styles of valves.

These Rings are sold in pairs. Prices on application.

Give diameter of rod and diameter and depth of stuffing box.

"DUPLEX"

COMBINATION RING PACKING

FOR HOT WATER



STYLE NO. 153

After many experiments with packing for service against hot water, we have produced a material which we guarantee to successfully meet this intensely severe condition. Practical tests have proved it to be the only durable packing for this service on the market. Made in sets for any style of pump.

Style No. 153.....**$2.00 per lb.**


Give diameter of rod and diameter and depth of stuffing box.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 27 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/27

"VULCABESTON"

CONCAVE AND CONVEX THROTTLE RINGS

FOR THROTTLE STEMS AGAINST SUPERHEATED STEAM



STYLE NO. 154

These Rings are of the same style and composition as the Air-Pump Packing. Their *concave* and *convex* formation renders a tight joint under most severe conditions. They are extremely durable and efficient, and have been adopted as standard by many of the largest railroads and locomotive builders throughout the United States.

Furnished in all sizes to fit stuffing box.

Prices on application.

"J-M" THROTTLE PACKING

STYLE NO. 155

This is a special combination ring packing designed to meet the severe conditions of this service. Especially efficient where considerable condensation is found. It is giving satisfaction wherever it is used, and is a thoroughly reliable throttle-stem packing. Put up in sets to fit the stuffing box.

Style No. 155.....**$2.00 per lb.**

Give diameter of rod and diameter and depth of stuffing box.

"DURO"

RING PACKING


FOR PISTON RODS AND VALVE STEMS

AGAINST MEDIUM AND LOW PRESSURE STEAM

SECTIONAL AND EXPANSION STYLES



STYLE NO. 156. EXPANSION



STYLE NO. 157. SECTIONAL

In the above styles, we have a soft and flexible packing which is cut accurately to size to fit the rod and box. This material is made to meet a demand for an ordinary cloth and rubber packing for medium and low pressure steam, and is especially adapted for use in connection with metallic rings, where the service is against saturated steam.

Style No. 156.....**$1.50 per lb.**
" " 157..... **1.50 "**


Give diameter of rod and diameter and depth of stuffing box.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 28 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/28

"J-M"

DIAGONAL RING PACKING

FOR STEAM HAMMERS AND HOISTING ENGINES



STYLE NO. 158

This style is offered to meet the requirements for an efficient packing for rods badly scored or out of alignment, or where great vibration is met. Especially satisfactory for steam hammers and hoisting engines.


Style No. 158.—High-Pressure Diagonal.....**$1.50 per lb.**
" " **159.**—Low-Pressure Diagonal.....**$1.25** "

Give diameter of rod and diameter and depth of stuffing box.

"AQUA"

HYDRAULIC RING PACKING

FOR WATER SERVICE



STYLE NO. 160

This style of material is the highest grade of packing for water service now on the market. It is composed of a selected quality of duck laminated with the highest friction obtainable. We guarantee this Packing to be absolutely free from glue.

Style No. 160.....**$2.00 per lb.**


Give diameter of rod and diameter and depth of stuffing box.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 29 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/29

"BESTA-MONIA"
RING PACKING
FOR REFRIGERATING MACHINERY



STYLE NO. 161



STYLE NO. 162


The increasing demand for a satisfactory Ring Packing to stand the severe service required in the conditions peculiar to refrigerating machinery, has led us to devise a specially prepared packing for this purpose. We recommend our "Besta-Monia" Ring Packing as the most durable and efficient on the market.

It is not affected by ammonia, and we offer it upon its record of proved reliability, covering a long number of years.

Style No. 161.....**$1.50 per lb.**
" " 162..... **1.50 "**

Give diameter of rod and diameter and depth of stuffing box.

"HYDRO" WATERPROOF
HYDRAULIC RING PACKING
FOR COLD WATER PUMPS, ETC.



STYLE NO. 163

This packing is the outcome of years of experimenting, and has been proved to be unequalled for cold water pumps and elevator plungers, against high or low pressure, and gives excellent satisfaction on stern glands of ships.

Style No. 163.....**$1.50 per lb.**


Give diameter of rod and diameter and depth of stuffing box.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/30

"VICTOR"

RING PACKING

FOR LOW PRESSURE STEAM AND WATER



STYLE NO. 164


This is a popular style of Ring, and is made to meet a demand for a packing for service against low pressure steam and water. Made from fine cotton cloth, wrapped and thoroughly frictioned around a red gum core. Is made in round section only.

Style No. 164.....**$1.50 per lb.**

Give diameter of rod and diameter and depth of stuffing box.

"JEWETT"

AIR PUMP RING PACKING



STYLE NO. 750

This Packing is medium hard and of the same construction as our "Jewett," Style No. 10 Rings, described on page 58, made concave and convex, in sets to fit the stuffing box.

Put up in boxes, each containing sufficient Rings to pack both the steam and air ends of the pump.

Style No. 750.—For 8-in. Westinghouse Pump.
" " **650.**—For 9½-in. Westinghouse Pump.
" " **850.**—For 11-in. Westinghouse Pump.
" " **950.**—For No. 1 and No. 2 New York Air Pump.
" " **1050.**—For No. 5 New York Air Pump.

Above styles.....**$2.00 per lb.**

"JEWETT"

AIR COMPRESSOR PACKING

STYLE NO. 165

This style of Packing is the best yet devised to meet the severe requirements of air compressor service. The large amount of high-grade lubricating compound in these Rings, combined with the heat resisting qualities of the Asbestos, is the secret of their great efficiency.

Style No. 165.....**$2.00 per lb.**

Give diameter of rod and diameter and depth of stuffing box.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 31 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/31

"VULCABESTON"

AIR PUMP RING PACKING



STYLE NO. 400

This style of Packing is the standard of the Westinghouse Airbrake Company, and has been used extensively for many years by the largest railroad systems of the country with excellent results.

Easily applied, fits the rod perfectly, and is unequalled for all ordinary conditions.

Style No. 400.—Complete packing for 8-in. Westinghouse Pump, 8 rings to set.....**44c. per set**

" " **544.**—Complete packing for 9½-in. Westinghouse Pump, 8 rings to set.....**44c. per set**

" " **1572.**—Complete packing for 11-in. Westinghouse Pump, 8 rings to set.....**58c. per set**

" " **168.**—Complete packing for Nos. 1 and 2 New York Air Pump, 16 rings to set.....**88c. per set**

" " **268.**—Complete packing for No. 5 New York Air Pump, 16 rings to set.....**88c. per set**

Give diameter of rod and diameter and depth of stuffing box.

"KEYSTONE"

COMBINATION AIR PUMP RING PACKING



STYLE NO. 700

Owing to the increasing tendency of the railroad companies to pool their locomotives and keep them constantly in service, and the lack of efficient lubrication, have resulted in a demand for an air pump packing combining a maximum amount of self-lubrication with durability. Our "Keystone" Combination Air Pump Packing, made from "Jewett" Style No. 10 Rings and "Vulcabeston" Concave and Convex Rings, meets these severe requirements satisfactorily, and all tests have proved this to be the only reliable packing for such conditions.

Style No. 700.—For 8-in. Westinghouse Pumps....**44c. per set**

" " **600.**— " 9½-in. " " ....**44c.** "

" " **800.**— " 11-in. " " ....**58c.** "

" " **900.**— " Nos. 1 and 2 New York Pump, **88c.** "


" " **1000.**— " No. 5 New York Air Pump...**88c.** "

Give diameter of rod and diameter and depth of stuffing box.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 32 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/32

"KEARSARGE"

AIR PUMP RING PACKING



STYLE NO. 775

This style is of the same construction as our Standard "Kearsarge" High Pressure Ring Packing described on page 60. It is offered to meet the demand for a packing with a gum core, where such is preferred. Thoroughly coated with "J-M" Lubricating Compound.

Style No. 775.—For 8-in. Westinghouse Pump.
" " **675.**— " 9½-in. Westinghouse Pump.
" " **875.**— " 11-in. Westinghouse Pump.
" " **975.**— " No. 1 and No. 2 New York Air Pump.
" " **1075.**— " No. 5 New York Air Pump.

Above styles.....$2.00 per lb.

Give diameter of rod and diameter and depth of stuffing box.

SECTION No. 4

"J-M" SPIRAL AND COIL PACKINGS

"VICTOR" Spiral.

"DURO" Spiral.

"BESTA-MONIA" Spiral.

"KEARSARGE" Spiral.

"CABLE" Asbesto-Metallic.

"KEARSARGE" Coil (9 styles).

"AQUA" Hydraulic Coil.

"HYDRO" Waterproof Hydraulic Coil.

"HYDRO" Waterproof Hydraulic Spiral.

"J-M" Tucks Coil.

"J-M" Diagonal Coil.

"J-M" Flax.


Oval Gum Core.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/33

"KEARSARGE"

SPIRAL PACKING

FOR PISTON RODS AND VALVE STEMS



STYLE NO. 166

This material is made with an expansion rubber back or core, for service on reciprocating or oscillating rods on high speed and high pressure engines. Manufactured from a specially woven asbestos fabric, with or without wire reinforcement. It is of the same construction as our "Kearsarge" Coil Packing, described on page 56, is thoroughly lubricated, and will insure excellent results on high-speed engines.

All sizes, ¼-inch and up. In boxes containing 12½ ft.


Style No. 166.—Expansion Back, without wire.
" " **167.**—Expansion Back, with wire.
" " **169.**—Rubber Core, without wire.
" " **170.**—Rubber Core, with wire.

Above styles.....$1.50 per lb.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 34 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/34

"DURO"
SPIRAL PACKING

FOR MEDIUM AND LOW PRESSURE PISTON RODS AND VALVE STEMS



STYLE NO. 171

Is a very soft and flexible packing, made to meet a demand for a cloth and rubber packing for medium and low pressure steam, and is especially adapted for use in connection with metallic rings where the service is against saturated steam.

All sizes, ¼-inch up, in boxes containing 12½ feet.

Style No. 171.....**$1.50 per lb.**

"BESTA-MONIA" SPIRAL PACKING

FOR USE ON REFRIGERATING MACHINERY

This Packing is of same construction as the "Besta-Monia" Ring Packing, described on page 46.

Style No. 172.....**$1.50 per lb.**

"VICTOR"
SPIRAL PACKING

FOR LOW PRESSURE STEAM AND WATER



STYLE NO. 173

A fine cotton cloth, wrapped and thoroughly frictioned around a red gum core. Is made in round section only.

All sizes, ⅛-inch and up; in boxes, containing 12½ ft.

Style No. 173.....**$1.50 per lb.**

"HYDRO" WATERPROOF
HYDRAULIC SPIRAL PACKING

STYLE NO. 174

Unequaled for service against high or low pressure or cold water pumps and elevator plungers.

Style No. 174.....**$1.00 per lb.**

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 35 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/35

"KEARSARGE"
COIL PACKINGS


FOR HIGH PRESSURE PISTON AND VALVE RODS



STYLE NO. 175



STYLE NO. 176



STYLE NO. 177



STYLE NO. 178

This material is made for service against high-pressure steam on high-speed piston rods, oscillating rods and valve stems. The base of this Packing is a finely woven asbestos cloth, with or without fine brass wire intertwisted with each strand. Is manufactured in various styles, as follows:

Style No. 175, Asbestos cloth, with or without wire insertion, wrapped and well frictioned around an asbestos core. Made in Round Section.

Style No. 176, same as Style No. 175, made in Square Section.

Style No. 177, Asbestos cloth, with or without wire insertion, wound around an expansion rubber core. Made in Round Section.

Style No. 178, same as Style No. 177, made in Square Section.


Above styles.....$1.00 per lb.



STYLE NO. 179




STYLE NO. 180



STYLE NO. 638



STYLE NO. 648



STYLE NO. 818

"KEARSARGE"
COIL PACKINGS
(Continued)

Style No. 179, Asbestos cloth, wound into square shape, with or without wire insertion, with expansion back.

Style No. 180, Asbestos cloth, laid upon expansion rubber back, in conjunction with alternating sections of wire gauze and Asbestos cloth, thoroughly frictioned together. Made in Square Section only.

Style No. 638, Asbestos cloth, with lead wire insertion. Made in Round Section.

Style No. 648, same as Style No. 638, except made in Square Section.

Style No. 818, Asbestos cloth, laminated with anti-frictional metal face. Made in Square Section (a popular type for marine service).

Put up in boxes containing 12½ and 25 feet, in all sizes, from ¼-inch, in styles Nos. 175, 176, 177 and 178, and from ⅜-inch in other styles.

Above styles ..$1.00 per lb.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/36

"HYDRO" WATERPROOF
HYDRAULIC COIL PACKING

FOR COLD WATER PUMPS, ETC.




STYLE NO. 181

This material has been proved to be unequalled for cold water pumps and elevator plungers, against high and low pressure, and is unexcelled for stern glands of ships. Made in all sizes.

Style No. 181 .....**$1.00 per lb.**

"AQUA"
HYDRAULIC COIL PACKING

FOR COLD WATER PUMPS, ETC.



STYLE NO. 182

This Packing is made from the same material as our "Aqua" Hydraulic Ring Packing, shown on page 45, and is composed of selected quality of duck, laminated with the highest grade friction obtainable. No other packing on the market approaches it in efficiency for water service. We guarantee it to be absolutely free from glue.


Style No. 182 .....**$1.50 per lb.**

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/37

"J-M"

DIAGONAL COIL PACKING

FOR STEAM HAMMERS, HOISTING ENGINES, ETC.



STYLE NO. 183

This material is offered to meet the requirements for an efficient packing for rods badly scored or out of alignment, or where great vibration is met. Especially satisfactory on steam hammers and hoisting engines.

Style No. 183.—High-Pressure Diagonal.....**$1.00 per lb.**
" " **184.**—Low-Pressure Diagonal.....**$1.00** "


"J-M" TUCKS

COIL PACKING

ROUND AND SQUARE



STYLE NO. 185



STYLE NO. 186

We carry a full line of this popular style of Packing, in various grades.


Prices on application.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 38 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/38

"CABLE"

ASBESTO-METALLIC PACKING

FOR HIGH PRESSURE STEAM




STYLE NO. 187

"Cable" Piston Rod Packing is composed of a high-grade red rubber core, covered with braided asbestos jackets, over which is tightly braided a three-strand armor of soft brass wire. This produces an oval packing having maximum strength and expansive properties. In 5 and 10-lb. boxes.

Style No. 187.....$1.50 per lb.

OVAL GUM CORE PACKING

FOR LOW PRESSURE STEAM




STYLE NO. 188

In this material we offer the highest grade of gum core packing made. It is composed of a selected quality of gum core, covered with pure, long fibered flax, thoroughly lubricated.

Style No. 188.....80c. per lb.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/39

"J-M"
FLAX PACKING



STYLE NO. 189

We carry a large supply of commercially pure, long-fibered Flax Packing in the following grades:

Style No.	189	80c. per lb.
" "	190	70c. "
" "	191	60c. "

SECTION No. 5

"J-M" PACKING SPECIALTIES

"VULCABESTON" Rope.
"MOGUL" Rope.
"LUBESTO" Wick.
"CANADAX" Wick.
"CANADAX" Rope and Braided.
XX Wick for Wire Wiping.
XX Wick for Chemical Work.
XX Rope for Chemical Work.
XX Braided for Chemical Work.
Braided Packing.
Standard Wick for Chemical Work.
Standard Rope for Chemical Work.
Standard Braided for Chemical Work.
Asbestos Cord and Twine.
"Vulcabeston" Pump Valves.
"J-M" Rubber Pump Valves.
"J-M" Red Rubber Marine Valves.
"J-M" Gauge Glass Washers.
Asbestos Gloves and Mittens.
Asbestos Boiler Plugs.
Asbestos Cord and Twine.
National Steel Tube Cleaner.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/40

"VULCABESTON"

ROPE PACKING

FOR SMALL VALVE STEMS



STYLE NO. 192

This is a flexible rope packing, braided or twisted from strong strands of pure asbestos, combined with vulcanizable gums. Far more durable and effective than ordinary forms of rope and wick packing, and is superior to every other packing on the market for small valve stems against high pressure or superheated steam.

Size of Packing, inches.	No. Feet, per lb.	Price per lb.
1/16	450	$1.25
3/32	225	1.25
1/8	128	1.00
3/16	50	1.00
1/4	25	1.00
5/16	20	1.00
3/8	16	1.00
1/2	9	1.00
5/8	6½	1.00
3/4	5½	1.00
7/8	4	1.00
1	3	1.00
1¼	2¼	1.00
1½	1 2/3	1.00
2	1	1.00

1/16-inch, 3/32-inch on ¼, ½ and 1 pound spools.

1/8-inch, 3/16-inch and ¼-inch on ¼, ½ and 1 pound spools, or on 5, 10, 25 and 50 reels. Other sizes on reels only.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
Published by AsbestosClaims.Law
ACL Doc 21282 · Page 41 of 48
asbestosclaims.law/library/21282/41

"MOGUL"

PACKING

FOR SMALL VALVE STEMS



STYLE NO. 193

This Packing is made in braided or twisted form from strands of absolutely pure, long fiber, asbestos yarn, each strand thoroughly lubricated. The construction of this Packing is similar to that of our Style No. 30 "Jewett" Rings. It is put up in all sizes, on one pound spools, and five and ten pound reels. Also furnished in five and ten pound boxes, if required.

Style No. 193 .....**$1.00 per lb.**

"LUBESTO" WICK PACKING



STYLE NO. 194

A thoroughly lubricated asbestos wick packing, put up in ½- and 1-lb. dust-proof boxes ready for use.

Style No. 194 .....**75c. per lb.**

"CANADAX" WICK PACKING

FOR SMALL VALVE STEMS



STYLE NO. 195

Our "Canadax" Wick is composed of selected asbestos fiber, spun into strands (which can be separated) and made into the form of a soft, strong lampwick, which can be packed in any desired shape, around small steam and other valve stems.

Style No. 195 .....**50c. per lb.**

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 42 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/42

WICK AND ROPE SPECIALTIES

FOR ORDINARY CONDITIONS

"Canadax" Rope and Braided Packings.

Style No. 196.—Rope Packing.....50c. per lb.
" " 197.—Braided Packing.....75c. "

FOR WIRE WIPING PURPOSES

Style No. 198.—"XX" Wick Packing.....75c. per lb.

FOR CHEMICAL WORK, TO RESIST ACIDS, ETC.

Style No. 199.—"XX" Wick Packing.....75c. per lb.
" " 200.—"XX" Rope Packing.....75c. "
" " 201.—"XX" Braided Packing.....$1.00 "
" " 202.—Standard Wick Packing.....$1.00 "
" " 203.—Standard Rope Packing.....$1.25 "
" " 204.—Standard Braided Packing.....$1.25 "

ASBESTOS CORD AND TWINE

STYLE NO. 205

Is a strong, hard-twisted stranded cord in sizes from 1/16 to 3/8 of an inch in diameter.

Being fire and acid-proof, it is valuable for suspending Metals, Retorts and Crucibles in contact with fire. Particularly useful in chemical and glassworks.

Supplied in 1-lb. balls; 5, 10 and 25-lb. reels.

Style No. 205. .....$1.50 per lb.

"VULCABESTON"
PUMP VALVES

THE BEST VALVE FOR ALL CONDITIONS



STYLE NO. 206

The ordinary pump valve now on the market has failed utterly to meet the severe demand of modern pump service. A valve of entirely different material and construction has become an absolute necessity. To meet this condition we offer our Moulded "Vulcabeston" Pump Valve.

This valve is moulded from a specially prepared grade of "Vulcabeston" stock under an enormous pressure, and at a high vulcanizing temperature, producing great strength and density. We can absolutely guarantee our "Vulcabeston" Pump Valve to meet the most severe conditions. It will work under all conditions where every other valve fails, and will outlast several sets of rubber or composition valves.

Prices on application.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 43 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/43

"J-M"
RUBBER PUMP VALVE



STYLE NO. 210


Our stock of rubber pump valves comprises a complete assortment of grades and sizes for all services. We are prepared to fill orders promptly for these Valves.

Standard grades as follows:

Style No. 207.—Soft.
" " **208.**—Extra-Soft Pure Rubber.
" " **209.**—Medium-Soft.
" " **210.**—Medium-Hard.
" " **211.**—Hard.
" " **212.**—Extra-Hard, vulcanized under great pressure.

Prices on application.

"J-M"
RED RUBBER MARINE VALVE



STYLE NO. 216

To meet the demand of the marine trade for a high-class pump valve, we offer the above. This Valve is of the highest quality, is durable and reliable, and fully meets the unusually severe conditions incident to this service.

Furnished in six grades, as follows:

Style No. 213.—Soft.
" " **214.**—Extra-Soft Pure Rubber.
" " **215.**—Medium-Soft.
" " **216.**—Medium-Hard.
" " **217.**—Hard.
" " **218.**—Extra-Hard, vulcanized under great pressure.

Prices on application.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 44 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/44

"J-M" ASBESTOS GLOVES AND MITTENS



STYLE "C. X."

We make Asbestos Gloves and Mittens in six styles. These Gloves are largely used in glass, chemical, iron and smelting works, and are especially valuable in plants of every description where the handling of heated surfaces demands an efficient protection for the hands.

Style "A" Glove: Consisting of thumb and one finger, leather gauntlet, wool-fleece lined.....**$36.00 per doz.**

" **"B" Glove:** Consisting of thumb and one finger, asbestos gauntlet, wool-fleece lined.....**$36.00 per doz.**

" **"C" Mitten:** Full hand mitten with thumb, leather gauntlet, wool-fleece lined.....**$30.00 per doz.**

" **"D" Mitten:** Full hand mitten with thumb, asbestos gauntlet, wool-fleece lined.....**$30.00 per doz.**

" **"C. X." Mitten:** Full hand mitten with thumb, reinforced palm, either leather or asbestos gauntlet, **$36.00 per doz.**

" **"C. X. X."** Special four-finger glove with thumb, **$48.00 per doz.**

ASBESTOS BOILER PLUGS

FOR USE ON WATER TUBE BOILERS




STYLE NO. 219

These Plugs are used to stop the openings in the stay-bolts, through which the waste products of combustion, which accumulate on the tubes, are blown off; the Plugs prevent cold air entering and chilling the tubes.

They are superior to wooden plugs commonly used for this purpose, because, being unaffected by heat or water, they do not char, swell, nor shrink, and last indefinitely, insuring uniform efficiency of the boiler.

Style No. 219. .....**10c. each**

"J-M" GAUGE GLASS WASHERS



STYLE NO. 220

These are made of an exceptionally fine grade of rubber, and will give excellent service on all styles of gauge-cocks. Made in all sizes.

Style No. 220.....**$2.00 per lb.**


H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 45 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/45

NATIONAL
STEEL TUBE CLEANER

FOR CLEANING BOILER TUBES

(Patented)

SAVES ITS COST EVERY TIME IT IS USED



STYLE NO. 221

All the working parts made of steel. *No small parts to get out of order.* Easily adjusted to fit exactly the inside of the tube.

Size	Price	Size	Price
1½-in.	$2.00 each	3½-in.	$3.50 each
1¾-in.	2.00 "	4-in.	4.00 "
2-in.	2.00 "	4½-in.	4.50 "
2¼-in.	2.25 "	5-in.	5.00 "
2½-in.	2.50 "	5½-in.	5.50 "
2¾-in.	2.75 "	6-in.	7.50 "
3-in.	3.00 "	7-in.	18.75 "
3¼-in.	3.25 "	8-in.	21.25 "
		10-in.	$23.75 each

INDEX

PAGE

"J-M" Sheet Packings.....7-14

	PAGE
"Kearsarge"	7
"Mobilene"	8
"J-M" Asbesto-Metallic	9
Asbestos & Rubber Cloth	9
"Triplex"	10
"Vulcabeston"	11
"Impermeable"	12
"Liberty"	13
"J-M" Hydraulic	14
" Black Oil Proof	14
" Plumbago	14
" Fiber Asbestos	14

PAGE

"J-M" Gaskets.....15-34

	PAGE
"Kearsarge" Jointless	15
" Standard	16
" Jointless Tube Plate	17
" Standard Tube Plate	18
" Gasketing Tape	18
"Vulcabeston" Moulded	19
"J-M" Asbesto-Metallic	19
"Kearsarge" Tubular	20
"Liberty" "	20
"Kearsarge" Flange Joint	21-24
"Vulcabeston" Moulded Flange	25-29
" Union Washers	30
"Mobilene" Cut	31
"Liberty" Flange	31
Asbestos Mill Board	32
"Liberty"	32
"Vulcabeston" Rope	33
"J-M" Hydraulic	33
"Vulcabeston" Valve Bonnet	34
Special "Vulcabeston" Pieces	34

PAGE

"J-M" Ring Packings.....35-52

	PAGE
"Jewett" Moulded Asbestos	39
"Kearsarge"	39
"Vulcabeston" Concave and Convex	40
"Duplex" Combination	41
"Vulcabeston" Concave and Convex Throttle	42
"J-M" Throttle	42
"Duro"	43
"J-M" Diagonal	44
"Aqua" Hydraulic	45
"Besta-Monia"	46
"Hydro" Waterproof	47
"Victor"	48
"Jewett" Air Pump	49
" " Compressor	49
"Vulcabeston" Air Pump	50
"Keystone" Combination	51
"Kearsarge" Air Pump	52

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 46 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/46

INDEX—(Continued)

PAGE

"J-M" Spiral and Coil Packings.....53-64

	PAGE
"Kearsarge Spiral.....	53
"Duro" "	54
"Besta-Monia" "	54
"Victor" "	55
"Hydro" Waterproof Spiral	55
"Kearsarge" Coil (9 styles)	56-57
"Hydro" Waterproof Coil..	58
"Aqua" Hydraulic Coil....	59
"J-M" Diagonal "	60
"J-M" Tucks "	61
"Cable" "	62
Oval Gum Core.....	63
"J-M" Flax.....	64

PAGE

"J-M" Packing Specialties.....65-74

	PAGE
"Vulcabeston" Rope.....	65
"Mogul" "	66
"Lubesto" Wick.....	67
"Canadax" "	67
" Rope	68
" Braided	68
XX Wick for Wire Wiping	68
XX Wick for Chemical Work	68
XX Rope.....	68
XX Braided.....	68
Standard Wick.....	68
Standard Rope.....	68
" Braided	68
Asbestos Cord and Twine..	68
"Vulcabeston" Pump Valves	69
"J-M" Rubber " "	70
" Red Rubber Marine Pump Valve.....	71
Boiler Plugs, Asbestos....	73
"J-M" Gauge Glass Washers	73

PAGE

"J-M" Asbestos Gloves and Mittens.....72

National Steel Tube Cleaner.....74

ASBESTOS AND MAGNESIA PRODUCTS

SECTIONAL PIPE COVERINGS.

Asbesto-Sponge Felted.
Asbestos Fire-Felt.
"J-M" 85% Magnesia.
"Asbestocel."
"J-M" Asbestos Moulded.
"J-M" Air Cell.
"Champion."
"Aqua."
"Zero."
Safety Blow-Off.

ASBESTOS PAPERS, SHEETS, BLOCKS AND CEMENTS.

ASBESTOS YARN AND FABRICS.

ASBESTOS HOUSEHOLD SPECIALTIES.

"J-M" ASBESTOS ROOFING.

KEYSTONE HAIR INSULATOR.

ASBESTOS BUILDING MATERIALS.

Non Burn Papers.
Transite Fireproof Lumber and Slate.

"J-M" PACKINGS.

For steam, air, oil, gas.

MANVILLE FIRE EXTINGUISHER.

ELECTRICAL PRODUCTS

"Noark" Protected Fuse Devices.
Vulcabeston Insulation.
"Phœnix" Insulation.
Overhead Line Material.

H. W. Johns-Manville Co.: "J-M" Asbestos Packings, Catalog No. 101 (1906)
ACL Doc 21282 · Page 47 of 48
Published by AsbestosClaims.Law
asbestosclaims.law/library/21282/47

LIST OF CATALOGS

Catalog 100.—"J-M" Asbestos and Magnesia Products.

" 101.—"J-M" Asbestos Packings.

" 102.—Keystone Hair Insulator.

" 103.—Portland Sectional Conduit.

" 104.—"J-M" Cork Insulation.

" 105.—Asbestos Household Specialties.

" 106.—Manville Fire Extinguisher.

" 107.—"Transite" Asbestos Fireproof Lumber.

" 250.—"J-M" Railroad Supplies.

" 300.—"J-M" Asbestos Roofing.

" 400.—"Noark" National Electrical Code Standard Fuse Devices.

" 401.—Complete "Noark" Fuse Catalog.

" 402.—"J-M" Electrical Mine Supplies.

" 14.—General Electrical Supplies.

A copy of any of these Catalogs will be mailed on request to our nearest branch.

H. W. Johns-Manville Co.: "J-M" Asbestos Packi... Published by AsbestosClaims.Law
ACL Doc 21282 · Page 48 of 48 asbestosclaims.law/library/21282/48