TRADE MARK



REGISTERED

ANCHOR PACKINGS

"THURIL" SHEET

REG. U. S. PAT. OFF.

The Anchor Packing Co.
1014-16 Arch Street
Philadelphia, Pa.

The

Anchor Packing Company

Makers of

Packing, Mechanical Rubber Goods, and Asbestos Products

"THURIL" SHEET

REG. U. S. PAT. OFF.

Catalog "K"

General Offices

Lafayette Building

Fifth and Chestnut Streets

Philadelphia, Pa.

For Branch Offices, see Addresses on Following Page

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/2

Directory of

The Anchor Packing Company

GENERAL OFFICES

Lafayette Building, Fifth and Chestnut Streets

PHILADELPHIA, PA.

FACTORIES

Philadelphia - Pennsylvania
Elkhart - - - Indiana

BRANCHES

Baltimore, Maryland	716 East Pratt Street
Boston, Massachusetts	88 Broad Street
Buffalo, New York	70 Ohio Street
Cleveland, Ohio	478 Rockefeller Building
Chicago, Illinois	200 E. Illinois Street
Cincinnati, Ohio	406 Greenwood Building
Detroit, Michigan	251 Larned Street, West
Galveston, Texas	2213 Mechanic Street
Kansas City, Missouri	501 Kemper Building
Los Angeles, California	500 E. Third Street
Montreal, Canada	371 Aqueduct Street
New Orleans, Louisiana	418 Common Street
New York, New York	72 Murray Street
Philadelphia, Pennsylvania	1014-1016 Arch Street
Pittsburgh, Pennsylvania	601 Manufacturers' Building
San Francisco, California	29 Spear Street
St. Louis, Missouri	1523 Olive Street

Representatives in all Industrial Centers

The Anchor Packing Co, Philada.

Ankorite Fibrous Packings

In ordering RING PACKINGS give the exact diameter of the rod and the inside diameter of the stuffing-box. Orders for ring goods, where amounts are not specified, will be filled as follows: Under 1-inch rods, 3 pounds; 1- to 2-inch rods, 10 pounds; 2- to 4-inch rods, 15 pounds; 4-inch rods and over, 20 pounds.

SPIRAL AND COIL PACKINGS made in all sizes from 1/8-inch up.

Duplex Packings

Special conditions frequently make it advisable to use various combinations of packings. In this event we recommend our Duplex Packings, as we have special sets to meet every known condition. These different sets are made to exactly fill the stuffing-box, and when ordering same it is necessary that we have diameter of the rod and diameter of stuffing-box, and depth of the box when possible.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 3 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/3

Numerical Index

Style No.	Page	Style No.	Page	Style No.	Page	Style No.	Page
100	51	147-IS.	38	225.	17	347	38
101	7	148	34	227.	26	348.	34
102	14	149.	31	235	18	349	31
103	27	150	30	237	18	350.	30
104	14	151.	31	247.	38	351	31
105	7	152	31	256.	27	352	31
110	6	153	31	257.	15	353	31
112	8	154	29	258	15	354	29
113	16	155	23	261	15	356	27
117	12	156	27	274.	36	357	15
118	13	157	15	278	20	358	15
119	13	158	15	300	51	359	44
120	28	161	15	301	7	360	44
121	28	166	24	303	27	361	15
122	19	170	41	304	14	364	45
123	39	172	18	305	7	365	45
124	27	173	18	310	6	366	45
125	17	174	36	312	8	367	45
125-H.	16	175.	40	313	16	368	45
126	17	175-M.	40	314	13	369	45
126-H.	16	176	32	315	13	370	41
127	26	177	25	316	14	374	36
128	26	178	20	317	12	375	40
130	19	188	25	318	13	375-M.	40
131	18	192	20	319	13	376	32
132	18	195	10	320	28	378	20
133	22	198	6	321	28	379	36
135	18	199	20	322	19	380	42
136	18	200	51	323	39	381	43
137	18	201	7	334	34	382	43
138	18	203	27	339	35	383	43
139	35	205	7	340	33	384	43
140	33	210	6	341	35	385	43
144	23	212	8	342	35	386	42
145	34	213	16	343	35	387	43
146	32	220	28	344	35	388	43
147-E.	38	221	28	345	34	390	10
147-OS.	38	223	39	346	32	391	11

Numerical Index—*Continued*

Style No.	Page	Style No.	Page	Style No.	Page	Style No.	Page
393	11	427	61	642	65	760	49
395.	10	428.	61	643	65	765	49
396	11	429	61	647	65	767	50
397	11	430.	61	648	65	770	49
398.	6	431	61	649	65	777	48
399.	20	432	61	650	66	781	49
400	60	475	59	700	49	801	21
401.	60	600	63	705	47	802	28
402	57	601	64	710.	47	803.	21
403	60	602	64	712	47	804	21
404	60	604.	64	715.	48	805.	12-21
405	58	605.	64	716	48	806.	21
406	58	606,	64	720	50	807	12
407	58	607	62	725.	50	810.	21
408.	58	608	64	726	49	1004	9
410	60	610	62	730.	50	1017	9
412	60	611	64	733.	49	1019	9
413	60	620	63	735	50	1030	8
415	60	625	64	740	50	1098	9
416	60	630	64	742	50	1204	9
420	60	631	65	746	50	4550	9
421	61	632	65	749	48	5075-M.	9
422	61	633.	65	750	47	6604	25
423	61	634	65	751	48	7430	9
424	54	637.	65	752	49	7874-a.	37
425	54	638	65	753	49		
426	61	641.	65	754	50		

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 4 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/4

Ankorite High Pressure Packing



Ring Style No. 110 **Spiral Style No. 210**
Coil Style No. 310
List Price, $2.00 per Pound

Ankorite High Pressure stands in a class by itself. It is made of the finest grade long-fibre Canadian asbestos, thoroughly lubricated with a special compound that will stay in the packing, and which adds to its elasticity and durability. This packing has a non-vulcanizing gum back, which acts as a cushion.


High Pressure Oval Marine Packing

Ring Style No. 198 **Coil Style No. 398**
List Price, $1.60 per Pound

A braided packing, constructed entirely of long-fibre asbestos yarn, with best quality red rubber cushion centre and thoroughly lubricated through each cover separately. The outer jacket consists of strands of soft metal wire interwoven with fibre. Soft and pliable and guaranteed not to score the rod.

The Anchor Packing Co., Philada.

Ankorite Superheat Packing



Ring Style No. 105 **Spiral Style No. 205**
Coil Style No. 305
List Price, $2.00 per Pound

Ankorite Superheat Packing is made of selected long-fibre Canadian asbestos, with an unvulcanizing cushion back, thoroughly lubricated—is very tough and strong and still very flexible, and will not cut or score.

It is the best packing made for superheated and high pressure steam, expansion joints, locomotive and marine engines, high speed engines, hot blast valves, and lifting bells on furnaces.


Supreme High Pressure Packing

Ring Style No. 101 **Spiral Style No. 201**
Coil Style No. 301
List Price, $2.00 per Pound

An asbestos packing with a centre core of flake graphite. Will not get hard in the stuffing-box. An absolutely new construction covered fully by patents.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 5 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/5

Ankorite Duplex Packing



Style No. 1030 List Price, $2.00 per Pound

This is a combination of our High Pressure and Diagonal Rings, put up in sets to exactly fill the stuffing-box.

It is one of the best packings for every class of work against medium steam pressure.

When ordering give depth of stuffing-box as well as the usual ring dimensions.

Capstan High Pressure Packing

Ring Style No. 112 Spiral Style No. 212
Coil Style No. 312 List Price, $1.60 per Pound

An asbestos packing with rubber core. Softer than our Ankorite High Pressure, and will give general satisfaction.

The Anchor Packing Co., Philada.

Ankorite Duplex Sets


Under this heading we list packings that we have found from practical experience give excellent results on special pumps and machinery, where standard packings do not give the desired results.

Style No. 1004	**For Corliss Valve Stems.** List Price, $2.00 per Pound.
Style No. 1019	**For High Pressure Dry Steam.** List Price, $2.00 per Pound.
Style No. 1098	**For High Pressure Steam.** List Price, $2.00 per Pound.
Style No. 1017	**For Ideal Engines.** List Price, $2.00 per Pound.
Style No. 5075-M	**For Cold Water Outside Plungers.** List Price, $1.60 per Pound.
Style No. 7430	**For Hot Water Outside Plungers.** List Price, $2.00 per Pound.
Style No. 4550	**For High Pressure Oil Pumps.** List Price, $2.00 per Pound.
Style No. 1204	**For Jones Stokers.** List Price, $2.00 per Pound.

Our products are not confined to one make or style, but are designed to meet the requirements of each application.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 6 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/6

Ankorite Special Diagonal Packing



Ring Style No. 195 **Coil Style No. 395**
List Price, $1.60 per Pound

Many packings of this style are on the market, but we claim for our No. 395 that it will give longer service, stand a higher pressure and will positively not cut rods.

Recommended for mine pumps and for general purposes where a packing is required that will meet all conditions.


Ankorite High Pressure Diagonal Packing

Style No. 390
List Price, $2.00 per Pound

Made on the same principle as No. 395, with braided asbestos cushion, and is used and recommended for high pressure dry steam.

The Anchor Packing Co., Philada.

Sedgley Diagonal Packing



Style No. 396
List Price, $1.20 per Pound

A Low Pressure Diagonal Packing recommended for general low pressure service.

Allegheny Diagonal Packing

Style No. 397
List Price, $1.00 per Pound

Similar to Sedgley Brand, but has a softer cushion.

Capstan Special Diagonal Packing

Style No. 391
List Price, $1.60 per Pound

Lafayette Diagonal Packing

Style No. 393
List Price, $1.60 per Pound

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 7 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/7

Ankorite Semi-Metallic Packing



Style No. 805—For Steam
Style No. 807—For Acids and Oil
List Price, $1.25 per Pound

A round braided and graphited packing composed of alternate strands of soft metal wire and pure asbestos. Recommended for pumps handling alkali, acid, and oil. Small sizes on spools, large sizes on reels.

Sulu Packing

Ring Style No. 117 **Coil Style No. 317**
List Price, $2.00 per Pound

Constructed from asbestos yarn firmly braided throughout, each strand of which contains fine metal wire and is lubricated and graphited before braiding. Designed for superheat and hot oil, and adapted for extremely hard service.

Sultan Braided Asbestos Packing

Square Braided Ring Style No. 118
Round Braided Ring Style No. 119
Square Braided Coil Style No. 318
Round Braided Coil Style No. 319
List Price, $2.00 per Pound

Made from 95 per cent. asbestos yarn of extra strength, braided cover over cover, every fibre being graphited and lubricated before braiding. Adapted for high pressure air and dry steam. Positively cannot harden under most severe service.

Ankorite Asbestine Packing
Twisted and Lubricated

Style No. 314
List Price, $1.25 per Pound

Made of numerous strands of asbestos yarn. Each strand lubricated and graphited before twisting.
Sizes 1/16-inch to 3/8-inch on 1-pound spools.

Braided and Rubbered

Style No. 315
List Price, $1.25 per Pound

A round high pressure valve stem packing made braid over braid of asbestos yarn. As each braid is put on it is thoroughly treated with rubber cement, graphited on the outside only.
Small sizes on 1-pound spools. Large sizes in 5- or 10-pound boxes or reels.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 8 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/8

Ankorite Cab Cock Packing

Style No. 316
List Price, $1.50 per Pound

This material is specially treated long-fibre-braided asbestos with graphite finish. It will stand any pressure and is used principally for packing steam cocks of locomotive cabs.

Made in round form and in small sizes only, as follows: 1/8-inch, 3/16-inch, 1/4-inch, 3/8-inch on 1-pound spools.

Locobestine Ball Joint Packing

Ring Style No. 104
Coil Style No. 304
List Price, $2.00 per Pound

As the name implies, this is a successful packing for ball joints on locomotives.

Soft yet firm and will give excellent service without becoming hard.

Ankorite Locomotive Superheat Ring Packing

Style No. 102

A flexible semi-metallic packing; concave and convex form. The metal guaranteed to withstand superheat, causing minimum friction and never scoring the rod; no changes needed in stuffing-box; it is installed and taken out easily. Rods must be true, and when furnishing dimensions state whether the end rings are to be beveled or flat. Prices upon application.

Lafayette High Pressure Packing

Ring Style No. 157 **Spiral Style No. 257**
Coil Style No. 357
List Price, $1.60 per Pound

A round duck packing with unusually strong friction and best quality red cushion core; has braided cover of strands of long-fibre asbestos. A moderate priced packing with exceptional wearing qualities for any kind of service.

Senator Packing



Ring Style No. 161 **Spiral Style No. 261**
Coil Style No. 361 **List Price, $1.60 per Pound**

Capstan Red Core Packing

Ring Style No. 158 **Spiral Style No. 258**
Coil Style No. 358 **List Price, $1.60 per Pound**

The above two styles are constructed from duck and rubber of tough material with resilient cushion. Both are excellent for general use.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 9 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/9

Ankorite Steam Hammer Packings



Ring Style No. 125-H Sectional Ring Style No. 126-H
List Price, $1.60 per Pound

For Steam Hammers having round, octagon or flat sided rods.


Overland Packing

Ring Style No. 113 Spiral Style No. 213
Coil Style No. 313 List Price, $1.60 per Pound

A packing especially constructed for steam hammer service, with vertical cushion centre. Designed particularly to withstand the vibration of the rod and will prevent leakage and drip.

Furnished only for packing space ½-inch and over, in the following thicknesses: ½-inch to 1-inch-thickness is ½-inch; over 1-inch-thickness is ⅝-inch. Stuffing-boxes, therefore, will admit of more turns, which is of special advantage.

Ankorite Extra Packing



Ring Style No. 125 Sectional Ring Style No. 126
Spiral Style No. 225
List Price, $1.60 per Pound

Above styles constructed from best quality of duck and rubber, for use against pressures up to 100 pounds.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/10

Ankorite Standard Packing



Ring Style No. 135
Sectional Ring Style No. 136
Spiral Style No. 235
List Price, $1.20 per Pound

Sedgley Ring Style No. 137
Sedgley Sectional Ring Style No. 138
Sedgley Spiral Style No. 237
List Price, $1.20 per Pound

Ankorite Extra Packing

With Rubber Insertion
Ring Style No. 172
Sectional Ring Style No. 173
List Price, $2.00 per Pound
With Metal Insertion
Ring Style No. 131
Sectional Ring Style No. 132
List Price, $2.00 per Pound

Ankorite Diagonal Ring



Style No. 130. List Price, $1.60 per Pound

A ring of this design enables it to adapt itself to rods out of line, and is specially valuable when used in combination with other packings to overcome condensation and to render sufficient expansion.

Wedge Diagonal Packing

Ring Style No. 122 **Coil Style No. 322**
List Price, $1.60 per Pound

Special diagonal with braided cotton cover, the wedges of which consist of one ply of duck rolled and moulded into shape. Contains no cushion.

Recommended to be used alternately with any style of solid packing for use on steam or water.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 11 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/11

Braided Copper Packing

Ring Style No. 199
Coil Style No. 399
List Price, $2.00 per Pound

Braided from fine strands of annealed pure copper. Recommended for high pressure hydraulic service, and when used as a bushing ring with other styles of steam rings will greatly increase the life of the packing and will not score the rod.

Ankorite Metal Wedge Packing

Style No. 192
List Price, $1.60 per Pound

Composed of a soft metal sectional wedge inserted within a ring of firm rubber and duck packing. Recommended only when used in combination with other hydraulic or steam packings. Has proven especially successful against hot and cold water service on outside packed plungers. The soft metal keeps the plungers in good condition.

Universal Hydraulic Packing

Ring Style No. 178 **Spiral Style No. 278**
Coil Style No. 378
List Price, $2.00 per Pound

Packing of peculiar construction, adapted for low pressure steam, hot or cold water. Extremely tough and flexible and works with minimum friction under all conditions.

The Anchor Packing Co., Philada.

Ankorite Soft Metal Packings

Style No. 806 **Ankorite Moulded Metal Packing.** This packing is braided from soft metal wire, moulded square. Furnished in ring, spiral, or coil form.

Style No. 803 **Ankorite Braided Asbestos and Metal Packing.** This is composed of a braided body of asbestos yarn and metal wire, moulded and pressed square. Ring form only.

Style No. 805 **Ankorite Metal Packing.** Also a braided packing composed of fine metal wire and asbestos yarn. Made in all sizes from ⅛ inch up. Furnished on 3-pound spools and 25-pound reels.


Style No. 804 **Ankorite Metal Packing.** Composed of a body of soft metal wires with an asbestos cover, moulded square. Used in combination with our high pressure rings, it is recommended for Corliss Valve Stems, Jones Stokers, etc.

Style No. 801 **Ankorite Shredded Metal Packing.** Put up in cans from 5 to 50 pounds.

Style No. 810 **Ankorite Patented Metal Packing.** Patented Metallic Packing composed of compressed ribbons of babbitt metal and dry lubricant. Moulded rings only.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 12 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/12

Pullman Throttle Packing



Style No. 133
List Price, $2.00 per Pound

A higher grade packing for throttle service cannot be made. It is impossible for this packing to blow out. It is made in sets to exactly fill stuffing-boxes, and is carried in stock to fit all types of locomotives. A guard ring on bottom of sets is only used when requested.

The Anchor Packing Co., Philada.

Baldwin Throttle Packing

Style No. 144

List Price, $2.00 per Pound

A high pressure asbestos packing for hard service. Made in sets, with or without the guard ring on bottom.

Brooks' Throttle Packing


Style No. 155

List Price, $1.60 per Pound

Made up in sets to exactly fill stuffing-boxes, and is composed of long-fibre asbestos, thoroughly lubricated. No rubber whatever in its make-up.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 13 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/13

Pullman Air Pump Packing



Style No. 106
List Price, $2.00 per Pound

In manufacturing this packing we have overcome the excessive heat and extreme dryness of the Westinghouse and New York air pumps in railroad service. It has a cushion centre ring, carrying a better and greater degree of lubrication than ever before attempted. Nothing on the market is as durable.

The Anchor Packing Co., Philada.

Baldwin Air Pump Packing

Style No. 177
List Price, $2.00 per Pound

This is a thoroughly lubricated high pressure packing, and has proven very successful for the hardest service. Made in sets to fit any pump.

Brooks' Air Pump Packing

Style No. 188
List Price, $1.60 per Pound

Made of closely braided individual-strand-lubricated asbestos fibre. Made in sets for all pumps.


Ankorite Semi-Metallic Air Pump Packing

Style No. 6604
List Price, $2.00 per Pound

Composed of alternate rings of fibrous asbestos and soft metal moulded to fit the stuffing-box exact. Rings are cut so they can be applied easily.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 14 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/14

Packings for Refrigerating Machines



Ankorite Ammonia Packing

Ring Style No. 127 **Spiral Style No. 227**
Sectional Style No. 128 **List Price, $1.60 per Pound**

The above packing is one of the first successful ammonia packings on the market. It is recommended for single acting machines.

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.

Ankorite Ammonia Packing

Ring Style No. 156 **Spiral Style No. 256**
Coil Style No. 356
List Price, $2.00 per Pound

This packing has been successfully used in the largest ice machines in the country. For use on double acting machines.

Ankorite
Cross Diagonal Packing for Ammonia

Ring Style No. 103 **Spiral Style No. 203**
Coil Style No. 303
List Price, $2.00 per Pound

This style of packing will quickly respond to conditions calling for compression or expansion, and is capable of resisting wear for a long period.

Ankorite
Pure Rubber Ammonia Rings

Style No. 124
List Price, $2.00 per Pound

Pure rubber rings for the joints on circulating pipe lines.

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 15 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/15

Ankorite Air Compressor Packing

Ring Style No. 120 **Spiral Style No. 220**
Coil Style No. 320
List Price, $2.00 per Pound

This packing is made solely from best quality asbestos, contains no rubber and finished with a well-graphited surface.

Capstan Air Compressor Packing

Ring Style No. 121 **Spiral Style No. 221**
Coil Style No. 321
List Price, $2.00 per Pound

Composed of high-grade heat resisting cover, with centre of special soft fibre.

Flexile Centrifugal Pump Packing
For Hot or Cold Water, Acids, Oils, Ammonia, Etc.

Style No. 802

For a long time we have been trying to find a better packing for centrifugal pumps. We have made numerous experiments. At last we can safely and absolutely guarantee a packing, known as "Flexile," Style No. 802, that will outlive any soft packing five or six times over without injuring the rod—with friction reduced to a minimum, and which will prove the cheapest packing to use because of the length of service we guarantee it will give.

This packing is sold under an absolute guarantee, which is that we will not charge you one cent for any you buy if you are not entirely satisfied. Full directions in each box. All sizes, ¼-inch up—in coil or spool form only.

"Anpaco" Hydraulic Packing



Ring Style No. 154 **Coil Style No. 354**
List Price, $2.00 per Pound

Since the introduction of high pressure hydraulic power, many attempts have been made to produce a satisfactory packing—able to resist the destructive action of these pressures; this is successfully accomplished by "ANPACO," a *patented,* plaited fibrous packing which we guarantee will last longer than any other fibrous packing now on the market.

"ANPACO" Hydraulic Packing retains its softness under the highest pressure for an indefinite period. Ordinary fibrous packings rot and disintegrate. "ANPACO" does not because the life is thoroughly preserved by a patented chemical treatment.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 16 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/16

Waterproof Hydraulic Packings



Ankorite

Ring Style No. 150
Coil Style No. 350
List Price, $1.25 per Pound

For cold water service. Made of the finest grade long-fibre and lubricated with a waterproof compound that adds greatly to its elasticity and life. Made in ring and coil forms.

When ordering the above, please state whether it is to be made hard, medium or soft.

The Anchor Packing Co., Philada.

Capstan
Water-proof Hydraulic Packing

Ring Style No. 151 **Coil Style No. 351**
List Price, $1.00 per Pound

An excellent packing for cold water and general hydraulic purposes.

Sedgley
Water-proof Hydraulic Packing

Ring Style No. 152 **Coil Style No. 352**
List Price, $1.00 per Pound

A very good packing for mine pumps.

Allegheny
Water-proof Hydraulic Packing


Ring Style No. 153 **Coil Style No. 353**
List Price, $1.00 per Pound

Rubber Back
Water-proof Hydraulic Packing

Ring Style No. 140 **Coil Style No. 340**
List Price, $1.60 per Pound

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 17 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/17

Ankorite Watertite Hydraulic Packing



Ring Style No. 146 **Coil Style No. 346**

List Price, $1.60 per Pound

Our Watertite Hydraulic Packing is made with a duck and flax body and a soft red rubber cushion. It is very strong and durable, and still soft and flexible.

It is adapted for use on hot and cold water plungers for all classes of service. Storekeepers can carry this in stock and send out on all classes of work with absolute confidence.

Pittsburgh Wedge Hydraulic Packing


Ring Style No. 176 **Coil Style No. 376**

List Price, $1.60 per Pound

Composed of black friction base and waterproof hydraulic cushion. A very strong hydraulic packing for rough service.

The Anchor Packing Co., Philada.

Ankorite Special Hydraulic Hot Water Packing



Solid Ring Style No. 140

Coil Style No. 340 **List Price, $2.00 per Pound**

Very few manufacturers of hydraulic packing have realized the changes made in the temperature of water, as pumped into the boilers to-day. A few years ago water was pumped into the boilers at from 75 to 125 degrees, while to-day it runs from 175 to 212 degrees. We believe we have the only satisfactory packing for this purpose and guarantee it to give absolute satisfaction.

This material is also furnished ROCK HARD in coil and ring form, and we will spiral same to dimensions of pistons or plungers when requested.


The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)

ACL Doc 21295 · Page 18 of 49

Published by AsbestosClaims.Law

asbestosclaims.law/library/21295/18

Ankorite
Rubber Back Hydraulic Packing



Ring Style No. 148 **Coil Style No. 348**
List Price, $2.00 per Pound

The quality of this material cannot be excelled, and is guaranteed for the hardest service.

Highly recommended for elevators and hydraulic lifts.

Metal Insertion Hydraulic Packing

Ring Style No. 145 **Coil Style No. 345**
List Price, $2.00 per Pound


A well-known high pressure cold water packing for inside packed pumps.

Ankorite Hydraulic Packing

Style No. 334
List Price, $2.00 per Pound

A fine hydraulic with wax thread stitching.

Square Duck for Hot or Cold Water



Ring Style No. 139 **Coil Style No. 339**
List Price, $1.00 per Pound

Without any question this is the strongest, toughest and most flexible hydraulic for hot and cold water.

Capstan Square Hydraulic

Coil Style No. 341 **List Price, $1.00 per Pound**

This is a softer grade of white friction hydraulic, for moderate temperatures.

Black Friction Square Hydraulic

Coil Style No. 342 **List Price, $1.00 per Pound**

Same quality as No. 341, with black friction.

Rubber Back Square Duck

Coil Style No. 344 **List Price, $1.00 per Pound**


Same quality as our No. 339, to which we vulcanize a high-grade rubber back.

White Friction Tucks

Coil Style No. 343 **List Price, $1.00 per Pound**

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 19 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/19

Ankorite
Cushion Centre Hydraulic Packing



Ring Style No. 174 **Spiral Style No. 274**
Coil Style No. 374
List Price, $2.00 per Pound

A very successful packing for outside plungers on hot water pumps. Also recommended for elevators.


Ankorite
Combination Hot Water Packing

Coil Style No. 379
List Price, $2.00 per Pound

For outside packed plungers on boiler feed pumps when not convenient to order in sets.

The Anchor Packing Co, Philada.

Hot Water Packing
for Outside Packed Plungers



Style No. 7874a
List Price, $2.00 per Pound


Since the introduction of hot water heaters in modern plants, one of the greatest problems has been in holding the outside packed plungers to withstand the high temperature of the water pumped into the boilers.

It is obvious from the above cut that this packing is so constructed that it will automatically contract and expand without screwing up the gland hard. Therefore, it has long life and is practically frictionless. Made in sets to fill the stuffing-box.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 20 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/20

TOPNOCH

Packing



Solid or Endless Ring, Style No. E-147
Ring with Notch on Outside, Style No. OS-147
Ring with Notch on Inside, Style No. IS-147
Spiral with Notch on Inside, Style No. 247
Coil with Notch on Inside, Style No. 347

List Price, $2.00 per Pound

Guaranteed for hot water, oil, brine, lime juice, acids and equally valuable for inside packed pistons.

Please state whether desired for hot or cold water, inside pistons or outside plunger pumps, and pressure.

In applying this packing, each ring is placed with back to gland and with the notch toward the pressure. Never use a wrench, as this would crowd the ring ahead back into the notch of the ring following. The packing may leak slightly when first applied, but will adjust itself as soon as it can expand.

Secure special circular of instructions before using.

Furnished with or without soft metal lugs.

SPRINGBAK

Packing

Ring Style No. 123 **Spiral Style No. 223**
Coil Style No. 323 **List Price, $2.00 per Pound**

There is an increasing demand for a tough, elastic, flexible, and expansive packing, that may be universally used and that is ideal for the numerous conditions that exist in the modern steam plant.

Springbak is the only packing that meets all these requirements. We guarantee it unreservedly for low and medium steam pressures, hot and cold water, ammonia, gases and hot oils; for steam hammers, Corliss valve stems and centrifugal pumps it is unexcelled. When used in combination with our high-pressure packing it gives excellent satisfaction against high-pressure steam or high-speed piston rods, and also takes care completely of all condensation, and friction is reduced to a minimum.

In order, therefore, to obtain all results claimed we have found it necessary to use the highest grade fine Para rubber obtainable, which, combined with the very best pure rubber friction and fabric of high tensile strength, justifies our claim of superiority. Each coil of Springbak is moulded separately, and does not follow at all the old line construction of ordinary spiral packings.

It has an oil-proof air chamber or oil duct, and expands in all directions 100 per cent. It yields to the pressure and promptly returns to its original shape when pressure is released. Any one of its four sides is a wearing surface. Being much lighter in specific gravity and guaranteed to give triple service as compared to any other make of square rubber-and-duck packings, Springbak should be your standard.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 21 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/21

Ankorite Automatic Hydraulic Packing

(Patented)



Metal Face Ring Style No. 175-M
Metal Face Coil Style No. 375-M
Duck Wedge Ring Style No. 175
Duck Wedge Coil Style No. 375
List Price, $2.00 per Pound

We are the sole manufacturers of this type of packing, every detail of which is fully covered by patents. It is a packing that is unsurpassed for hydraulic purposes, and recommended for outside packed pump plungers, both hot and cold water The slightest pressure will cause lateral expansion that insures absolute tightness.

Ankorite Expansion Packing




Ring Style No. 170
Coil Style No. 370
List Price, $1.60 per Pound

This style of packing consists of a combination of our highest quality duck wedges and long-fibre lubricated flax. It works equally well on hot or cold water against ordinary pressures.

The action of the wedges is very sensitive and requires a very slight pressure on the gland. Best results are obtained by alternating this style with solid rings.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 22 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/22

Ankorite Square Flax Packing



Style No. 380 **List Price, $1.00 per Pound**

This packing is made of the very highest grade of long-fibre Russian flax, made up according to the government specifications and lubricated with the best grade of cake tallow

Ankorite Black Raven Flax

Coil Style No. 386 **List Price, $1.25 per Pound**

Made from best quality flax, every fibre of which is lubricated throughout with special compound of powdered graphite and pure tallow before braiding. A combination which gives the best results obtainable for general cold water service.

The Anchor Packing Co., Philada.

Ankorite Rubber Back Flax Packing

Coil Style No. 385

List Price, $1.60 per Pound

Made of our best long-fibre flax, with firmly vulcanized soft rubber back.

Round Graphited Fibre Packing

Coil Style No. 388

List Price, 80 Cents per Pound

Consists of braided cover and twisted centre; lubricated throughout.

Capstan Flax Packing

Coil Style No. 381

List Price, $1.00 per Pound

Style No. 382 **Sedgley Flax Packing.** List price, $1.00 per pound.


Style No. 383 **Standard Flax Packing.** List price, $1.00 per pound.

Style No. 387 **Allegheny Flax Packing.** List price, $1.00 per pound.

Style No. 384 **Special Combination Flax Packing.** List price, $1.00 per pound.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 23 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/23

Capstan Gum Core Packing



Round Style No. 359
Oval Style No. 360
List Price, $1.20 per Pound

This packing is made with an oblong best quality rubber core, which is surrounded by braided jackets of flax yarn, and is thoroughly lubricated throughout.

Where a gum core packing is desired, this cannot be surpassed.

Furnished with graphited surface when requested.

Sedgley Gum Core Packing

Round Style No. 364
Oval Style No. 365
List Price, $1.00 per Pound

Sedgley Gum Core is thoroughly lubricated with a special composition that softens and makes the covering pliable without affecting the elasticity of the gum core.

Allegheny Gum Core Packing

Round Style No. 366
Oval Style No. 367
List Price, $1.00 per Pound

Glenwood Gum Core Packing

Round Style No. 368
Oval Style No. 369
List Price, $1.00 per Pound

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 24 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/24

Ankorite Rubber Pump Valves

We wish to call buyers' attention to the fact that their inquiries for rubber pump valves are invariably classed with rubber goods, such as belting, hose, etc.

No other branch of our extensive business has received more careful attention than the manufacture of pump valves. For fifteen years we have studied the valve question exhaustively from every standpoint and every condition under which a valve must work. Thousands of tests have been made in all parts of the country and the results carefully noted.

From this experience we have worked out compounds for all conditions found in mines, large pumping stations, railroads, steamships, steel plants, etc. We will cheerfully give you exact weights of each size in advance or price per piece, and also guarantee time service.

Having the moulds for every size of valves from 2 to 54 inches in diameter, and in addition all odd patterns and shapes required, and carrying large stocks already mixed, can fill orders immediately.

We guarantee every valve we sell, not only as to workmanship and material, but if they fail to give you entire satisfaction will be replaced without charge and without question.

The Anchor Packing Co., Philada.

Cold Water Valves



Style No. 705

Hard valve for cold water up to 400 pounds pressure. Will not bend or break under most severe conditions. *An excellent valve for pumping alternately hot and cold water.*

Style No. 710

Medium hard valve for cold water up to 300 pounds pressure, *including elevator pumps, or places where water may get quite warm.*

Style No. 712

Medium valve for cold water, very tough. Excellent valve for water works, pressure up to 200 pounds.

Style No. 750

White medium valve for cold water up to 150 pounds pressure.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 25 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/25

Cold Water Valves—Continued

Style No. 715

Medium valve for cold water up to 100 pounds pressure.

Style No. 716

Soft valve for cold water under 100 pounds pressure.

Style No. 751

Red valve, medium hard, for general use not exceeding 200 pounds pressure or 200 degrees temperature.

Style No. 777

Made to carry in stock for emergencies. Is a very stiff compound and may be ordered where conditions are unknown. Will work on hot, cold or warm water. Absolutely guaranteed for water works or large crank and fly wheel pumps up to 200 pounds pressure.

Style No. 749

We believe that this is the toughest medium valve that has ever been produced. Made to stand abuse or abnormal conditions up to 250 pounds pressure. Specific gravity 1.59, or, in other words, only weighs nine-tenths of an ounce per cubic inch. For large pumping engines, elevator service or pumps pushed beyond their capacity this valve has no equal.

Ankorite Valves for Mine Pumps

Style No. 770

Cold water valve for mine pumps up to 800-foot lift or 400 pounds pressure.

Style No. 765

Cold water valve for mine pumps up to 500-foot lift or 250 pounds pressure.

Style No. 726

Cold water valve for mine pumps up to 350-foot lift or 175 pounds pressure. Very light and flexible.

Style No. 760

Soft valve for mine pumps, with a curved guard or pumping silt, up to 300-foot lift or 150 pounds pressure.

Hot Water Valves

Style No. 781

Superheat valve. Best hot water valve that can be made for high duty. Any temperature or pressure.

Style No. 700

High-grade hard valve for hot water up to 450 pounds pressure, 212 degrees temperature, also for acids, oils, etc.

Style No. 733

Very tough soft valve for cold or warm water up to 125 pounds pressure. Also gritty and sandy water. Reinforced with a coil of spring wire.

Style No. 753

Red valve, medium soft, for 150 pounds pressure or 250 degrees temperature. For acids, syrups, oils, etc.

Style No. 752

Red valve, very hard, for 400 pounds pressure and 300 degrees temperature.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 26 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/26

Vacuum Valve

Style No. 746

Hard but not brittle; made expressly to stand the high temperature of vacuum pumps. Will soften slightly in hot water and make a perfect seat. We believe no better valve has ever been made for this service.

Condenser Valves

Style No. 742

Extreme high-grade red condenser valve. Very light weight.

Style No. 730

Soft red condenser valve, high grade, durable and flexible.

Style No. 725

Soft red condenser valve, "B" grade.

Style No. 740

Soft gray condenser valve made from best grade of fine Para rubber.

Style No. 735

Soft gray condenser valve, "B" grade.

Style No. 707

Soft gray valve, acid proof.


Style No. 754

Red tough light valve for syrups, condensers, cold water and general use up to 100 pounds pressure.

Style No. 720

Soft gray valve for air. Exceedingly tough. A good valve for cold water and any place where a tough soft valve is desired up to 150 pounds pressure or 190 degrees temperature. Will not soften in warm water.

The Anchor Packing Co., Philada.



Century Packing

Ring Style No. 100

Spiral Style No. 200

Coil Style No. 300

List Price, $2.00 per Pound

Composed of very high-grade rubber and duck, so constructed that each side is a wearing surface, and automatically allows for contraction and expansion.

For low and medium pressure steam, hot or cold water, ammonia, etc.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 27 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/27



"TAURIL"

REG. U. S. PAT. OFF.

Sheet Packing

List Price,
$2.00 per Pound

This sheet is made under secret process, is the original sheet of this nature, and cannot be duplicated. **Joints once made do not require following up.** It is the only perfect sheet on the market to-day, and will stand nearly as long as the machinery lasts. Tauril is strictly a high pressure sheet, but will give guaranteed service when used against superheat, liquids and chemicals.

The genuine sheet is marked like the cut. Made in sheets 40 x 120 inches, in thicknesses of $\frac{1}{64}$-inch, $\frac{1}{32}$-inch, $\frac{1}{16}$-inch and $\frac{1}{8}$-inch.

"TAURIL" Gaskets

REG. U. S. PAT. OFF.



Air Pump Gaskets


List Price, 50 Cents Each

Tauril Gaskets for air brake equipment are guaranteed superior to copper and the cost is less. A large number of railroads have also adopted gaskets of this material to use in place of rubber. We are prepared to promptly furnish Tauril Gaskets to conform with special patterns and specifications, and are able to furnish odd forms of any thickness desired.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 28 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/28

Ankorite High Pressure Sheet Packing

Style No. 425 **List Price, $2.00 per Pound**



This sheet packing is a combination of long-fibre asbestos, chemically treated with India rubber and compressed under intense pressure. A packing of this character is vastly superior to rubber sheet for general use against high pressure steam and specially designed to overcome all condensation. Joints once made do not require following up.


The low specific gravity as compared to sheet made from other materials is a positive assurance of economy, and therefore is the cheapest sheet one can use. Positively will not deteriorate or dry out. Furnished in thicknesses of 1/32-inch, 1/16-inch, and 1/8-inch.

Ankorite Black Fibre Sheet

Style No. 424 **List Price, $2.00 per Pound**

This sheet is identical with that shown above, except that there is graphite used throughout in its construction.

Ankorite High Pressure Gaskets



Extra Heavy Pipe Flanges

Size Inside and Outside Measurements	List Price per Gasket 1/16" Thickness	Size Inside and Outside Measurements	List Price per Gasket 1/16" Thickness
1 x 2¾	$0.08	8 x 12	$0.75
1¼ x 3¼	.10	9 x 13⅛	.85
1½ x 3⅞	.12	10 x 14¼	1.00
2 x 4⅜	.15	12 x 16⅞	1.25
2½ x 5	.19	13¼ x 19⅛	1.65
3 x 6	.24	14¼ x 20	1.80
3½ x 6⅝	.27	15¼ x 21½	2.10
4 x 7	.33	17¼ x 23½	2.40
4½ x 7¾	.35	19¼ x 25⅝	2.75
5 x 8½	.45	21¼ x 27⅝	3.00
6 x 9⅞	.55	23¼ x 30⅛	3.50
7 x 11	.70		

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 29 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/29

Ankorite High Pressure Gaskets

Standard Pipe Flanges

1/16 in. thick

Size	List Price per Piece	Size	List Price per Piece
¾ x 2⅛	$0.06	7 x 10	$0.50
1 x 2 9/16	.06	8 x 11	.55
1¼ x 2 15/16	.08	9 x 12½	.65
1½ x 3⅜	.10	10 x 13¼	.80
2 x 4	.12	12 x 16	1.00
2½ x 4⅞	.15	14 x 17¾	1.25
3 x 5⅜	.19	15 x 19	1.50
3½ x 6⅜	.25	16 x 20¼	1.75
4 x 6¾	.30	18 x 21⅝	1.90
4½ x 7	.32	20 x 23⅞	2.10
5 x 7¾	.35	22 x 26	2.50
6 x 8¾	.41	24 x 28¼	2.80

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.

Ankorite

Hydroil Sheet Packing

Style No. 402

Do Not Use as a Steam Packing



Hydroil resists oil, water, gasoline, and tar successfully and will become as tough as rawhide after coming in contact with either hot or cold water.

As a jointing it becomes tighter as soon as applied, is not affected by very hot water, nor will it deteriorate under any condition. Further, joints once made do not require following up.

Hydroil can be furnished in any thickness desired; in roll lots any thickness less than 1/16-inch, this thickness and over made in sheets 41 x 120 inches. Can be furnished in gaskets made to specifications. Price per square yard quoted upon request.

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 30 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/30

Ankorite
Asbestine Sheet Packing

Style No. 405
List Price, $1.50 per Pound

Asbestine Sheet is firmly woven with asbestos, every strand of fibre re-enforced with fine brass wire. Surface is frictioned with best quality rubber compound. Can furnish also of plain cloth without wire or cement with graphite finish on one or both sides.

Made in all thicknesses, from 1/32 up.

Automobile Sheet Packing

Styles Nos. 406, 407, 408
List Price, $1.50 per Pound

Under this brand we manufacture three separate weaves in any thickness from 1/32-inch up, to conform to the exacting conditions and demands of gas and gasoline engine builders.

Either grade can be furnished plain or with treatment of graphite and special heat-resisting compound as desired.

Each weave in its class is composed entirely of best long-fibre asbestos, interwoven with fine brass wire.

The Anchor Packing Co., Philada.



Green Label Red Sheet Packing

Style No. 475 **List Price, $1.00 per Pound**

You will probably find more brands of Red Sheet Packing on the market than any other kind. The name Red Sheet has been much abused. We do not claim to make the cheapest Red Sheet on the market, but we absolutely guarantee to have the best and lightest sheet manufactured, and will replace all joints that fail.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 31 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/31

White Friction Duck Insertion Sheet

Style No. 420 **List Price, 80 Cents per Pound**

This sheet is constructed of alternate layers of tightly woven heavy duck and special quality rubber, held firmly with high-grade white friction cement. This combination produces a sheet for hot water and low pressure steam that is far superior to rubber sheet.

Thickness from 1/32-inch up by 40 inches wide.

Wire Insertion Brown Sheet Packing

Style No. 400 **List Price, $1.25 per Pound**

For high pressure steam, main steam lines, marine work, vibrating joints, etc. Guaranteed in every respect, and furnished in the following sizes: 1/16-inch, 3/32-inch, 1/8-inch, 1/4-inch.

Style No. 401	**Brown Sheet Packing.** List price, 80 cents per pound.
Style No. 403	**White Sheet Packing.** List price, 80 cents per pound.
Style No. 404	**Blue Sheet Packing.** List price, 80 cents per pound.
Style No. 410	**Oil-Proof Sheet Packing.** List price, $1.25 per pound.
Style No. 412	**Black Raven Sheet Packing.** List Price, $1.00 per pound.
Style No. 413	**Plumbagoed Sheet Packing.** List Price, $1.00 per pound.
Style No. 415	**Red Sheet Packing.** List price, 80 cents per pound.
Style No. 416	**Wire Insertion Red Sheet Packing.** List price, $1.00 per pound.

Ankorite Cloth Insertion Sheet

(C. B. S.)
Style No. 432
List Price, 60 Cents per Pound

This sheet is positively the highest grade manufactured. Both surfaces covered with plies of white cotton fabric, with additional inside plies, combined with best quality rubber and cement. Thickness, 1/16-inch only.

Cloth Insertion Sheet Packings

(C. I. S.)
Capstan Brand. Style No. 421
Sedgley Brand. Style No. 422
Allegheny Brand. Style No. 423
List Price, 60 Cents per Pound

Cloth One Side Sheet Packings

(C. O. S.)
Capstan Style No. 429 **Sedgley Style No. 430**
Allegheny Style No. 431
List Price, 60 Cents per Pound


Cloth Both Sides Sheet Packings

(C. B. S.)
Capstan Style No. 426 **Sedgley Style No. 427**
Allegheny Style No. 428
List Price, 60 Cents per Pound

All above grades made 1/32-inch up in thickness.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 32 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/32

Moulded Rubber Gaskets



Style No. 607 **List Price, $1.00 per Pound**

We manufacture rubber gaskets of all sizes, shapes, and any thickness from best quality red or gray pure gum stock. A convenient gasket to use.


Ankorite Cloth Insertion Gaskets

Style No. 610
List Price, 80 Cents per Pound

The best C. I. moulded gasket on the market. Made in all sizes. Any shape and thickness.

The Anchor Packing Co., Philada.

Ankorite
High Pressure Semi-Metallic Gasket



Style No. 600
List Price, $1.50 per Pound

The highest grade gasket it is possible to make from long-fibre asbestos, combined with brass wire insertion. These gaskets are folded and joined in such a manner as to be proof against the highest steam pressures and may be used over and over. Made in any size for manhole, handhole, or mud drum. Furnished, if desired, with graphite finish.

Capstan Folded Asbestos Gasket

Style No. 620
List Price, $1.50 per Pound

Identical in construction with the style shown above, but made for service where pressure is not too severe.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 33 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/33

Ankorite Gaskets



Red Tubular Gasket
Style No. 606
List Price, 80 Cents per Pound

Style No. 606 **Red Tubular Gasket.** List price, 80 cents per pound.

Style No. 625 **Ankorite High Pressure Seamless Asbestos Gasket.** List price, $2.00 per pound.

Style No. 601 **Asbestos Pipe Flange Gasket.** List price, $1.50 per pound.

Style No. 605 **Wire Insertion Tubular Gasket.** List price, $1.00 per pound.

Style No. 604 **Metal Insertion Tubular Gasket.** List price, $1.00 per pound.

Style No. 602 **Asbestos Tubular Gasket.** List price, $1.50 per pound.

Style No. 608 **Red Sheet Tank Hose Gasket.** List price, $1.00 per pound.

Style No. 611 **Duck Insertion Tank Hose Gasket.** List price, $1.00 per pound.

Style No. 630 **Asbestos Exhaust Pipe Gasket.** List price, $1.50 per pound.

The Anchor Packing Co., Philada.

Heine Boiler Gaskets

Style No. 631 **Heine Oval Folded Asbestos Gasket** List price, $12.00 per hundred.

Style No. 632 **Heine Round Folded Asbestos Gasket** List price, $12.00 per hundred.

Style No. 633 **Heine Oval Seamless Asbestos Gasket** List price, $16.00 per hundred.

Style No. 634 **Heine Round Seamless Asbestos Gasket.** List price, $16.00 per hundred.

Style No. 637 **Heine Oval C. I. Gasket.** List price, $36.00 per thousand.

Style No. 638 **Heine Round C. I. Gasket.** List price, $36.00 per thousand.

Style No. 648 **Heine Oval Imported Fibre Gasket.** List price, $16.00 per hundred.

Style No. 649 **Heine Round Imported Fibre Gasket.** List price, $16.00 per hundred.

Babcock & Wilcox Boiler Gaskets

Style No. 641 **B. & W. Folded Asbestos Gasket.** List price, $12.00 per hundred.

Style No. 642 **B. & W. Imported Fibre Gasket.** List price, $16.00 per hundred.

Style No. 643 **B. & W. Seamless Asbestos Gasket.** List price, $16.00 per hundred.

Style No. 647 **B. & W. C. I. Gaskets.** List price, $36.00 per thousand.

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 34 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/34

Ankorite Air Hose Gaskets



Style No. 650

List Price, $30.00 per Thousand

These gaskets are made from tough rubber stock, especially for railroad service.


Gauge Glass Gaskets

Self-Sealing	List Price,	$10.00	per gross
Brooks	" "	1.20	per box
Round Gray	" "	.60	per dozen
Regular	" "	.60	per dozen

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.

Ankorite Diaphragms



HIGH PRESSURE

Diameter	List Price Each
6 inch	$0.50
7 "	.60
7½ "	.75
8 "	.90
9 "	1.00
10 "	2.00

LOW PRESSURE

Diameter	List Price Each
6 inch	$0.75
7 "	.75
8 "	.75
9 "	1.00
10 "	1.50

LIST PRICES SUBJECT TO DISCOUNT

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/35

Ankorite Superheat Valve Disc



The valve disc is one of the smallest items used around steam plants, and at the same time will cause you more trouble and annoyance than any other appliance. We have the only disc that has given perfect results, and you don't have to pay for them if we do not prove it to your entire satisfaction.

"The Ankorite Superheat Disc" is the disc for modern conditions, for high pressure and superheat. While called superheat, they will also give splendid service under any and all conditions.


Price List, Ankorite Superheat Valve Disc

Size	List Price	Size	List Price
¼ inch	$0.06 each	5 inch	$1.60 each
⅜ "	.08 "	6 "	2.00 "
½ "	.08 "	7 "	2.40 "
¾ "	.10 "	8 "	2.80 "
1 "	.12 "	9 "	3.60 "
1¼ "	.18 "	10 "	4.50 "
1½ "	.24 "	12 "	5.00 "
2 "	.36 "	14 "	7.00 "
2½ "	.48 "	16 "	8.00 "
3 "	.80 "	18 "	10.00 "
3½ "	1.00 "	20 "	12.00 "
4 "	1.20 "	22 "	15.00 "
4½ "	1.40 "	24 "	18.00 "

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.

Hard Rubber Valve Discs




Made all shapes and sizes.

Size	List Price	Size	List Price
¼ inch	$0.03 each	5 inch	$0.80 each
⅜ "	.04 "	6 "	1.00 "
½ "	.04 "	7 "	1.20 "
¾ "	.05 "	8 "	1.40 "
1 "	.06 "	9 "	1.80 "
1¼ "	.09 "	10 "	2.25 "
1½ "	.12 "	12 "	2.50 "
2 "	.18 "	14 "	3.50 "
2½ "	.24 "	16 "	4.00 "
3 "	.40 "	18 "	5.00 "
3½ "	.50 "	20 "	6.00 "
4 "	.60 "	22 "	7.50 "
4½ "	.70 "	24 "	9.00 "

LIST PRICES SUBJECT TO DISCOUNT

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/36

Ankorite High Pressure Gauge Glasses



Frequent breaking of gauge glasses can be eliminated by using Ankorite Glasses. They are made by a patented process, and are composed of two distinct layers of glass.

This construction renders them capable of withstanding sudden variations in temperature.

Guaranteed to withstand 400 pounds per square inch.

PRICE LIST

Length Inches	½- and ⅝-in. Per Dozen	¾-inch Per Dozen	⅞-inch Per Dozen	1-inch Per Dozen
10	$5.00	$7.00	$8.00	$10.40
11	5.40	7.40	8.60	11.20
12	6.00	8.40	10.00	12.40
13	6.40	9.00	10.60	13.60
14	6.60	9.60	11.00	14.80
15	7.00	10.00	11.80	15.60
16	7.80	11.40	12.60	17.00
17	8.00	11.80	13 40	18.00
18	8.60	12.20	14.20	19.00
19	9.00	13.00	15.00	20.00
20	10.00	14.00	16.40	21.40
22	11.00	14.80	17.20	22.40
24	12.00	16.80	20.00	24.80
30	14.00	20 00	23.40	31.20
36	17.20	24.40	28.40	38.00
48	23.40	34.20	37.80	51.00
60	28.00	40.00	47.20	62.40
72	34.40	48.80	56.80	76.00

Above prices subject to liberal discount.

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.

Moncrief Scotch Gauge Glasses

LIST PRICE, PER DOZEN


Length	External Diameter in Inches				
Inches	½	⅝	¾	⅞	1
8	$3.00	$3.00	$3.60	$5.04	$6.12
10	3.00	3.00	3.60	5.04	6.12
11	3.24	3.24	3.96	5.64	6.72
12	3.60	3.60	4.32	6.12	7.32
13	3.84	3.84	4.80	6.60	7.92
14	4.20	4.20	5.16	7.08	8.52
15	4.44	4.44	5.52	7.56	9.12
16	4.80	4.80	5.88	8.16	9.72
17	5.04	5.04	6.24	8.64	10.32
18	5.40	5.40	6.60	9.12	10.92
19	5.64	5.64	7.08	9.60	11.52
20	6.00	6.00	7.44	10.20	12.12
22	6.60	6.60	8.16	11.16	13.44
24	7.20	7.20	8.88	12.12	14.64
30	9.00	9.00	11.16	15.24	18.24
36	10.80	10.80	13.44	18.24	21.96
48	14.52	14.52	18.00	24.36	29.16
60	18.12	18.12	22.56	30.48	36.48
72	21.84	21.84	27.12	36.48	43.80

Discounts quoted on glasses up to 24-inch do not apply to those of longer dimensions.

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 37 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/37

Leather Cups



These cups are made of selected stock, especially prepared for hydraulic service. Furnished in either the cup, flange or "U" shapes.

List Price, Regular Leather Cups

1½	inch.....	$0.31	8½	inch.....	$3.83
2	"	.45	9	"	4.50
3	"	.68	9½	"	4.95
3½	"	.81	10	"	5.40
4	"	.90	10½	"	5.85
4½	"	1.04	11	"	6.30
5	"	1.13	11½	"	6.75
5½	"	1.35	12	"	7.20
6	"	1.58	12½	"	7.65
6½	"	2.02	13	"	8.10
7	"	2.48	13½	"	8.55
7½	"	2.70	14	"	9.00
8	"	3.38			

ORDER BY STYLE NUMBER

The Anchor Packing Co, Philada.

Asbestos Products

Anco Gasket Tape

List Price, $1.50 per Pound

A folded tape made in all sizes and in any thickness. With or without wire insertion.

Asbestos Wick, Twisted

One-fourth-inch diameter, best quality fibre. Put up in ¼-pound boxes and on reels of any desired weight.

Asbestos Rope, Twisted

Three-eighths-inch up in diameter, and on reels as specified.

Asbestos Rope
Braided Cover, Twisted Wick Centre

One-fourth-inch up in diameter. Furnished on reels, plain or with graphite finish as specified.

Asbestos Mill Board

Sheets 40 inches square. Thickness of 1/16-inch and over.

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 38 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/38

The Anchor Packing Co., Philada.




Standard Price List "Silent Grip" Brake Lining

Price per Lineal Foot

Width	Thickness						
	1/8″	5/32″	3/16″	1/4″	5/16″	3/8″	1/2″
1″	$ .40	$ .45	$ .50	$ .70	$ .83	$ .96	
1⅛″	.45	.50	.55	.75	.92	1.06	
1¼″	.50	.55	.60	.80	.98	1.16	
1⅜″	.60	.65	.70	.90	1.13	1.35	
1½″	.65	.70	.75	.95	1.20	1.45	
1¾″	.70	.75	.80	1.00	1.27	1.54	
1⅞″	.75	.80	.85	1.10	1.37	1.64	
2″	.80	.85	.90	1.20	1.47	1.73	$ 2.35
2¼″	.90	.95	1.00	1.30	1.62	1.93	2.60
2½″	1.00	1.05	1.10	1.50	1.81	2.12	2.80
2¾″	1.10	1.15	1.20	1.60	1.96	2.31	3.20
3″	1.20	1.25	1.30	1.70	2.10	2.50	3.45
3¼″	1.25	1.33	1.40	1.80	2.25	2.69	3.65
3½″	1.30	1.40	1.50	1.93	2.39	2.88	3.90
3¾″	1.35	1.48	1.60	2.05	2.57	3.08	4.15
4″	1.40	1.55	1.70	2.20	2.74	3.27	4.35
4¼″	1.50	1.65	1.80	2.35	2.91	3.46	
4½″	1.60	1.75	1.90	2.50	3.08	3.65	5.00
4¾″	1.70	1.85	2.00	2.60	3.23	3.85	
5″	1.98	2.15	2.31	2.97	3.71	4.44	5.60
5½″	2.20	2.37	2.53	3.31	4.09	4.86	6.20
6″	2.42	2.59	2.75	3.60	4.44	5.28	6.80
6½″				4.33	5.03	5.71	7.40
7″				4.62	5.38	6.13	8.00

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.



Ankorite "Heavy Duty" Brake Lining

Price per Lineal Foot

Width	Thickness			
	3/16″	1/4″	5/16″	3/8″
2″	$1.30	$1.60	$2.00	$2.45
2¼″	1.50	1.80	2.20	2.70
2½″	1.65	2.00	2.45	2.95
2¾″	1.95	2.25	2.65	3.25
3″	2.00	2.45	2.85	3.55
3¼″	2.15	2.65	3.05	3.85
3½″	2.30	2.85	3.25	4.10
3¾″	2.45	3.05	3.50	4.40
4″	2.60	3.25	3.75	4.70
4½″	2.90	3.60	4.25	5.30
5″	3.25	4.00	4.75	5.90
5½″	3.70	4.40	5.25	6.50
6″	4.10	4.80	5.75	7.10
6½″	4.50	5.20	6.25	7.70
7″	4.90	5.60	6.75	8.30

NOTE:—On "Silent Grip" brake lining, we suggest an assortment of five hundred feet in the following sizes, which will take care of about 90 per cent of the cars on the market.

50 feet	1¼″ x 3/16″	100 feet	2 ″ x 3/16″
50 feet	1¼″ x 1/4″	100 feet	2¼″ x 1/4″
50 feet	1½″ x 1/4″	50 feet	2½″ x 1/4″
50 feet	1¾″ x 1/4″	50 feet	2½″ x 1/4″

LIST PRICES SUBJECT TO DISCOUNT


Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/39

Steam Hose

ANKORITE BRAND

CAPSTAN BRAND

SEDGLEY BRAND



Ankorite 1st Grade		Capstan 2d Grade			Sedgley 3d Grade	
Internal Diameter	3-ply	4-ply	5-ply	6-ply	7-ply	8-ply
½ in.	$0.47	$0.56	$0.70	$0.84	$0.98	$1.12
¾ "	.57	.71	.87	1.05	1.23	1.41
1 "	.70	.87	1.07	1.28	1.50	1.70
1 ¼ "	.85	1.04	1.30	1.56	1.82	2.08
1 ½ "	1.02	1.25	1.56	1.87	2.18	2.50
1 ¾ "	1.18	1.45	1.81	2.17	2.53	2.90
2 "	1.34	1.66	2.07	2.49	2.90	3.32
2 ¼ "	1.50	1.87	2.33	2.80	3.27	3.74
2 ½ "	1.66	2.08	2.60	3.12	3.64	4.16

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.

Ankorite Braided Moulded Steam Hose

Absolutely guaranteed and furnished in *continuous lengths* up to 250 feet.

STANDARD BRAIDED STEAM HOSE LIST

Internal Diameter	2-ply	3-ply	4-ply
½ inch	$0.56	$0.70	$0.84
⅝ "	.63	.79	.95
¾ "	.71	.87	1.05
1 "	.87	1.07	1.28
1 ¼ "	1.04	1.30	1.56
1 ½ "	1.25	1.56	1.87
1 ¾ "	1.45	1.81	2.17
2 "	1.66	2.07	2.49
2 ¼ "	1.87	2.33	2.80
2 ½ "	2.08	2.60	3.12

List Prices for Wire Winding Hose

Round, Half Round, or Flat Wire

Size	3-Ply Per Foot	4-Ply Per Foot	5-Ply Per Foot	6-Ply Per Foot
½ inch	$0.09	$0.10	$0.11	$0.12
¾ "	.11	.12	.13	.14
1 "	.13	.14	.15	.16
1 ¼ "	.15	.16	.17	.18
1 ½ "	.18	.19	.20	.21
1 ¾ "	.20	.21	.22	.23
2 "	.23	.24	.25	.26
2 ¼ "	.25	.26	.27	.28
2 ½ "	.27	.28	.29	.30

Ankorite — Air Hose — Capstan

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 40 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/40

Regular Water Hose List

Ankorite 1st Grade — **Capstan 2d Grade** — **Sedgley 3d Grade**

Internal Diameter	2-ply	3-ply	4-ply	5-ply	6-ply
½ in.	$0.20	$0.25	$0.30	$0.37	$0.45
¾ "	.25	.30	.37	.46	.55
1 "	.33	.40	.50	.62	.75
1 ¼ "	.42	.50	.62	.77	.93
1 ½ "	.50	.60	.75	.93	1.12
1 ¾ "	.58	.70	.87	1.08	1.30
2 "	.66	.80	1.00	1.25	1.50
2 ¼ "	.75	.90	1.12	1.40	1.68
2 ½ "	.83	1.00	1.25	1.56	1.87
2 ¾ "	.92	1.10	1.37	1.71	2.05
3 "	.99	1.20	1.50	1.87	2.25
3 ½ "	1.16	1.40	1.75	2.18	2.62
4 "	1.32	1.60	2.00	2.50	3.00
5 "	1.65	2.00	2.50	3.13	3.75

Standard Moulded and Braided Water Hose List

Internal Diameter	2-ply	3-ply	4-ply
⅜ inch	$0.22	$0.27	$0.33
½ "	.25	.30	.37
⅝ "	.28	.34	.42
¾ "	.30	.37	.46
1 "	.40	.50	.62
1 ¼ "	.50	.62	.77
1 ½ "	.60	.75	.93
1 ¾ "	.70	.87	1.08
2 "	.80	1.00	1.25
2 ¼ "	.90	1.12	1.40
2 ½ "	1.00	1.25	1.56
2 ¾ "	1.10	1.37	1.71
3 "	1.20	1.50	1.87

Discounts on request.

ORDER BY STYLE NUMBER

The Anchor Packing Co. Philada.



Ankorite Rubber Lined Mill Hose

Guaranteed to stand 375 lbs. pressure to the square inch.

Capstan Rubber Lined Mill Hose

Guaranteed to stand 325 lbs. pressure to the square inch.

Sedgley Rubber Lined Mill Hose

Guaranteed to stand 250 lbs. pressure to the square inch.

PRICE LIST

1 in.....	.$0.40 per ft.	2 in.....	$0.65 per ft.
1 ¼ "	.45 "	2 ½ "	.80 "
1 ½ "	.50 "		

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 41 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/41

Ankorite Linen Hose



Ankorite Linen Hose is highest grade manufactured.

Diameter	List Price	Diameter	List Price
¾ inch	$0.25 per ft.	1½ inch	$0.42 per ft.
1 "	.30 "	2 "	.54 "
1¼ "	.35 "	2½ "	.66 "

Capstan Linen Hose

Diameter	List Price	Diameter	List Price
¾ inch	$0.21 per ft.	1½ inch	$0.34 per ft.
1 "	.24 "	2 "	.45 "
1¼ "	.29 "	2½ "	.56 "


Sedgley Linen Hose

Diameter	List Price	Diameter	List Price
¾ inch	$0.19 per ft.	1½ inch	$0.31 per ft.
1 "	.22 "	2 "	.40 "
1¼ "	.27 "	2½ "	.46 "

ORDER BY STYLE NUMBER

The Anchor Packing Co., Philada.

Rubber Belting



Ankorite Brand 1st Grade — **Capstan Brand 2d Grade**

PRICE LIST

Width in inches	2 Ply per foot	3 Ply per foot	4 Ply per foot	5 Ply per foot	6 Ply per foot	7 Ply per foot	8 Ply per foot	9 Ply per foot	10 Ply per foot
1	$ .18	$ .20	$ .24						
1¼	.23	.26	.30						
1½	.27	.31	.36	$ .45					
1¾	.32	.36	.42	.53					
2	.34	.39	.46	.58	$ .69				
2½	.42	.48	.56	.70	.84				
3	.48	.55	.65	.81	.98				
3½	.57	.65	.76	.95	1.14				
4	.61	.70	.82	1.03	1.23	$1.44			
4½		.78	.92	1.15	1.38	1.61			
5		.87	1.02	1.28	1.53	1.79			
6		1.04	1.22	1.53	1.83	2.14	$2.44	$2.75	$3.06
7		1.22	1.43	1.79	2.15	2.50	2.86	3.22	3.58
8		1.31	1.54	1.93	2.31	2.70	3.08	3.47	3.86
9			1.73	2.16	2.60	3.03	3.46	3.89	4.32
10			1.92	2.40	2.88	3.36	3.84	4.32	4.80
11			2.11	2.64	3.17	3.69	4.22	4.75	5.28
12			2.30	2.88	3.45	4.03	4.60	5.18	5.76
13			2.50	3.13	3.75	4.38	5.00	5.63	6.26
14			2.69	3.36	4.04	4.71	5.38	6.05	6.72
15			2.88	3.60	4.32	5.04	5.76	6.48	7.20
16			3.08	3.86	4.62	5.40	6.16	6.94	7.72
18			3.46	4.32	5.20	6.06	6.92	7.78	8.64
20			3.84	4.80	5.76	6.72	7.68	8.64	9.60
22			4.22	5.28	6.34	7.38	8.44	9.50	10.56
24			4.60	5.76	6.90	8.06	9.20	10.36	11.52
26				6.26	7.50	8.76	10.00	11.26	12.52
28				6.72	8.08	9.42	10.76	12.10	13.44
30				7.20	8.64	10.08	11.52	12.96	14.40

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 42 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/42

Moulded Rubber Goods

We have the moulds, can fill orders at once, and understand thoroughly the requirements of sugar factories, packing houses, tanneries, breweries, etc. Send for samples.

Evaporator Rings

Filter Press Rings

Square Rubber

Round Rubber

Pure Rubber Sheet

Elevator Bumpers

Rubber Mallets

Squilgee Rubber

Pipe Testing Rings

Rubber Mats

Stair Treads

Rubber Rolls

Truck Wheel Bands, Etc.

The Anchor Packing Co., Philada.

Ankorite Balata Belting

Adopted by American Balata Belting Manufacturers, effective March 15, 1911

Width Inches	3-ply	4-ply	5-ply	6-ply	7-ply	8-ply
1	$0.18	$0.24				
1¼	.23	.30				
1½	.27	.36				
1¾	.32	.42	$0.53			
2	.36	.48	.60			
2¼	.41	.54	.68			
2½	.45	.60	.75			
2¾	.50	.66	.83			
3	.54	.72	.90			
3¼	.59	.78	.98			
3½	.63	.84	1.05			
3¾	.68	.90	1.13			
4	.72	.96	1.20	$1.44		
4¼	.77	1.02	1.28	1.53		
4½	.81	1.08	1.35	1.62		
5	.90	1.20	1.50	1.80		
5½	.99	1.32	1.65	1.98		
6	1.08	1.44	1.80	2.16		
6½	1.17	1.56	1.95	2.34		
7	1.26	1.68	2.10	2.52	$2.94	$3.36
7½	1.35	1.80	2.25	2.70	3.15	3.60
8	1.44	1.92	2.40	2.88	3.36	3.84
9	1.62	2.16	2.70	3.24	3.78	4.32
10	1.80	2.40	3.00	3.60	4.20	4.80
11	1.98	2.64	3.30	3.96	4.62	5.28
12	2.16	2.88	3.60	4.32	5.04	5.76
13	2.34	3.12	3.90	4.68	5.46	6.24
14	2.52	3.36	4.20	5.04	5.88	6.72
15	2.70	3.60	4.50	5.40	6.30	7.20
16	2.88	3.84	4.80	5.76	6.72	7.68
17	3.06	4.08	5.10	6.12	7.14	8.16
18	3.24	4.32	5.40	6.48	7.56	8.64
19	3.42	4.56	5.70	6.84	7.98	9.12
20	3.60	4.80	6.00	7.20	8.40	9.60
21	3.78	5.04	6.30	7.56	8.82	10.08
22	3.96	5.28	6.60	7.92	9.24	10.56
23	4.14	5.52	6.90	8.28	9.66	11.04
24	4.32	5.76	7.20	8.64	10.08	11.52
25	4.50	6.00	7.50	9.00	10.50	12.00
26	4.68	6.24	7.80	9.36	10.92	12.48
28	5.04	6.72	8.40	10.08	11.76	13.44
30	5.40	7.20	9.00	10.80	12.60	14.40
32	5.76	7.68	9.60	11.52	13.44	15.36
34	6.12	8.16	10.20	12.24	14.28	16.32
36	6.48	8.64	10.80	12.96	15.12	17.28
38	6.84	9.12	11.40	13.68	15.96	18.24
40	7.20	9.60	12.00	14.40	16.80	19.20

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 43 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/43

Leather Belting

Ankorite Brand 1st Grade — **PRICE LIST** — **Capstan Brand 2d Grade**

Width Inches	Price Per Foot	Width Inches	Price Per Foot	Width Inches	Price Per Foot
½	$0.12	5½	$1.32	23	$5.52
⅝	.15	6	1.44	24	5.76
¾	.18	6½	1.56	25	6.00
⅞	.21	7	1.68	26	6.24
1	.24	8	1.92	28	6.72
1¼	.30	9	2.16	30	7.20
1½	.36	10	2.40	32	7.68
1¾	.42	11	2.64	34	8.16
2	.48	12	2.88	36	8.64
2¼	.54	13	3.12	38	9.12
2½	.60	14	3.36	40	9.60
2¾	.66	15	3.60	44	10.56
3	.72	16	3.84	48	11.52
3¼	.78	17	4.08	52	12.48
3½	.84	18	4.32	56	13.44
3¾	.90	19	4.56	60	14.40
4	.96	20	4.80	64	15.36
4½	1.08	21	5.04	68	16.32
5	1.20	22	5.28	72	17.28

Double belts twice the price of single. Intermediate widths at proportionate prices. Extra heavy belts, extra prices.


LACE LEATHER LIST

	Per 100 Feet		Per 100 Feet
¼ in. wide	$1.25	½ in. wide.....	$2.25
5/16 " "	1.50	⅝ " "	3.00
⅜ " "	1.75	¾ " "	3.75

LIST PRICES SUBJECT TO DISCOUNT

The Anchor Packing Co, Philada.

Ankorite Metal Packing



This cut is only intended to draw your attention to Metal Packing.

Blue prints, samples and complete information will be furnished by any of our branch offices.



Ankorite Metal Polish

Can be used on the finest metals, will not scratch, does not contain acids, and will give a quick and lasting polish.

ORDER BY STYLE NUMBER

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 44 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/44

DIVISION INDEX

Name	Page
Acid Packing	12
Air Compressor Packing	28
Air Hose Gaskets	66
Air Pump Packing	24-25
Ammonia Packing	26-28
Angle Valve Packing	12
Anpaco Hydraulic Packing	29
Asbestos Gaskets	63-64
Asbestos Products	73
Automobile Sheet Packing	58
B. & W. Gaskets	65
Belting	81, 83-84
Brake Lining	74-75
Brown Sheet Packing	60
Cab Packing	14
Centrifugal Pump Packing	28
Cold Water Outside Plunger Packing	9
Corliss Valve Stem Packing	9
Diaphragms	67
Duck Insertion Sheet Packing	60
Fibre Black Sheet Packing	54
Flax Packings	42-43
Gauge Glass Rings	66
Gauge Glasses	70-71
Gum Core Packings	44-45
Heine Boiler Gaskets	65
High Pressure Oil Pump Packing	9
High Pressure Steam Packing	6
Hose	76-80
Hot Water Packing	32-41
Hydroil Sheet Packing	57
Ideal Engine Packing	9
Jones Stoker Packing	9
Leather Cups	72

The Anchor Packing Co., Philada.

DIVISION INDEX—*Continued*

Name	Page
Locomotive Ball Joint Packing	14
Metal Face Packing	40
Metal Insertion Ring Packing	18
Metallic Packing	21-84
Mine Pump Packing	10
Moulded Rubber Goods	82
Oil Packing	12
Oil Proof Sheet Packing	60
Pittsburgh Wedge Packing	32
Plumbagoed Sheet Packing	60
Pump Valves	46-50
Radiator Valve Packing	12
Red Core Packing	15
Red Sheet Packing	59
Rock Hard Packing	33
Rubber Ammonia Ring Packing	27
Rubber Back Packing	34
Rubber Insertion Ring Packing	18
Semi-metallic Packing	21
Sheet Packings	52-61
Shredded Metal Packing	21
Soft Metal Packing	21
Solid Hydraulic Ring Packing	33
Square Duck Packing	35
Steam Hammer Packing	16
Superheat Packing	7
Tank Hose Gaskets	64
Taurll Gaskets	53
Tauril Sheet Packing	52
Throttle Packing	22-23
Tubular Gaskets	64
Valve Discs	68-69
Waterproof Hydraulic Packing	30-31
Watertite Packing	32
Wedge Diagonal Packing	19

The Anchor Packing Company: Anchor Packings, Catalog K (c. 1912)
ACL Doc 21295 · Page 45 of 49
Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/45

Memoranda

The Anchor Packing Co., Philada.

Memoranda

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/46

Memoranda

The Anchor Packing Co., Philada.

Memoranda

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/47

Memoranda

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/48

TRADE MARK

REGISTERED

THE ANCHOR PACKING CO.

TRADE A MARK

ANCHOR PACKINGS

"TAURIL" SHEET

REG. U. S. PAT. OFF.

Published by AsbestosClaims.Law
asbestosclaims.law/library/21295/49