PLAINTIFF'S EXHIBIT
ATI-58
PENGAD-Bayonne,N.J.

Minutes

ASBESTOS TEXTILE INSTITUTE
Air Hygiene and Manufacturing Committee
June 8, 1967
Lucerne Hotel - Montreal, Canada

Attending

Members:	W.C. Atkinson, Chairman	Johns-Manville Products Corp.
	C.L. Sheckler	" " " "
	L.C. Williams	Raybestos-Manhattan Inc.
	R.B. Smith	" "
	J.A. Gallagher	H.K. Porter Inc.
	H. Willingham	Uni-Royal Inc.
Absent:	H. Walter	American Asbestos Textile Corp.
	T.D. McCluskey	Tallman-McCluskey Fabrics Co.
	L. Garrison	Garlock Inc.
	K.W. Nelson	American Smelting & Refining
	A.C. Link	Uni-Royal Inc.

Bausch & Lomb Automatic Dust Counter

At the previous meeting the Board of Governors was asked to consider the purchase of a 40-2 Automatic Dust Counter for use by the member companies.

The Board of Governors, in turn, asked for some detailed information on which to base a decision.

The Committee reviewed the various advantages of the machine among which were its flexibility of use, simplicity - no training required, reproducibility - the counting is automatic and eliminates the human error. In addition, with the recording attachment it makes it possible to monitor a specific area over an extended period of time.

It was decided that the Committee would control the distribution of the machine and it was understood that all results from its use would be reported to the Committee. Arrangements for the transfer of the machine from one company to the next will be arranged between the two members. It was also decided that there would be no fee charged for its use by member companies.

The Board of Governors approved the purchase and authorized the Chairman to negotiate the purchase.

Asbestos Textile Industry Health Regulations in Great Britain

Mr. C.L. Sheckler read a list of proposed regulations for the manufacture and use of asbestos textiles in England.

The list has been submitted to the industry for review and comment.

In brief, they are proposing the manufacture of asbestos textiles shall be a totally enclosed operation in which the operators will never be exposed to any visible dust. All surfaces, building and machine, shall be polished and resist dust accumulation. All

Asbestos Textile Institute document ATI-58: Asbestos Textile Institute Air Hygiene and Manufacturing Committee Mi...
Published by AsbestosClaims.Law
ACL Doc 21076 · Page 1 of 2
asbestosclaims.law/library/21076/1

materials shall be handled and transported in sealed containers. Vacuum cleaners shall not exhaust air into the building.

The Committee found the recommendations impractical and extreme. However, there seems to be no doubt that the British government will attempt to enforce them.

W.C. Atkinson, Chairman

Asbestos Textile Institute document ATI-58: Asbestos Textile Institute Air Hygiene and Manufacturing Committee Mi... Published by AsbestosClaims.Law
ACL Doc 21076 · Page 2 of 2 asbestosclaims.law/library/21076/2