SEP 27 1974

Johns-Manville

Internal Correspondence

To: J. R. M. Hutcheson - Asbestos

Date: Sept. 27, 1974

From: W. B. Reitze - Denver GHQ

Copies: Dr. P. Kotin ✓

Subject: ENVIRONMENTAL CONDITIONS - ADVOCATE MINE

Bob, I am somewhat concerned and dismayed at the attached Industrial Hygiene Survey report on the Advocate Mine. We seem to be slipping backward at a rather fast pace in the control of our asbestos fiber stations. Some of the stations appear almost out of control with levels of 23 and 53 F/cc.

Are our partners dragging their feet on expenditures, or has the maintenance and housekeeping program slipped because of other reasons?

I would recommend that we immediately put into effect a mandatory respiratory protection plan at Advocate until such time as more permanent steps can be taken.

If Dr. Kotin or I can be of any assistance to you in getting this location back into a safe condition, please drop us a note or give us a call.

Sid

W. B. Reitze

WBR/lc

Attach.

SUBJECT TO
PROTECTIVE ORDER RE DISCOVERY MATERIALS
MARCH 30, 1983
HON. IRA A. BROWN, JR.
COORDINATION TRIAL JUDGE
SUPERIOR COURT OF THE STATE OF CALIFORNIA
CITY AND COUNTY OF SAN FRANCISCO
JUDICIAL COUNCIL COORDINATION
PROCEEDING NO. 1702

Depo. EXHIBIT 0329-0087
FOR I.D. 6-7-84
HARRY SCHLOFF, C.S.R. 3083
WITNESS Kotin

0329-0087

87

Published by AsbestosClaims.Law
asbestosclaims.law/library/11976/1