U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44 R1 187

MATERIAL SAFETY DATA SHEET

SECTION I

MANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.
Johns-Manville Corp. & Subsidiaries	303/979-1000 Ext. 3119

ADDRESS (Number, Street, City, State, and ZIP Code)
Ken-Caryl Ranch, Denver, Colorado 80217

CHEMICAL NAME AND SYNONYMS	TRADE NAME AND SYNONYMS
Asbestos-Cement Pipe	TRANSITE Pipe
CHEMICAL FAMILY	FORMULA

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES	%	TLV (Units)
Asbestos Fiber	20	*
Silica Flour	30	*
Portland Cement	50	50 mppcf
*For TLV see attached Federal Register of 6/7/72.		

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	NA	SPECIFIC GRAVITY (H_2O=1)	1.85
VAPOR PRESSURE (mm Hg.)	NA	PERCENT, VOLATILE BY VOLUME (%)	NA
VAPOR DENSITY (AIR=1)	NA	EVAPORATION RATE (_____=1)	NA
SOLUBILITY IN WATER	--		

APPEARANCE AND ODOR Grayish-white pipe - no odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	FLAMMABLE LIMITS	Lel	Uel
NA			

EXTINGUISHING MEDIA
NA

SPECIAL FIRE FIGHTING PROCEDURES

UNUSUAL FIRE AND EXPLOSION HAZARDS

(Continued on reverse side)

Form OSHA-20
Rev. May 72

Johns-Manville Material Safety Data Sheet for TRANSITE Pipe (1978)
ACL Doc 24097 · Page 1 of 2
Published by AsbestosClaims.Law
asbestosclaims.law/library/24097/1

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE
See Section II

EFFECTS OF OVEREXPOSURE
Long term exposure to high concentrations of asbestos fiber may cause pulmonary disease.

EMERGENCY AND FIRST AID PROCEDURES

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	

INCOMPATABILITY *(Materials to avoid)*
Agressive water.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
NA

WASTE DISPOSAL METHOD
Comply with 40 CFR Chapter 1, Part 61

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION *(Specify type)*
NIOSH approved for protection against pneumoconiosis producing dusts

VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL *(General)*	OTHER

PROTECTIVE GLOVES

EYE PROTECTION
Recommended during fabricating operations.

OTHER PROTECTIVE EQUIPMENT

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

OTHER PRECAUTIONS
Pipe fabrication should utilize the recommended methods specified in the Work Practices Guide prepared by AC Pipe Producers Assn.

While the information and recommendations set forth herein are believed to be accurate as of the date hereof, JOHNS-MANVILLE CORPORATION MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

Published by AsbestosClaims.Law
asbestosclaims.law/library/24097/2