92-00323-003

GENERAL ASBESTOS & RUBBER DIVISION
OF RAYBESTOS-MANHATTAN, INC.
ASBESTOS PRODUCTS
PACKINGS, BRAKE LINING, TEXTILES
P.O. BOX 67

CABLE ADDRESS
"GARCO"
CODES USED
BENTLEY'S
WESTERN UNION 5 LETTER

QUOTATIONS SUBJECT TO CHANGE WITHOUT NOTICE. ALL AGREEMENTS CONTINGENT UPON STRIKES, ACCIDENTS OR DELAYS BEYOND OUR CONTROL
ADDRESS ALL COMMUNICATIONS TO THE COMPANY

NORTH CHARLESTON, S.C.

November 12, 1937

Mr. Sumner Simpson, President
Raybestos-Manhattan, Inc.
c/o The Raybestos Division
Bridgeport, Conn.

SUBJECT: REPORT OF DUST CONTROL STUDY IN TWISTING AND COP WINDING DEPARTMENTS BY THE SOUTH CAROLINA STATE BOARD OF HEALTH.

Dear Mr. Simpson:

You will recollect along about the first part of June, 1937, I showed you a report covering a study of dust control methods in this Plant, said report having been made by representatives of the United States Public Health Department in collaboration with the South Carolina State Board of Health. As you will recollect, this report was considered as showing that our method of dust control was very effecient. In fact, according to conversations which the writer had with representatives of the State Board of Health and the United States Public Service Department, it was understood that these gentlemen had decided that this Plant should be considered as the Model Plant of these United States to which other asbestos manufacturers would have to work to attain the same results.

You will also recollect that we advised that we had not as yet completed, at that time, all of the equipment in connection with dust control in the Twisting and Winding Department, and the South Carolina State Board of Health representatives agreed that when we felt that we had completed the equipment in the departments as mentioned above they would like to make another study of these departments. We completed this work a short while ago, and during the first week of November a representative of the South Carolina State Board of Health visited this Plant and made a study of the Twisting and Cop Winding Departments, also the Ring Spinning Department, and we are attaching hereto

C0138

F128361

a copy of the report which was submitted to us by Mr. Robert L. Brown, Chemical Engineer of the South Carolina State Board of Health, and if you will read this report carefully you will see that we are still occupying an enviable position as far as dust control is concerned.

Yours most respectfully,

GENERAL ASBESTOS & RUBBER DIVISION
of Raybestos-Manhattan, Inc.
By:

E. H. Jeffords
General Manager

EHJ:JA
Enc.

CC - Col. A. F. Townsend
Julian Mitchell, Esq.

00189

F128362