FILED
MAY 29 1968
James R. Cooney, Clerk, U. S. Court
By [signature] DEPUTY

IN THE UNITED STATES DISTRICT COURT

FOR THE EASTERN DISTRICT OF TEXAS

BEAUMONT DIVISION

CLAUDE J. TOMPLAIT :

VS. : CIVIL NO. 5402

COMBUSTION ENGINEERING, INC., ET AL :

NOTICE

TO: Mr. Ben L. Reynolds
Royston, Rayzor and Cook
Attorneys at Law
877 San Jacinto Building
Houston, Texas 77002

Attorney for Defendant EAGLE-PICHER INDUSTRIES, INC.

Mr. John D. Rienstra
Attorney at Law
707 Beaumont Savings Building
Beaumont, Texas 77701

Attorney for Defendant OWESN-CORNING FIBER GLASS CORPORATION

Mr. John Tucker
Attorney at Law
Orgain, Bell and Tucker
Beaumont Savings Building
Beaumont, Texas 77701

Attorney for Defendant GUSTIN-BACON MANUFACTURING COMPANY

Mr. George A. Weller
Attorney at Law
P. O. Box 350
Beaumont, Texas 77701

Attorney for Defendant FIBERBOARD PAPER PRODUCTS CORPORATION

Mr. Charles S. Pipkin
Attorney at Law
P. O. Box 1632
Beaumont, Texas 77704

Attorney for Defendants COMBUSTION ENGINEERING, INC. and REFRACTORY & INSULATION CORPORATION

Mr. George E. Duncan
Attorney at Law
Beaumont Savings Building
Beaumont, Texas 77701

Attorney for Defendants PITTSBURGH PLATE GLASS COMPANY and PITTSBURGH CORNING CORPORATION

Mr. Gordon R. Pate
Attorney at Law
1119 Beaumont Savings Building
Beaumont, Texas 77701

Attorney for Defendants JOHNS-MANVILLE PRODUCTS CORPORATION and JOHNS-MANVILLE FIBER GLASS, INC.

Gentlemen: Please take notice that the deposition of Dr. Stanton P. Fischer, 6624 Fannin Street, Houston, Texas, will be taken on behalf of the plaintiff upon certain written interrogatories, of which a copy is herewith served upon you, and such cross-interrogatories as may be duly served herein, before Dahl and Reed, Court Reporters, Houston First Savings Building, Houston, Texas.

[redacted]

By Ward & Ward
Attorneys for Plaintiff
Stephenson Building
Orange, Texas 77630

Published by AsbestosClaims.Law
asbestosclaims.law/library/10758/2

IN THE UNITED STATES DISTRICT COURT

FOR THE EASTERN DISTRICT OF TEXAS

BEAUMONT DIVISION

CLAUDE J. TOMPLAIT	:	
VS.	:	CIVIL NO. 5402
COMBUSTION ENGINEERING, INC., ET AL	:	

INTERROGATORIES TO BE PROPOUNDED TO
DR. STANTON P. FISCHER BY PLAINTIFF

Interrogatories to be propounded to Dr. Stanton P. Fischer, a witness to be produced, sworn and examined on the part of the above-named plaintiff by Dahl and Reed, Court Reporters, Houston First Savings Building, Houston, Texas:

FIRST INTERROGATORY:	Please state your name, residence and place of business.
SECOND INTERROGATORY:	Please state your profession.
THIRD INTERROGATORY:	Please state whether or not your license to practice medicine is on record in some county in the State of Texas, and if so, state which county.
FOURTH INTERROGATORY:	Please state whether or not you had occasion to examine Claude J. Tomplait, and if so, on what date or dates.
FIFTH INTERROGATORY:	Was the examination of Claude J. Tomplait arranged for by Attorney Ben Reynolds of Houston, Texas?
SIXTH INTERROGATORY:	Please state who paid you for your examination and report of this patient.
SEVENTH INTERROGATORY:	Attached you will find a Xerox copy of your report. Will you please state whether or not this is indeed an accurate, true copy of the report of your examination of this patient?

Published by AsbestosClaims.Law
asbestosclaims.law/library/10758/3

EIGHTH INTERROGATORY: Are the statements, opinions and conclusions stated by you therein your true medical opinion, based upon reasonable medical certainty?

STEPHENSON, THOMPSON AND MORRIS

By _____
Attorneys for Plaintiff
Stephenson Building
Orange, Texas 77630

Published by AsbestosClaims.Law
asbestosclaims.law/library/10758/4

KELSEY-SEYBOLD CLINIC

6624 Fannin Street JAckson 6-2671

Houston, Texas 77025

29 April 1968

Ben L. Reynolds, Attorney
Royston, Rayzor & Cook
877 San Jacinto Building
Houston, Texas 77002

Re: Claude J. Tomplait (17,233)
29-444

Dear Mr. Reynolds:

It was my pleasure to see Mr. Claude J. Tomplait on 27 April 1968. He has more than a 20-year history of occupational exposure to asbestos, and a 10-year history of increasing breathlessness and nonproductive cough to the point that, at present, he is unable to do more than sedentary activity without breathlessness.

Physical findings are those typical of pulmonary fibrosis. His pulmonary function test discloses restrictive ventilatory defect without significant airway obstruction. His chest x-ray shows increased markings in both lower lobes and diaphragmatic calcification, the latter finding being noted extremely rarely, if ever, in any disease except asbestosis. In my opinion, the diagnosis of pulmonary fibrosis associated with asbestosis is unequivocal.

Thank you for the opportunity of seeing this interesting case. If additional information is needed, please let me know.

Sincerely yours,

S. P. Fischer

Stanton P. Fischer, M.D.

SPF/pl
Enclosure

THE TEXAS SOCIETY OF
PHYSICAL MEDICINE

NO. 5402

CLAUDE J. TOMPLAIT

VS.

COMBUSTION ENGINEERING, INC., ET AL

NOTICE AND INTERROGATORIES TO BE PROPOUNDED TO DR. STANTON P. FISCHER

LAW OFFICES
STEPHENSON, THOMPSON & MORRIS
STEPHENSON BUILDING
ORANGE, TEXAS

Published by AsbestosClaims.Law
asbestosclaims.law/library/10758/6