GR.I.-149-2

PLAINTIFF'S EXHIBIT UC-428

UNION CARBIDE

INTERNAL CORRESPONDENCE

CHEMICALS AND PLASTICS

P. O. BOX K, KING CITY, CALIFORNIA 93930

To (Name) Paul W. McDaniel
Division Medical Dept.
Location 4th floor
New York

Date January 10, 1969

Originating Dept.

Answering letter date

Subject

Copy to J. A. Riddle
J. L. Myers
L. F. Crow

Dear Mr. McDaniel:

Enclosed are dust count data taken on January 9, 1969. Weather: Cloudy, moderate wind from the south-east. Personnel in the bagging areas were equipped with respirators. There was no dust leakage visible from the overhead screw conveyors under the product storage bins. Opened Standard Grade was being packaged. The dust counts were made off the premises.

Sample	Location	MPPCF
Blank - 3		
24	Bagging Area	14.1
26	Same as above	10.9
49	Palletizing Area	9.8
57	Same as above	9.8
58	General Refining Area	3.4
69	Same as above	3.5
65	General Rock Fiber Area	3.8
71	Same as above	3.7
69	North Fence Line	4.2
75	Same as above	4.5
88	South Fence Line	3.1
95	Same as above	3.7
109	Shifters Office	3.4
195	Same as above	3.6

We have received the literature for the Phase Microscope, and it is on order.

Very truly yours,

D. S. Kamens

DSK/cg

Union Carbide trial exhibit UC-428: D. S. Kamens to Paul W. McDaniel Transmitting Dust Count Data from the King... Published by AsbestosClaims.Law
ACL Doc 15675 · Page 1 of 1 asbestosclaims.law/library/15675/1