BC: File

Dave

Calidria ASBESTOS

UNION CARBIDE

THE DISCOVERY COMPANY

UNION CARBIDE CORPORATION • MINING & METALS DIVISION • P.O. BOX 579 • NIAGARA FALLS, N. Y. 14302 • TEL: 716-278-3376

July 15, 1975

PLAINTIFF'S EXHIBIT
UC-610

Mr. Howard R. Dilg
Purchasing Agent
H. B. Fuller Company
315 South Hicks Road
Palatine, IL 60067

Dear Mr. Dilg:

Enclosed, as you requested, is a Material Safety Data sheet covering Union Carbide's "Calidria" asbestos products. We trust this will satisfy your requirements.

Also enclosed are spectrographic analyses of two products, High Purity and T-135. The High Purity analysis is typical for products used by H. B. Fuller. Please note that no mercury was found on a unit whose detectability is 0.006%.

Please let us know if we can be of any further assistance.

Very truly yours,

Edward J. Kleber
Sales Representative

EJK:cjb
Enclosures

## SPECTROGRAPHIC ANALYSES OF CALIDRIA HIGH PURITY AND T-135 ASBESTOS

| Element | Per Cent Detected | | Limit of Detection |
|---|---|---|---|
| | High Purity | T-135 | |
| Silver | - | - | 0.001 |
| Aluminum | 0.08-0.8 | 0.08-0.8 | 0.003 |
| Arsenic | - | - | 0.006 |
| Gold | - | - | 0.002 |
| Boron | - | - | 0.006 |
| Barium | 0.02-0.2 | - | 0.003 |
| Beryllium | - | - | 0.001 |
| Bismuth | - | - | 0.003 |
| Calcium | 0.02-0.2 | 0.02-0.2 | 0.006 |
| Columbium | - | 0.02-0.2 | 0.01 |
| Cadmium | - | - | 0.003 |
| Cobalt | 0.004-0.04 | 0.003-0.03 | 0.003 |
| Chromium | 0.08-0.8 | 0.08-0.8 | 0.003 |
| Copper | 0.0004-0.004 | 0.003-0.03 | 0.0003 |
| Iron | 0.4-4.0 | 0.2-2.0 | 0.006 |
| Gallium | - | - | 0.01 |
| Germanium | - | - | 0.005 |
| Hafnium | - | - | 0.03 |
| Mercury | - | - | 0.006 |
| Indium | - | - | 0.03 |
| Iridium | - | - | 0.03 |
| Lithium | - | - | 0.1 |
| Magnesium | Major | Major | 0.001 |
| Manganese | 0.08-0.8 | 0.04-0.4 | 0.003 |
| Molybdenum | - | - | 0.003 |
| Sodium | - | - | 0.1 |
| Nickel | 0.1-1.0 | 0.08-0.8 | 0.003 |
| Osmium | - | - | 0.03 |
| Phosphorus | - | - | 0.08 |
| Lead | 0.003-0.03 | 0.01-0.1 | 0.001 |
| Palladium | - | - | 0.005 |
| Platinum | - | - | 0.005 |
| Rhodium | - | - | 0.02 |
| Antimony | - | - | 0.01 |
| Silicon | Major | Major | 0.003 |
| Tin | 0.003-0.03 | 0.008-0.08 | 0.002 |
| Strontium | - | - | 0.03 |
| Tantalum | - | - | 0.01 |
| Thorium | - | - | 0.03 |
| Titanium | - | Major | 0.003 |
| Thallium | - | - | 0.2 |
| Uranium | - | - | 0.1 |
| Vanadium | - | - | 0.003 |
| Tungsten | - | - | 0.01 |
| Zinc | - | - | 0.02 |
| Zirconium | - | - | 0.006 |


Published by AsbestosClaims.Law
asbestosclaims.law/library/15846/2