UNION CARBIDE

INTERNAL CORRESPONDENCE

love

METALS AND METALS DIVISION

4925 ROYAL AVE., P. O. BOX 57J, NIAGARA FALLS, NEW YORK 1303

Messrs. R. E. Byrne
R. F. X. Fusaro
J. V. Murray
J. L. Myers
W. C. Thurber

File ✓

Date: May 14, 1975
"Calidria" Asbestos
Originating Dept. - TECHNOLOGY DEPARTMENT

Answering letter date

Subject: Dow Toxicology Statement

We received the attached material from Dow in response to our letter of April 29, 1975. Does it cover us in an acceptable manner?

H. B. Rhodes

PLAINTIFF'S EXHIBIT
tabbies®
UC-619

H. B. Rhodes

Attachment
/ds

DOW CHEMICAL U.S.A.

TEXAS DIVISION
FREEPORT, TEXAS 77541

April 5, 1975

ALL DERAKANE RESIN FIELD SALESMEN

cc: J. Bertram
E. Shallow
R. Erratt
T. Anderson/R. Stavinoha
T. P. Morris-Union Carbide
H. B. Rhodes-Union Carbide
J. E. Walsh-Union Carbide

BROADCAST LETTER DATED OCTOBER 16, 1974 ENTITLED "THE USE OF ASBESTOS AS A THIXOTROPE IN DERAKANE® APPLICATIONS"

In this internal broadcast, I took certain liberties in the interpretation of data presented by Mr. J. Meyers of Union Carbide. Please discontinue any further reference to my broadcast. A substitute statement which acceptably represents Union Carbide's position is attached. My apologies for the confusion.

Best regards,

R. C. Simon

R. C. Simon
Designed Products Dept.
Resins TS&D, B-1603
713/238-2502

cjm

C.C. WCT
JLM

LIFE IS FRAGILE
HANDLE WITH CARE

(SUGGESTED REPLACEMENT LETTER)

THE USE OF CALIDRIA RG-244 ASBESTOS AS A THIXOTROPE IN DERAKANE® APPLICATIONS

Many of our customers have expressed concern as to whether the various regulatory agencies would continue to permit the use of asbestos as a viscosity modifier. The use of asbestos in this application is not prohibited and there is no indication of such a restriction. RG-244 is chrysotile asbestos and many researchers agree that chrysotile seems to be less harmful to health than other varieties of asbestos, namely the amphiboles, which have different crystalline structures and physical properties.

Union Carbide Corporation, the producer of RG-244, has amassed air sampling data which demonstrate that RG-244 can be used in complete compliance with Federal government standards and regulations. We have a supply of a Union Carbide brochure, "Calidria" Asbestos RG-244, Health and OSHA Information, February 1, 1975, which can be provided to your customers. Union Carbide will cooperate fully in this matter and would appreciate the opportunity to discuss asbestos safety and health with our customers. Requests should be referred to:

Mr. T. P. Norris
Union Carbide Corporation
305 East 12th Street
Naperville, IL 60540
Tel: 312-355-7633

Dr. H. B. Rhodes
Union Carbide Corporation
Mining and Metals Division
P. O. Box 579
Niagara Falls, NY 14302
Tel: 716-278-3375

Mr. J. E. Walsh
Union Carbide Corporation
17 Executive Park Drive
Atlanta, GA 30329
Tel: 404-633-6161