[illegible] DIVISION - CALIDRIA ASBESTOS

CUSTOMER CALL REPORT

PLAINTIFF'S EXHIBIT UC-648

CUSTOMER & LOCATION: Atlas Chemical Co. Miami, Florida INDUSTRY CLASSIFICATION: Caulks

SALESMAN: J.E. Welsh REGION: Southern DATE OF CALL: 9-21-79

ASBESTOS HEALTH & REGULATORY DOCUMENTS PROVIDED:

- ☐ MSDS
- ☐ Dust Count Report
- ☐ Health & OSHA Information Blue Book
- ☐ Other, specify below

PERSONS INTERVIEWED:

Mr. Peterson President

CALL OBJECTIVE:

Call made on Calidria prospect manufacturing caulks.

RESULTS OF CALL:

Don Wood the chemist here at Atlas has been in the hospital for three weeks and a harried Peterson has been filling in for him. As best he can recall Peterson said they used to use Canadian 7 in their caulks and roof paints about 4-5 years but got away from it when they had problems with EPA. They responded to the usage questionaire that EPA sent out and were notified that their continued use of asbestos would cause them problems in the area of empty bag disposal. Peterson said they tried for a long time to get a satisfactory answer on how to dispose of bags in accordance with the regulation or better yet one that they thought they could live with but could never get a definitive answer. Replacement products were evaluated and wollastonite filled the bill for them so they switched to it. At this point in time Peterson said he would not be interested in looking at asbestos again because of his past experience and the fact that their replacement product is working.

FOLLOW-UP ACTION REQUIRED:

COPIES TO: JRL:TPH:JLM: :KC-FILE:NF-FILE NF PERMANENT FILE