REPORT OF CALL

Save

cc for G. L. Dickson
T. P. Norris
W. C. Thurber
J. E. Walsh
KC-File
NF-File ✓

UNION CARBIDE CORPORATION
P.O. Box 579 Niagara Falls, N.Y. 14302

PLAINTIFF'S EXHIBIT UC-679

By E. J. Kleber

Date 1/9/75

| | |
|---|---|
| Full Name<br>Address National Engineering Products, Inc.<br>1905 Capitol Avenue, N.E.<br>Washington, DC 20002<br>Mfrs. of | Interviewed<br>Mr. J. Brown<br>202-526-6274 |

OBJECTIVES

Follow-up on HPP sample sent May 28, 1974.

OBSERVATIONS

Mr. Brown wanted to evaluate HPP in a caulk formulation. The project died before he ever got a chance to look at it. He has an opportunity to formulate a new caulk now and HPP will be evaluated. He had some questions regarding the amount of shear necessary to break up the pellets and I assured him a Banbury would do nicely. Gave him G. L. Dickson's name and he wants to look him up at the SPI.

RECOMMENDED ACTION

GLD - Be on the lookout for Mr. Brown. If not seen suggest you call him in 4-6 weeks.

Typed 1/10/75
ds

Re the attached ROC:

1. The Navy has their own asbestos regulations, lifted largely verbatum from the OSHA regulations.

2. The Navy has a positive action program to eliminate asbestos containing materials. They have not pushed the panic button and ordered asbestos insulation replaced on all ships.

3. They have not banned asbestos and are reported to be willing to consider new products where asbestos performs a useful function and does not present a dust hazard.

H. B. Rhodes

1/14/75