PLAINTIFF'S EXHIBIT
UC-1234

UNION CARBIDE INTERNAL CORRESPONDENCE

CHEMICALS AND PLASTICS

P. O. BOX 471, TEXAS CITY, TEXAS 77590

TO (NAME) Mr. J. H. Barrett
COMPANY Mr. T. O. Blum
LOCATION Mr. D. L. Engle
Mr. J. S. Knight
Mr. W. P. Nickles
Mr. F. S. Provenzano
Mr. D. R. Reem
Mr. R. Ritchie

DATE October 18, 1979

SUBJECT OSHA Investigation on 10-16-79

Copy to Mr. O. H. Cunningham
Dr. D. H. Glenn
Mr. O. C. Jones
Mr. J. B. Leverton
Mr. R. A. Ream - 511
Mr. H. R. Schulz
Mr. R. J. Taylor
Ms. A. P. Yalcinkaya

Gentlemen:

On October 16, 1979, Mr. Richard Miller, OSHA Industrial Hygienist, conducted an investigation into potential employee exposure associated with the changing of Ethylene Oxide (EO) filter cartridges at the loading rack, Bldg. 19. This investigation was prearranged as Mr. Miller had requested notification of the filter change during a previous visit this year.

An opening conference was held with Messrs. Miller, Cunningham, Munn, Martin, and Ms. Yalcinkaya in which it was restated that this investigation was associated with the NIOSH - OSHA brain tumor survey. Mr. Miller also stated that this visit would probably conclude OSHA's involvement in that joint survey.

At the conclusion of the brief meeting we moved to the EO loading rack and were met by Mr. O. C. Jones. An eight-hour breathing zone sample was taken on the product handler assigned to the EO rack and short-term breathing zone samples were collected on the two riggers who renewed the filter elements. Duplicate samples of all OSHA monitoring were collected by the I. H. Department.

Pictures were taken by Mr. M. E. Montague at Mr. Miller's request of the filter changing operation in order to demonstrate the procedures and protective equipment utilized by the employees. The prints will be reviewed and provided to Mr. Miller when they are available.

Short-term breathing zone samples were also collected for the two pipe fitters who removed the slip-blinds from the EO filter system.

UCTC 21286

Published by AsbestosClaims.Law
asbestosclaims.law/library/16400/1

After removal of all sampling equipment, Mr. Miller informed us again that this would probably conclude OSHA's activity in the NIOSH brain tumor investigation and that a closing conference would be offered at a later date. Mr. Miller then left the plant.

If you have any questions concerning this report, please contact me at ext. 5589.

Sincerely,

Kirk E. Martin
Industrial Hygienist

KEM:ir

UCTC 21287