METALS DIVISION

CUSTOMER CALL REPORT

CUSTOMER & LOCATION Precision Paint Charlotte, [illegible] INDUSTRY CLASSIFICATION Coatings

SALESMAN J. E. Walsh REGION [illegible] DATE OF CALL [illegible]

PRODUCTS DISCUSSED:	Cr	Mn	Spec.	Si	CaC_2	W	V	Asb.	Other:
	☐	☐	☐	☐	☐	☐	☐	X	

PERSONS INTERVIEWED:

Thad Broome - Technical Director
Bill Woolwind - Safety Engineer

CALL OBJECTIVE:

Call made to discuss asbestos and health.

RESULTS OF CALL:

Not one of life's more pleasanter discussions but Thad has been working on HPO now for about a year. He finally approved it as a talc and partial TiO_2 replacement in their block filler coating and wanted to have the regulatory & health aspect of using asbestos discussed with Woolwind to see what is required in order for them to use it. Presented the soup to nuts regs & toxicology story along with the many gray areas involved when asbestos is used. They are already using tremolitic talc and it was pointed out that they are under the regulation now. Apparently the OSHA regulation and its many potential interpretations was never discussed with them. Left Woolwind with a typical packet of information on the subject and the decision now up to them.

FOLLOW-UP ACTION REQUIRED:

J.E. -- Phone Thad around 12-15 if no prior action on their part.

COPIES TO: Mktg. Services; Others: REB:JRL:TDN:WCT:KC-FILE:NFL-FILE
J. E. Lenahan

PLAINTIFF'S EXHIBIT
tabbies
UC-1628

Published by AsbestosClaims.Law
asbestosclaims.law/library/16725/1