PLAINTIFF'S EXHIBIT

UC-1910

10-13-88

Cabrera called:

- Never received a call from Jerry.

- Came to look at the plant to take some pictures.

- Commented that they have a list of Contractors & they like to do a background check on them -

- Mentioned that the removal of asbestos is expensive and that he did not know how "they" are going to make any money.

- When he went to the masonry area he saw the removal of "Suspect Asbestos". That the law written this is his report and it is public record. That unless Analysis are taken of the metal removed that not even the dismantler will know

BRA 2959

- When he went to the back of the plant there were bags with asbestos spread & some were torn. I told him these bags in the back contained non-asbestos insulation, that these are the only bags the dismantler had to use.

- I told him that ~~only one~~ asbestos had been removed from only Column ~~that had been~~ The ~~procedure~~ The dismantler ~~had used had been followed~~ followed the proper procedures in the removal, because MR. Garrison had verified it.

- He said that Jose told him that no asbestos had been removed. I told him I wanted a copy of the report. He ~~requested~~ requested a reply either Fri 10-14 or Mon 10-17. He said he had already called the Navigation District on this. I told him I did not the BAD ~~be~~ involved in this.

BRA 2960

427-8800 12-2-88

called the City Mgr - regarding the cost of asbestos removal -

City ~~Mgr~~ Manager - Returned Call on 12-8-88

Asked for a letter from the City of Harlingen accepting the waste.

BRA 2961