WV-0207 # 25

PLAINTIFF'S EXHIBIT

UC-2136

UNION CARBIDE

INTERNAL CORRESPONDENCE

SAFETY AND HEALTH DEPARTMENT
South Charleston Plant

P. O. Box 8004
South Charleston, WV 25303

TO: J. K. Corrie
J. R. Dement
L. B. Hewitt
R. G. Hull
W. J. Vincent

DATE: June 11, 1987

ORIG. DEPT:

CC: S. W. Drake
C. R. Rotthoff

SUBJECT: Asbestos Enclosures - HWP Requirements

HEEB- SOUNDS LIKE WE SHOULD ATTEND. JKC

Gentlemen:

Chuck Rotthoff is sponsoring a meeting with Institute, South Charleston and Sistersville personnel to review, discuss, and develop plant practices in the use of enclosures (especially asbestos related). In May there were two (2) close calls with the life support atmosphere in enclosures installed for asbestos removal.

The meeting will be held Friday, June 19th at 9:00 AM in Bldg 82, Room 320. Please invite anyone you feel can contribute to the discussion and if unable to attend, please send a representative. See you there!

Thanks!

M. J. Shoger

MJS/yc
2135A

Negative Air to Run 24 hr day until Report Comes back from Lab. QSM on duty All Time?
Strip 2 12 hrs shifts until Job is done until Explosion proof Machines Can be purchased.

UCC 006621