PLAINTIFF'S EXHIBIT

UC-2363

LAW OFFICES
HURT & CARRICO
ONE BRIDGE PLACE
POST OFFICE DRAWER 833
CHARLESTON, WEST VIRGINIA 25323

CHARLES E. HURT
JOHN B. CARRICO
VICTOR A. BARONE

TELEPHONE
(304) 344-3501

June 18, 1986

Rebecca A. Betts
Attorney at Law
Charleston National Plaza
Charleston, West Virginia 25301

Re: Arthur D. McClure and others vs. Wheeler Protective Apparel and others
Our File No. 85KA136

Dear Rebecca:

As I advised you by telephone, I am representing Wheeler Protective Apparel in several cases brought by former employees of Union Carbide Corporation alleging exposure to asbestos materials. Wheeler Protective Apparel made a glove which was apparently used by the claimants between 1956 and 1962 which is Wheeler No. 4815. I am enclosing a photocopy of a page describing these gloves. I need to obtain a sample glove to have examined by some expert to show that the wearing of the glove would not subject someone to asbestosis. Wheeler Protective Apparel no longer manufactures this glove nor does it have any in stock. The local distributor was Safety First Supply Co. who also no longer has any of these gloves. I am hoping that Union Carbide might have some in stock or perhaps have some used gloves somewhere that we could borrow or purchase. Any assistance that we might be able to receive from Union Carbide would be greatly appreciated.

Very truly yours,

Charles E. Hurt

CEH/tr

Enclosure

Union Carbide trial exhibit UC-2363: Charles E. Hurt to Rebecca A. Betts Requesting a Sample Wheeler Asbestos… Published by AsbestosClaims.Law
ACL Doc 17351 · Page 1 of 2 asbestosclaims.law/library/17351/1


SAFETY FIRST SUPPLY CO.

GLOVES


WHEELER PROTECTIVE APPAREL, INC., 224 West Huron Street, Chicago 10, Illinois



*705



*805




*4805



*4815 (A new Glove Number) It offers what we be- [illegible] to be Perfect Protection. It has a full finger leather reinforcement covering the front and back of all fingers. Back finger [illegible] not extend [illegible] finger [illegible] Like [illegible] Asbestos Glove [illegible]


58-62




*707



*807



*4807



*15768 *4809 *10910

*705 GLOVES, asbestos[1], 11" long, lined.
*805 GLOVES, asbestos[1], 11 long, lined, palm and thumb leather reinforced.
*4805 GLOVES, asbestos[1], 11" long, lined, full front leather reinforced.
4811 GLOVES, asbestos[1], 11" long, lined: palm, thumb, and full finger leather reinforcement.
706 GLOVES, asbestos[1], 11" long, unlined.
806 GLOVES, asbestos[1], 11" long, unlined, palm and thumb leather reinforced.
4806 GLOVES, asbestos[1], 11" long, unlined, full front leather reinforced
*707 GLOVES, asbestos[1] 14" long, lined.
*807 GLOVES, asbestos[1], 14" long, lined, palm and thumb leather reinforced.
*4807 GLOVES, asbestos[1], 14" long, lined, full front leather reinforced.
*4815 GLOVES, asbestos[1], 14" long, lined: palm, thumb and full finger leather reinforced.
*10910 GLOVES, asbestos[1] (double thick), 14" long, jumbo size, [illegible] and thumb to [illegible] reinforced, leather tab reinforced on finger.
*15768 GLOVES, asbestos[1] (double thick) 14" long, full front leather reinforced, jumbo size.
708 GLOVES, asbestos[1] 14" long, unlined.
808 GLOVES, asbestos[1], 14" long, unlined, palm and thumb leather reinforced.
4808 GLOVES, asbestos[1], 14" long, unlined, full front leather reinforced.
709 GLOVES, asbestos[1] 23" long, lined.
809 GLOVES, asbestos[1], 23" long, lined, palm and thumb leather reinforced.
*4809 GLOVES, asbestos[1] 23" long, lined, full front leather reinforced
4819 GLOVES, asbestos[1] 23" long, lined: palm, thumb and full finger leather reinforced
710 GLOVES, asbestos[1], 23" long, unlined.
810 GLOVES, asbestos[1], 23" long, unlined, palm and thumb leather reinforced.
4810 GLOVES, asbestos[1] 23" long, unlined, full front leather reinforced.

1. Underwriter's Grade Herringbone Weave Asbestos is used on the front and back of all the above asbestos gloves—where the heavy wearing strain occurs. Underwriter's Grade Basket Weave Asbestos is used on the cuffs.

Something new! We have changed over to all new asbestos glove patterns. Improvements in design have been made. The new glove is larger throughout, it offers the last word in hand comfort, and it has a leather thumb seam reinforcement which will increase the wearing time.

* [illegible] stock.

UCC 003338

Union Carbide trial exhibit UC-2363: Charles E. Hurt to Rebecca A. Betts Requesting a Sample Wheeler Asbestos… Published by AsbestosClaims.Law
ACL Doc 17351 · Page 2 of 2 asbestosclaims.law/library/17351/2