PLAINTIFF'S EXHIBIT

UC-2458

9-20-73

Bill-

We are sampling today - 5 locations - breathing zone samples on the palletizer operator, bagger, 244 bagger, dozer operator, and outside operator.

I will send you these results as they are available. We had sampled, per the attachment, in July prior to Paul's visit in August. The sampling was made on July 18.

Larrison

SEP 24 1973

UCC 015398

Union Carbide trial exhibit UC-2458: F. H. Larrison Jr. to Paul McDaniel Transmitting July 1973 King City Dust Coun... Published by AsbestosClaims.Law
ACL Doc 17437 · Page 1 of 3 asbestosclaims.law/library/17437/1

UC 149:2

FHL

UNION CARBIDE

INTERNAL CORRESPONDENCE

MINING AND METALS DIVISION

P. O. BOX K, KING CITY, CALIFORNIA 93930

To (Name) Mr. Paul McDaniel
Division Medical Dept/4th Floor
Location New York

Date July 20, 1973

Originating Dept.

Answering letter date

Copy to R. J. Kronkhyte

Subject Dust Count - July, 1973

Enclosed are dust particle counts for July, 1973. The samples were collected by J. Settlemoir and C. Grogan. Counting was done by both.

Very truly yours,

F. H. Larrison, Jr.

FHL/ljg

Enc

UCC 015399

Dust Samples
King City, Calif.
July, 1973

NOTE: All samples taken with filter facing down.

SAMPLE NO., LOCATION, TIME, & FLOW RATE	CONDITIONS	PARTICLE COUNT Ave. Count	±5M/ml
1. 038 Bagger breathing zone, 9:30 A.M., 1.4 LPM for 15 min.	Bagging HPO, mills running, hand stacking, mechanics working in area, west and south doors open, no wind, 73°F, floors and machinery dusty.	22.83	5.80
2. Same as #1.	Same as #1.	28.50	7.52
3. Hand stacking area, 9:50 A.M., 1.4 LPM for 15 min.	Same as #1.	19.50	4.79
4. Same as #3.	Same as #1.	25.83	6.71
5. RG-244 bagging area, 10:25 A.M., 1.4 LPM for 15 min.	All doors open, 70°F, bagger outside over 2 min.	9.17	1.67
6. Same as #5.	Same as #5.	8.50	1.46
7. Blank.		3.67	

Union Carbide trial exhibit UC-2458: F. H. Larrison Jr. to Paul McDaniel Transmitting July 1973 King City Dust Coun... Published by AsbestosClaims.Law
ACL Doc 17437 · Page 3 of 3 **asbestosclaims.law/library/17437/3**