PLAINTIFF'S EXHIBIT

UC-2699

FROM THE DESK OF

W. C. "Bill" Young
X-2434



Loc. 514 Asbestos Samples - 9/11/79

No. 1 — 160 Liters of Air

No. 2 - 160 "

No. 3 - 360 "

No. 4 — 360 "

UNION CARBIDE

UCC 024549

Asbestos - 514

Collected	Liters of Air	Analyzed	Clise	Bott
9-11-79 #1	160	9-12-79	46 fibers/100 count	70/100
9-11-79 #2	160	9-12-79	25 fibers/100 fields	40/100
9-11-79 #3	360	9-12-79	125 fibers/100 fields	110/100
9-11-79 #4	360	9-12-79	136 fibers/100 fields	162/100

#1 $\frac{46+70}{2} = 58 \div 100 = \frac{0.58 \times 855}{.0318 \times 160 \times 1000}$ = 0.1 fibers/ml > 5 μ

#2 $\frac{25+40}{2} = 32.5 \div 100 = \frac{0.32 \times 855}{.0318 \times 160 \times 1000}$, 0.05 fibers/ml > 5 μ

#3 $\frac{125+110}{2} = 117.5 \div 100 = \frac{1.17 \times 855}{.0318 \times 360 \times 1000}$, 0.09 fibers/ml > 5 μ

#4 $\frac{136+162}{2} = 149 \div 100 = \frac{1.49 \times 855}{.0318 \times 360 \times 1000}$ = 0.11 fibers/ml > 5 μ

UCC 024550

AUDIT REPORT NO. 1141

FILE NO. 67

A T T E N T I O N

This document has been identified as one which may relate to the manufacture, use, sale or health effects of asbestos or asbestos-containing products in connection with Union Carbide's defense of asbestos litigation. The document may be reproduced as needed, but should not be destroyed. If it is judged to be of no further value to this file, the document should be sent to the Danbury office, attention of S. D. Conner. The File No. and Audit Report No. must accompany the document

Likewise, if the address of the document is changed, S. D. Conner should be notified. The File No. and Audit Report No. must be included in the correspondence.

Union Carbide trial exhibit UC-2699: W. C. "Bill" Young's Handwritten Notes on Loc. 514 Asbestos Air Samples and... Published by AsbestosClaims.Law
ACL Doc 17630 · Page 3 of 3 asbestosclaims.law/library/17630/3