PLAINTIFF'S EXHIBIT

UC-3124

UNION CARBIDE

INTERNAL CORRESPONDENCE

Engineering, Manufacturing, and Technology Services
Central Engineering
Technical Center

Post Office Box 8361
Building 2000
South Charleston, WV 25303

Febuary 19, 1987

TO: Mr. B. G. Perry

COPY TO: Mr. P. D. Franson
Mr. W. G. Lilly, Jr.
Mr. C. C. Neely
Mr. S. W. Turicchi

RECEIVED
FEB 23 1987
CCN

SUBJECT: Asbestos Usage

Bob:

We are proceeding to establish plans to implement the phase-out of asbestos-containing materials from C&P facilities. I have asked Clyde Neely to lead this effort which will require resources and input from Maintenance groups, Purchasing, Safety and Health as well as Engineering Technology skill centers. Clyde will, in the next couple of weeks, develop a plan outlining the general steps required for this program between now and January 1989. We'll keep you posted on progress.

Very truly yours,

Joe

J. E. Sanders

JES:he
4898Y(4)

UCC 019670

Union Carbide trial exhibit UC-3124: J. E. Sanders to B. G. Perry on Asbestos Usage and Phase-Out of Asbestos-C… Published by AsbestosClaims.Law
ACL Doc 17963 · Page 1 of 1 asbestosclaims.law/library/17963/1