
Union Carbide trial exhibit UC-3248: Gilmour Heavy Duty Wash Gun and Foam Gun Parts/Price List and Operating...
ACL Doc 18051 · Page 1 of 4

PARTS/PRICE LIST & EXPLODED DIAGRAM
HEAVY DUTY SPRAYER MODELS 73QG WASH GUN & 75QGF FOAM GUN



ITEM NO.	MODEL 73QG PART NO.	MODEL 75QGF PART NO.	DESCRIPTION	RETAIL PRICE
1	73-1	73-1	Pistol Grip Shut-Off-Valve (Includes Items 2, 3, & 4)	$ 7.70
2	573-10	573-10	Hose Coupling Washer	.25
3	484-25D	484-25D	Anti-Siphon Disc	.35
4	484-26	484-26	Rubber Diaphram	.45
5	73-9	73-9	Head Coupling Washer	.25
* 6	73-14	75-14	Metering Stem	1.60
7	73-16	73-16	Stem Locking Screw	.45
* 8	73-15A	75-15A	Metering Screw	.55
9	73-19	-	Deflector	.45
*10	73-11	75-11	Mixing Head Complete (Includes Items 5 thru 10)	13.70
11	73-24	73-24	Siphon Tube	.25
12	484-23	484-23	Monel Strainer	.35
13	73-20	73-20	Quart Container	1.60
14	-	65-2-24	Foaming Attachment (Includes Item 9)	3.20

* NOTE: When ordering Item 10, the MIXING HEAD COMPLETE, Item 6, Metering Stem, or Item 8 Metering Screw, please specify sprayer model, desired dilution rate and, if applicable, the chemical to be used. Please also tell us the name of the dealer or distributor where the sprayer was purchased.

UCC 016764

PLAINTIFF'S EXHIBIT
UC-3248

Published by AsbestosClaims.Law
asbestosclaims.law/library/18051/1

OPERATING INSTRUCTIONS FOR GILMOUR WASH & FOAM GUNS

MODELS 73QG HEAVY DUTY WASH GUN & 75QGF HEAVY DUTY FOAM GUN

APPLICATION: Use gun with cleaning and sanitizing chemicals in food preparation areas, wash rooms, meat cutting rooms, barns, or any situation where use of water diluted chemicals is required. Unit also handles detergents, disinfectants, and grease dissolvents for vehicle washing, cleaning buildings, driveways, etc

PECIFICATIONS: Recommended water pressure - 40 to 60 psi.

ASSEMBLY INSTRUCTION: Slide plastic siphon tube (Item 11) over brass tube connector under bottle cap, attach bottle to gun. Model 75QGF, slide small end of foam tube (Item 14) over tube connector on outlet end of Mixing Head (Item 10).

OPERATION INSTRUCTION: Connect water supply hose to pistol grip shut-off-valve (Item 1) handle. Remove and fill bottle with liquid chemical concentrate. CAUTION: To prevent chemical loss from bottle out of air vent hole in mixing head, sprayer assembly must remain in upright position at all times.

Place metering stem lever (Item 6) in vertical position to siphon chemical (as shown in fig. 1). This will automatically mix chemical with water at factory pre-set dilution rate. Pistol grip shut-off-valve lever must be fully depressed for accurate mixing.




FIG. 1

For rinsing with water only, move metering stem lever to horizontial position in order to shut off siphoning chemical from bottle (as shown in fig. 2).




FIG. 2

Model 73QG is provided with a deflector (Item 9), to provide a fan spray for covering wide areas. The deflector can be removed to provide a needle stream.

Model 75QGF is provided with a foaming attachment (Item 14) with deflector (Item 9) that must be installed on mixing head (Item 10) for proper aeration of the chemical to produce foam. With foaming attachment removed, gun can be used with deflector as regular wash gun described above.

MAINTENANCE: After each use the gun must be cleaned to insure trouble-free operation. Return unused chemical to original container.

Rinse bottle, refill with water or the appropriate solvent, and spray for several minutes to rinse out orifices within mixing chamber.

In instances where a chemical is particularly caustic or viscous, it may be necessary to soak the mixing head in water or neutralizer. This should eliminate contamination of the mixing head and build up of dried chemicals.

WARRANTY & REPAIR: All Gilmour products are guaranteed against defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer is not responsible for guns that have been altered, incorrectly used, improperly maintained, cleaned, or abused.

Information on parts for field repair or replacement of lost parts, is available from the factory.

UCC 016765

Union Carbide trial exhibit UC-3248: Gilmour Heavy Duty Wash Gun and Foam Gun Parts/Price List and Operating...
ACL Doc 18051 · Page 3 of 4

"GRADE" designates STERILAIRE GRADE (S.G.), INDUSTRIAL, or DISASTER RESTORATION GRADE (D.R.G.)

Product Name	$/LB. 2+Drums	55-GAL. DRUM	15-GAL. DRUM	5-GAL. PAIL	4x1 GALLONS	12x1 QUARTS	NET LB/GAL/DRUM	GRADE
CTC Brand								
Coil & Tower Cleaner	0.66	326.29	110.36	39.68	33.93	30.58	8.5/468	S.G.
Last Try Cleaner	1.32	652.58	220.69	79.43	68.01	61.18	8.5/468	D.R.G.
Germ Growth Retarder (GGR)	1.38	674.10	227.98	82.04	70.23	63.21	8.3/457	INDUSTRIAL
Chemical Toilet Concentrate	2.48	1,223.58	413.78	148.96	127.47	114.71	8.9/490	INDUSTRIAL
DUST-SET Brand								
Soot & Smoke Primer	1.80	900.55	304.55	109.63	93.40	84.04	8.7/479	D.R.G.
* Dust Abator	1.79	880.38	297.93	107.19	91.74	82.54	8.7/479	S.G.
Amended Water Base	2.09	1,044.75	342.04	122.85	104.90	109.20	8.9/490	S.G.
Asbestos Encapsulant	1.79	879.90	297.15	108.15	91.88	82.53	8.7/479	S.G.
FILTER-COTE Brand								
Filter Bag Renewer	1.40	691.73	233.86	84.18	72.08	65.85	8.4/462	INDUSTRIAL
Manufacturer's Grade	2.80	1,386.71	468.96	168.78	144.51	130.06	8.8/484	INDUSTRIAL
* Air Filter Adhesive	2.84	1,396.50	472.16	170.02	145.51	130.95	8.8/484	S.G.
FLUIDS CONCENTRATE Brand								
* Smoke Odor Neutralant	1.72	846.30	272.74	98.18	84.00	75.60	8.1/447	D.R.G.
* Rubber/Plastic Deodorant	1.72	846.30	272.74	98.18	84.00	75.60	8.1/447	INDUSTRIAL
Air Freshener	1.66	798.53	260.93	93.98	80.33	72.19	8.1/447	INDUSTRIAL
Damp Rot Deodorant	1.76	858.64	276.41	99.23	85.05	76.65	8.1/447	D.R.G.
Rug/Carpet Saver	0.89	435.23	140.18	50.40	43.05	38.85	8.1/447	D.R.G.
LINT-SET Brand								
Fire Retardant	3.28	1,876.15	634.47	228.40	195.48	175.91	9.3/511	INDUSTRIAL
Grease Exhaust Treatment	3.05	1,745.64	590.34	212.50	181.91	163.70	9.3/511	D.R.G.
* Air Duct Treatment	3.28	1,876.15	634.47	228.40	195.48	175.91	9.3/511	INDUSTRIAL
LIQUIVAC Brand								
* Air Scrubber/Washer Extender	3.14	1,656.23	560.08	201.58	216.69	155.26	9.0/495	S.G.
Spill Contaminate/Neutralizer	0.83	412.42	139.35	50.13	42.90	38.58	8.4/462	D.R.G.
Acid Waste Treatment	1.32	652.58	220.69	79.43	67.96	61.15	8.5/468	INDUSTRIAL
MSR Brand								
* Universal Solvent (Graffiti)**	3.47	1,706.48	576.99	207.75	177.83	--	8.2/451	INDUSTRIAL
Adhesive Solvent	2.23	1,102.85	373.03	134.24	114.94	103.44	8.2/451	INDUSTRIAL
Rug/Carpet Pre-Spotter	0.36	180.76	61.04	21.95	18.78	16.94	8.0/440	D.R.G.
Paint Stripper**	0.95	448.32	151.63	54.58	46.69	42.03	8.2/451	D.R.G.
Rust Biter**	1.19	587.32	198.62	71.48	61.17	55.02	8.4/462	INDUSTRIAL

** Specify LIQUID or GEL

UCC 016766

Published by AsbestosClaims.Law
asbestosclaims.law/library/18051/3

Union Carbide trial exhibit UC-3248: Gilmour Heavy Duty Wash Gun and Foam Gun Parts/Price List and Operating...
ACL Doc 18051 · Page 4 of 4
Published by AsbestosClaims.Law
asbestosclaims.law/library/18051/4

J. E. Doley 5/13/83 | J. E. Doley | 5/27/83 | L

PURCHASE ORDER

No. 380-520179-1

FOR EXCEPTIONS ONLY

LOT NO	ITEM NO	RETURN OVERAGE	ADVISE VENDOR OF SHORTAGE	CHARGE IS ACC. IN LIEU MAT. FOUND	SET MAT. REC'D REQ. MAT. ASSIGNED	UNDERRUN NOT ATTAINED	TEST NOT STAT. ACCOMPLISHED	COMMENTS

MAIL SHIPPING AND OTHER NOTICES TO
UNION CARBIDE CORPORATION AT

SHIP TO: SISTERSVILLE W VA 26175 #2 Stores

THE ABOVE ORDER NUMBER MUST APPEAR ON ALL PACKAGES, INVOICES AND B/L PERTAINING TO THIS ORDER.

CONTRACT

PAGE 1 OF 1

Mateson Chemical Corp.
1025 E. Montgomery Avenue
Philadelphia, Penna. 19125

ADDRESS CORRESPONDENCE TO
P.O BOX 180, SISTERSVILLE, W. VA. 26175
(304 652 3211)

ORDER DATE	DATE TO SHIP
5/17/83	5/27/83 or Soone

REQUIREMENT ORDER EXPIRATION DATE

00

(HEREINAFTER CALLED "SELLER")

ATTN J. R. Buzzard

TERMS OF PAYMENT					TRANSPORTATION TERMS (SEE NOTICE ON REVERSE SIDE HEREOF)			F.O.B POINT:			SUBJECT TO STATE LOCAL SALES/USE TAX	TAX NO
NET 30	% DISC	DAYS	DAYS PROX	OTHER	COLLECT	PREPAID	OTHER	SHIP POINT	DEST	OTHER		
X					ACCT OF BUYER 1	X ACCT OF SELLER 2	3	1	X 2	3	YES	NO X

SHIP VIA	PARCEL POST	TRUCK	UPS	RAIL	AIR EXP	OTHER	CONFIRMING?	BUYER HEREBY ORDERS THE ITEM(S) DESCRIBED BELOW SUBJECT TO THE TERMS AND CONDITIONS HEREIN CONTAINED, INCLUDING OTHERS ON THE REVERSE SIDE HEREOF	BUYER	COM CODE	VENDOR CODE	REC LOC
			X				[ ] YES [ ] NO		316	0990F	55633200	380

ITEM NO.	QUANTITY RECEIVED	X	C	A	QUANTITY ORDERED	U/M	DESCRIPTION	UNIT PRICE	E	L	PRI ACCT, DIV EXP, TO LOC, TO ACCT, IND NO. / 1ST ORDER NO., 2ND ORD NO., FUNCTIONAL DATA FIELDS
1	4		C		4	EA.	Asbestos Encapsulant Dust Set ~~Amended Water Base~~ (5 gal. can)	ADVISE ~~$125.00~~ 122.85			~~104010~~ 649 60 00812900
2	4		C		4	"	Amended Water Gun	42.95			~~104010~~ 649 60 00812598

UCC 016767

J. R. Buzzard/tk

LOT RR NO	DATE REC'D	FOR	REC'D BY	REC LOC	ORIGIN IN CITY	ORIGIN IN CO	ORIGIN IN STATE	ORIGIN OUT STATE	TRANS PPD	TRANS COL	TRANS CHARGE	CARRIER	DATE OF PRO	PRO NO	CAR NO	CONTAIN COUNT	PROJECT WEIGHT	TOTAL WEIGHT	PRODUCT PRICE	NO 7 MARKED	SOP
1	5-24-3			36				3	1			UPS									1 201 2 202 3 A204

RECEIVING REPORT - WITH GOODS