WU-0045 #11

PLAINTIFF'S EXHIBIT

UC-3293

October 15, 1973

TO: Mr. C. W. Carman

COPY TO: Mr. C. D. Allen
Mr. F. J. Casabona
Mr. E. B. DelGrande
Dr. R. J. Sexton
Mr. Fred Williams

SUBJECT: 1973 ASBESTOSIS SURVEY

This will confirm our discussion this morning regarding Dr. Sexton's subject report dated October 5. I understand that we handle asbestos in only small quantities at the present time; this use involves mainly tearing into existing insulation. Our new Insulation Standards include no asbestos but do present a dust problem of their own.

We have agreed to take several steps as follows:

1) You, Fred Williams, Cliff Allen, and Frank Casabona will review with our insulation foremen the adequacy and application of controls employed where asbestos materials are used. In addition, you will advise the frequency with which we make samples to determine the quantity of asbestos being enhaled by affected personnel. I believe that this review should also be extended to include our current dust problem with the newer types of insulation materials.

2) Upon assembly of the above information, we will review the overall situation with Dr. Sexton to determine if further action is required.

UCC 000404

Published by AsbestosClaims.Law
asbestosclaims.law/library/18088/1

Please advise me when it appears timely to meet with Dr. Sexton. It might also be beneficial to review our recent discussion regarding our sandblasting operation with him at that time.

Mr. DelGrande and Dr. Sexton may have other thoughts regarding further steps we should take. Any such comments will of course be appreciated at any time.

L. L. Bissett

LLB:oh

Union Carbide trial exhibit UC-3293: L. L. Bissett to C. W. Carman on the 1973 Asbestosis Survey (1973)
ACL Doc 18088 · Page 2 of 2
Published by AsbestosClaims.Law
asbestosclaims.law/library/18088/2