WU-0046 #20

PLAINTIFF'S EXHIBIT

UC-3302

MEMO

JAN. FEB. MAR. APR. MAY JUN. JUL. AUG. SEP. OCT. NOV. DEC.

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

UNION CARBIDE

TO Mr. J. M. Butcher, Mr. M. E. Perry, Mr. C. L. Ruddle

FROM Fred Williams

SUBJECT Asbestos Sampling in Compliance with OSHA

We have been having difficulties adjusting our schedule with the work related to asbestos. We are unable to do asbestos sampling as set forth in the OSHA regulation with the present arrangements. These informal arrangements have been that Pete is to notify the industrial hygiene group when demolition or application is to be done involving asbestos. This procedure is not working very well.

Each month please send me a list of jobs involving demolition or application of asbestos-contained insulation that requires four or more manhours of effort. Our objective is to do random sampling and obtain at least one result every six months for each coatings mechanic.

UCC 000442

Union Carbide trial exhibit UC-3302: Fred Williams to J. M. Butcher, M. E. Perry and C. L. Ruddle on Asbestos Sam… Published by AsbestosClaims.Law
ACL Doc 18094 · Page 1 of 1 asbestosclaims.law/library/18094/1