PLAINTIFF'S EXHIBIT

UC-3452

O U T L I N E

ASBESTOS - OSHA REQUIREMENTS

A. EXPOSURE

TWA 2 fibers/cc >5 μ long

Ceiling 10 " /cc

B. TOOLS

Equipped with local exhaust ventilation to contain dust.

C. WORK PRACTICES

a. Handled and worked wet (unless the usefulness of the product would be diminished).

D. RESPIRATORS

a. May not be used to attain compliance except:

i. During installation of engineering controls.

ii. Where engineering controls not feasible or sufficient.

iii. Emergencies

Approved respirators:

a. 3M #8710, or #8800

b. Norton 170A

c. Willson 1400

d. Binks 40-150

e. AO R1050

E. OTHER CLOTHING

i. Coveralls (whole body covering)

Union Carbide trial exhibit UC-3452: Outline of OSHA Asbestos Requirements (undated)
ACL Doc 18206 · Page 1 of 3
Published by AsbestosClaims.Law
asbestosclaims.law/library/18206/1

E. OTHER CLOTHING - continued

ii. Gloves

iii. Head cover

For any person exposed to concentrations > Ceiling level.

F. CHANGE ROOMS

Required where concentrations > 2 fibers/cc or 10 Ceiling;

lockers } required if concentrations > 2 fibers/cc or
laundering } 10 Ceiling.

G. MONITORING

i. Initially

ii. At least every 6 months if levels may be foreseen to exceed TLV.

H. SIGNS

i. Posted where levels may be in excess of TLV;
sign specs given 1910.1001 (p. 295)

ii. Labels on all asbestos-containing wastes.
label specs given.

I. HOUSEKEEPING

All external surfaces free of asbestos dusts; cleanup by wet mopping or vacuum. (No air hose or broom)

J. WASTE DISPOSAL

Sealed plastic bags or other closed containers.

K. RECORDKEEPING

Monitoring records - 20 years

UCC 017348

Published by AsbestosClaims.Law
asbestosclaims.law/library/18206/2

K. RECORDKEEPING - continued

Notification of employee in writing if exposed > limits.

Notification of corrective action.

L. MEDICAL

i. Preplacement if in area exposed to asbestos

ii. Annual

iii. Termination

(List of surveillance items)

Union Carbide trial exhibit UC-3452: Outline of OSHA Asbestos Requirements (undated)
ACL Doc 18206 · Page 3 of 3
Published by AsbestosClaims.Law
asbestosclaims.law/library/18206/3