PLAINTIFF'S EXHIBIT

UC-3456

UNION CARBIDE

INTERNAL CORRESPONDENCE

UNION CARBIDE CORPORATION TECHNICAL CENTER
P.O. BOX 8361 SOUTH CHARLESTON, WV 25303

B. R. McMakin
2009/512
R. W. Scoular
701/511

January 8, 1986

Technical Center
Site Services

L. L. Bissett, 2000/511
R. E. Gardner, 2000/511
P. L. Graham, 725/511
W. G. Lilly, Jr., 2000/511
C. P. Maxwell, 725/511
M. L. Mills, 2149/512
L. R. Noble, 725/511
M. A. Patel, 701/511
R. J. Romagnoli, 701/511

Asbestos Removal

Attached is an item from the January 3, 1986, issue of Inside EPA relating to the enforcement of asbestos removal regulations.

Since EPA is apparently putting a high priority on monitoring asbestos removal, we need to be especially careful to be familiar with, and to observe, the regulations covering the removal of asbestos.

Please contact our staff if you have any questions.

Tom

T. L. Collins

TLC/cw
Attachment
0933w

UCC 017351

*Union Carbide trial exhibit UC-3456: T. L. Collins to B. R. McMakin and R. W. Scoular on EPA Enforcement of Asbe...* Published by AsbestosClaims.Law
ACL Doc 18210 · Page 1 of 1 asbestosclaims.law/library/18210/1