UNION CARBIDE

INTERNAL
CORRESPONDENCE

JUL 10 1984

SAFETY DEPT.

UNION CARBIDE CORPORATION OLD RIDGEBURY ROAD, DANBURY, CT 06817

#9(i)

To (Name) DISTRIBUTION LIST ATTACHED
Division
Location
Area

Date June 28, 1984

Originating Dept. HS&EA

Area P2

Copy to

Subject ASBESTOS COMMENTS

FILE: ASBESTOS

RB,
Please file with asbestos file.
C M

Enclosed is a copy of the cover letter from ORC's recent submission to OSHA concerning the Notice of Proposed Rulemaking (NPR) for asbestos.

Basically, ORC is recommending a dual exposure limit:

Permissable Ambient Concentration (PAC) of 0.5 fibers/cc - engineering would be required to control ambient concentrations to this level.

Permissable Exposure Limit (PEL) of 0.2 fibers/cc - employee exposure greater than 0.2 fiber/cc but less than 0.5 fiber/cc would require the use of a negative pressure respirator with a high efficiency filter, capable of providing a minimum fit factor of 5 and capable of being qualitatively or quantitatively fit tested.

Where the PAC exceeds 0.5 fibers/cc and where engineering, administrative or work practice controls are not feasible, ORC recommends the use of positive pressure supplied air or self-contained breathing apparatus.

If you would like a copy of the full text of ORC's comments and recommendations (about 40 pages), let me know.

Richard G. Hanlon

Richard G. Hanlon

6 7-12-84
Prepared a letter to R.G. Hanlon requesting the full text of ORC's comments & recommendations
CPM

RGH:jmc
Attachment

RECEIVED
JUL - 5 1984
T. L. COLLINS

PLAINTIFF'S EXHIBIT
UC-3473

UCC 017420

Union Carbide trial exhibit UC-3473: Richard G. Hanlon to Distribution List on ORC's Recommended Dual Asbestos... Published by AsbestosClaims.Law
ACL Doc 18223 · Page 1 of 2 asbestosclaims.law/library/18223/1

Published by AsbestosClaims.Law
asbestosclaims.law/library/18223/2