PLAINTIFF'S EXHIBIT

UC-3477

WV-0090 #1

REPORT RC001 UCC TECHNICAL CENTER ASBESTOS MONITORING 09/04/87 PAGE 1

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8 HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INIT
11/12/76	ASBESTOS	BREATH Z	19	.8700F/CC	F/CC	723	0497	0	WFH
11/12/76	ASBESTOS	BREATH Z	19	2.0000F/CC	F/CC	723	0497	1	WFH
11/12/76	ASBESTOS	BREATH Z	15	.8700F/CC	F/CC	706	0498	0	WFH
11/12/76	ASBESTOS	BREATH Z	10	2.8000F/CC	F/CC	706	0498	1	WFH
11/22/76	ASBESTOS	BREATH Z	20	1.3400F/CC	F/CC	711	0499	0	WFH
11/22/76	ASBESTOS	AREA	20	.0000F/CC	F/CC	711	0499	1	WFH
12/10/76	ASBESTOS	BREATH Z	13	.7300F/CC	F/CC	707	0501	0	WFH
12/10/76	ASBESTOS	BREATH Z	13	.4200F/CC	F/CC	707	0501	1	WFH
12/13/76	ASBESTOS	BREATH Z	48	.1700F/CC	F/CC	706	0503	0	WFH
12/14/76	ASBESTOS	BREATH Z	48	.1400F/CC	F/CC	706	0503	1	WFH
12/15/76	ASBESTOS	BREATH Z	23	.3600F/CC	F/CC	701	0504	0	WFH
12/15/76	ASBESTOS	BREATH Z	23	1.2000F/CC	F/CC	701	0504	1	WFH
12/15/76	ASBESTOS	AREA	23	.5300F/CC	F/CC	701	0504	2	WFH
12/22/76	ASBESTOS	BREATH Z	41	2.4000F/CC	F/CC	701	0480	0	WGH
12/22/76	ASBESTOS	BREATH Z	14	.4900F/CC	0140 F/CC	712	0505	0	WFH
12/22/76	ASBESTOS	AREA	14	1.7500F/CC	F/CC	712	0505	1	WFH
01/03/77	ASBESTOS	BREATH Z	28	1.0000F/CC	F/CC	704	0725	0	GWR
01/06/77	ASBESTOS	BREATH Z	10	3.1000F/CC	F/CC	701	0524	0	GWR
01/10/77	ASBESTOS	BREATH Z	28	.5400F/CC	0300 F/CC	723	0506	0	WFH
01/10/77	ASBESTOS	BREATH Z	28	.2700F/CC	0200 F/CC	723	0506	1	WFH
02/18/77	ASBESTOS	BREATH Z	70	.4200F/CC	F/CC	712	0526	0	GWR
02/19/77	ASBESTOS	BREATH Z	70	.5200F/CC	F/CC	712	0525	0	GWR
04/07/77	ASBESTOS	BREATH Z	31	.2600F/CC	0200 F/CC	704	0649	0	WFH
04/07/77	ASBESTOS	BREATH Z	12	.0600F/CC	0020 F/CC	778	0650	0	WFH
04/20/77	ASBESTOS	BREATH Z	31	.1900F/CC	F/CC	704	0651	0	WFH
04/20/77	ASBESTOS	AREA	12	.2000F/CC	F/CC	704	0651	1	WFH
04/20/77	ASBESTOS	AREA	27	.0500F/CC	F/CC	704	0651	2	WFH
04/20/77	ASBESTOS	BREATH Z	27	.2400F/CC	0030 F/CC	704	0651	3	WFH
04/28/77	ASBESTOS	BREATH Z	35	7.4000F/CC	1.0800 F/CC	705	0653	0	WFH
04/28/77	ASBESTOS	BREATH Z	35	6.5000F/CC	.9400 F/CC	705	0653	1	WFH
04/28/77	ASBESTOS	AREA	35	1.6000F/CC	F/CC	705	0653	2	WFH
05/03/77	ASBESTOS	BREATH Z	16	.4300F/CC	.0100 F/CC	707	0658	0	WFH
05/03/77	ASBESTOS	BREATH Z	48	.1300F/CC	.0140 F/CC	707	0658	0	WFH
05/04/77	ASBESTOS	AREA	20	.1700F/CC	F/CC	770	0659	0	WFH
05/03/77	ASBESTOS	AREA	22	.0800F/CC	F/CC	770	0659	1	WFH
05/09/77	ASBESTOS	BREATH Z	20	2.3900F/CC	.1000 F/CC	702	0659	2	WFH
05/09/77	ASBESTOS	AREA	20	2.1200F/CC	F/CC	702	0563	0	WFH
05/26/77	ASBESTOS	AREA	15	.0500F/CC	F/CC	702	0563	1	WFH
05/26/77	ASBESTOS	AREA	93	.6300F/CC	F/CC	5	0674	0	WFH
05/26/77	ASBESTOS	PERM STA	60	2.4400F/CC	.3100 F/CC	5	0674	1	WFH
05/26/77	ASBESTOS	PERM STA	60	1.7800F/CC	.2200 F/CC	5	0674	2	WFH
05/26/77	ASBESTOS	AREA	22	.0600F/CC	F/CC	5	0674	3	WFH
06/06/77	ASBESTOS	BREATH Z	70	.0800F/CC	.0100 F/CC	771	0661	0	WFH
06/06/77	ASBESTOS	BREATH Z	70	.0800F/CC	.0100 F/CC	771	0661	1	WFH
08/01/77	ASBESTOS	BREATH Z	25	1.5000F/CC	F/CC	720	0679	0	WFH
08/08/77	ASBESTOS	BREATH Z	25	1.5500F/CC	F/CC	47	0656	0	GWR
08/08/77	ASBESTOS	BREATH Z	73	.3400F/CC	F/CC	47	0656	1	WFH
08/08/77	ASBESTOS	AREA	70	.2200F/CC	F/CC	47	0656	2	WFH
08/15/77	ASBESTOS	BREATH Z	43	2.5900F/CC	F/CC	HANGAR	0669	0	WFH

UCC 017435

REPORT RC01 UCC TECHNICAL CENTER ASBESTOS MONITORING 09/04/87 PAGE 2

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INIT
08/15/77	ASBESTOS	BREATH Z	42	2.6100F/CC	F/CC	FWRHSE	0669	1	WFH
08/15/77	ASBESTOS	AREA	33	.4800F/CC	F/CC	FWRHSE	0669	2	WFH
08/15/77	ASBESTOS	BREATH Z	110	.3200F/CC	F/CC	712	0670	0	WFH
08/15/77	ASBESTOS	BREATH Z	110	.2800F/CC	F/CC	712	0670	1	WFH
08/15/77	ASBESTOS	AREA	110	.0000F/CC	F/CC	712	0670	2	WFH
08/15/77	ASBESTOS	AREA	30	.0000F/CC	F/CC	712	0670	3	WFH
08/15/77	ASBESTOS	BREATH Z	180	.1500F/CC	1300 F/CC	712	0670	4	WFH
08/15/77	ASBESTOS	BREATH Z	180	.1200F/CC	1200 F/CC	712	0670	5	WFH
08/16/77	ASBESTOS	BREATH Z	103	.2100F/CC	F/CC	712	0671	0	WFH
08/16/77	ASBESTOS	BREATH Z	103	.1900F/CC	F/CC	712	0671	1	WFH
08/16/77	ASBESTOS	AREA	153	.0000F/CC	F/CC	712	0671	2	WFH
08/16/77	ASBESTOS	BREATH Z	75	.3300F/CC	0960 F/CC	712	0671	3	WFH
08/16/77	ASBESTOS	BREATH Z	75	.2800F/CC	0850 F/CC	712	0671	4	WFH
08/24/77	ASBESTOS	BREATH Z	43	.8300F/CC	0740 F/CC	704	0677	0	WFH
08/24/77	ASBESTOS	AREA	21	.0000F/CC	F/CC	704	0677	1	WFH
08/24/77	ASBESTOS	AREA	13	.1500F/CC	F/CC	704	0677	2	WFH
09/15/77	ASBESTOS	BREATH Z	8	.2300F/CC	0040 F/CC	741	0686	0	WFH
09/15/77	ASBESTOS	AREA	8	.0800F/CC	F/CC	741	0686	1	WFH
09/15/77	ASBESTOS	AREA	14	.4900F/CC	F/CC	741	0687	0	WFH
09/16/77	ASBESTOS	BREATH Z	12	.2800F/CC	0070 F/CC	741	0688	0	WFH
09/16/77	ASBESTOS	AREA	13	1.1900F/CC	F/CC	741	0688	1	WFH
09/29/77	ASBESTOS	BREATH Z	30	.1400F/CC	0100 F/CC	702	1032	0	WFH
09/29/77	ASBESTOS	AREA	30	.0500F/CC	F/CC	702	1032	1	WFH
10/11/77	ASBESTOS	BREATH Z	107	3.1400F/CC	F/CC	704	0693	0	WFH
10/11/77	ASBESTOS	BREATH Z	104	2.7600F/CC	F/CC	704	0693	1	WFH
10/11/77	ASBESTOS	AREA	26	9.2600F/CC	F/CC	704	0693	2	WFH
10/11/77	ASBESTOS	BREATH Z	24	14.7000F/CC	F/CC	704	0693	3	WFH
10/11/77	ASBESTOS	BREATH Z	26	15.0600F/CC	F/CC	704	0693	4	WFH
10/11/77	ASBESTOS	AREA	14	2.9400F/CC	F/CC	704	0693	5	WFH
10/11/77	ASBESTOS	BREATH Z	14	2.1000F/CC	1 4900 F/CC	704	0693	6	WFH
10/11/77	ASBESTOS	BREATH Z	14	1.3200F/CC	1 4500 F/CC	704	0693	7	WFH
10/28/77	ASBESTOS	BREATH Z	44	1.4200F/CC	1300 F/CC	704	0694	0	WFH
10/28/77	ASBESTOS	BREATH Z	44	2.1100F/CC	1900 F/CC	704	0694	1	WFH
10/28/77	ASBESTOS	AREA	42	1.5200F/CC	F/CC	704	0694	2	WFH
10/28/77	ASBESTOS	AREA	47	.0000F/CC	F/CC	704	0694	3	WFH
11/29/77	ASBESTOS	BREATH Z	35	1.8800F/CC	1400 F/CC	705	0695	0	WFH
11/29/77	ASBESTOS	AREA	30	.4300F/CC	F/CC	705	0695	1	WFH
11/29/77	ASBESTOS	AREA	5	6.5800F/CC	F/CC	705	0695	2	WFH
12/01/77	ASBESTOS	BREATH Z	26	.2600F/CC	0140 F/CC	704	0710	0	WFH
12/01/77	ASBESTOS	BREATH Z	26	.0800F/CC	0040 F/CC	704	0710	1	WFH
12/01/77	ASBESTOS	AREA	32	.0400F/CC	F/CC	704	0710	2	WFH
04/04/78	ASBESTOS	BREATH Z	30	.3200F/CC	0200 F/CC	722	0742	0	GWR
05/31/78	ASBESTOS	BREATH Z	40	2.4800F/CC	2100 F/CC	773	0785	0	WFH
05/31/78	ASBESTOS	BREATH Z	41	1.5200F/CC	1300 F/CC	773	0785	1	WFH
09/08/78	ASBESTOS	BREATH Z	15	.1100F/CC	0030 F/CC	701	0809	0	GWR
09/08/78	ASBESTOS	BREATH Z	20	.1700F/CC	0070 F/CC	701	0809	1	GWR
10/03/78	ASBESTOS	AREA	15	.2000F/CC	F/CC	701	0813	0	WFH
10/03/78	ASBESTOS	AREA	15	.3000F/CC	F/CC	701	0813	1	WFH
10/03/78	ASBESTOS	AREA	15	.1000F/CC	F/CC	701	0813	2	WFH

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 2 of 14 **asbestosclaims.law/library/18227/2**

REPORT RC01 UCC TECHNICAL CENTER ASBESTOS MONITORING 09/04/07 PAGE 3

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR TWA CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INIT
11/16/78	ASBESTOS	BREATH Z	53	.4400F/CC	F/CC	707	0834	0	GWR
11/16/78	ASBESTOS	BREATH Z	40	.6100F/CC	.2000 F/CC	707	0834	1	GWR
12/12/78	ASBESTOS	BREATH Z	48	2.8000F/CC	2.3000 F/CC	773	0852	0	WFR
12/12/78	ASBESTOS	BREATH Z	48	1.3000F/CC	1.0000 F/CC	773	0852	1	WFR
12/13/78	ASBESTOS	BREATH Z	15	.4000F/CC	.4000 F/CC	773	0853	0	WFR
12/13/78	ASBESTOS	BREATH Z	15	.3000F/CC	.3000 F/CC	773	0853	1	WFR
01/22/79	ASBESTOS	BREATH Z	25	7.7500F/CC	F/CC	233	0865	0	WFR
01/22/79	ASBESTOS	BREATH Z	25	5.3700F/CC	F/CC	233	0865	1	WFR
01/22/79	ASBESTOS	AREA	25	.3000F/CC	F/CC	233	0865	2	WFR
02/07/79	ASBESTOS	BREATH Z	20	.2400F/CC	.0080 F/CC	770	0869	0	GWR
03/17/79	ASBESTOS	BREATH Z	70	3.4000F/CC	F/CC	CPLX 6	0882	0	WFR
03/17/79	ASBESTOS	BREATH Z	15	1.7000F/CC	F/CC	CPLX 6	0882	1	WFR
03/17/79	ASBESTOS	BREATH Z	70	.7000F/CC	F/CC	CPLX 6	0882	2	WFR
03/17/79	ASBESTOS	BREATH Z	17	2.9000F/CC	F/CC	CPLX 6	0882	3	WFR
03/17/79	ASBESTOS	AREA	125	.3000F/CC	F/CC	CPLX 6	0882	4	WFR
03/19/79	ASBESTOS	BREATH Z	48	.2000F/CC	F/CC	CPLX 6	0886	0	WFR
03/19/79	ASBESTOS	BREATH Z	48	.4000F/CC	F/CC	CPLX 6	0886	1	WFR
03/19/79	ASBESTOS	AREA	47	.0100F/CC	F/CC	CPLX 6	0886	2	WFR
04/23/79	ASBESTOS	BREATH Z	47	.3000F/CC	.0300 F/CC	741	0901	0	WFR
04/23/79	ASBESTOS	AREA	47	.4000F/CC	F/CC	741	0901	1	WFR
04/30/79	ASBESTOS	BREATH Z	147	1.8500F/CC	F/CC	5	0911	0	WFR
04/30/79	ASBESTOS	AREA	67	.1900F/CC	F/CC	704	0912	0	WFR
05/04/79	ASBESTOS	BREATH Z	50	.5100F/CC	F/CC	720	0906	0	GWR
05/09/79	ASBESTOS	BREATH Z	44	.0900F/CC	F/CC	707	0914	0	GWR
05/09/79	ASBESTOS	BREATH Z	44	.0300F/CC	F/CC	707	0914	1	GWR
05/09/79	ASBESTOS	AREA	44	.1200F/CC	F/CC	707	0914	2	GWR
05/15/79	ASBESTOS	BREATH Z	85	4.0000F/CC	F/CC	707	0910	0	GWR
05/15/79	ASBESTOS	BREATH Z	60	6.1000F/CC	2.2000 F/CC	707	0910	1	GWR
05/15/79	ASBESTOS	BREATH Z	85	2.0000F/CC	F/CC	707	0910	2	GWR
05/15/79	ASBESTOS	BREATH Z	60	2.1000F/CC	.9000 F/CC	707	0910	3	GWR
05/29/79	ASBESTOS	AREA	170	.0100F/CC	F/CC	701	0926	0	GWR
05/29/79	ASBESTOS	AREA	170	.0100F/CC	F/CC	701	0926	1	GWR
05/29/79	ASBESTOS	AREA	235	.0100F/CC	F/CC	701	0926	2	GWR
05/29/79	ASBESTOS	AREA	235	.0200F/CC	F/CC	701	0926	3	GWR
05/31/79	ASBESTOS	BREATH Z	34	.1400F/CC	F/CC	701	0927	0	GWR
06/02/79	ASBESTOS	BREATH Z	60	.5000F/CC	F/CC	11	0933	0	GWR
06/02/79	ASBESTOS	BREATH Z	60	.9800F/CC	F/CC	11	0933	1	GWR
07/30/79	ASBESTOS	BREATH Z	74	.2400F/CC	F/CC	704	0943	0	GWR
07/30/79	ASBESTOS	BREATH Z	123	.1200F/CC	F/CC	704	0943	1	GWR
07/30/79	ASBESTOS	AREA	180	.0100F/CC	F/CC	704	0943	2	GWR
07/30/79	ASBESTOS	AREA	180	.0100F/CC	F/CC	704	0943	3	GWR
07/30/79	ASBESTOS	AREA	180	.0100F/CC	F/CC	704	0943	4	GWR
07/30/79	ASBESTOS	AREA	180	.0100F/CC	F/CC	704	0943	5	GWR
08/01/79	ASBESTOS	BREATH Z	95	.1100F/CC	F/CC	704	0944	0	GWR
08/01/79	ASBESTOS	BREATH Z	65	.0100F/CC	F/CC	704	0944	1	GWR
08/01/79	ASBESTOS	AREA	60	.0700F/CC	F/CC	704	0944	2	GWR
08/01/79	ASBESTOS	AREA	140	.0100F/CC	F/CC	704	0944	3	GWR
08/01/79	ASBESTOS	AREA	80	.0200F/CC	F/CC	704	0944	4	GWR
08/04/79	ASBESTOS	BREATH Z	157	.0100F/CC	F/CC	704	0945	0	GWR

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 3 of 14 **asbestosclaims.law/library/18227/3**

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP UNIT
01/04/79	ASBESTOS	AREA	155	.0100F/CC	F/CC	704	0945	1	GWR
01/04/79	ASBESTOS	AREA	150	.0100F/CC	F/CC	704	0945	2	GWR
01/04/79	ASBESTOS	AREA	150	.0100F/CC	F/CC	704	0945	3	GWR
09/19/79	ASBESTOS	BREATH Z	68	.3000F/CC	.0400 F/CC	720	0964	0	DRC
09/19/79	ASBESTOS	BREATH Z	72	.5000F/CC	.0800 F/CC	720	0964	1	DRC
09/25/79	ASBESTOS	BREATH Z	51	.3800F/CC	.2800 F/CC		0965	0	GWR
09/25/79	ASBESTOS	BREATH Z	71	.1300F/CC	.1000 F/CC		0965	1	GWR
09/27/79	ASBESTOS	BREATH Z	41	.8000F/CC	.6000 F/CC		0966	0	GWR
09/27/79	ASBESTOS	BREATH Z	41	1.1000F/CC	.8200 F/CC		0966	1	GWR
09/27/79	ASBESTOS	BREATH Z	36	.0800F/CC	.0600 F/CC		0966	2	GWR
10/23/79	ASBESTOS	BREATH Z	28	.1000F/CC	F/CC	704	0969	0	DRC
10/23/79	ASBESTOS	BREATH Z	37	.2000F/CC	F/CC	704	0969	1	DRC
10/23/79	ASBESTOS	BREATH Z	28	.1000F/CC	F/CC	704	0969	2	DRC
10/23/79	ASBESTOS	BREATH Z	39	2.3000F/CC	F/CC	704	0969	3	DRC
10/24/79	ASBESTOS	BREATH Z	46	.4000F/CC	F/CC	773	0968	0	GWR
10/24/79	ASBESTOS	BREATH Z	43	.1000F/CC	F/CC	773	0968	1	GWR
10/26/79	ASBESTOS	AREA	52	.2800F/CC	F/CC	704	0976	0	DRC
10/26/79	ASBESTOS	AREA	27	.5100F/CC	F/CC	704	0976	1	DRC
10/26/79	ASBESTOS	BREATH Z	15	3.9300F/CC	F/CC	704	0976	2	DRC
10/26/79	ASBESTOS	BREATH Z	15	2.9700F/CC	F/CC	704	0976	3	DRC
10/26/79	ASBESTOS	AREA	51	1.0100F/CC	F/CC	704	0976	4	DRC
10/26/79	ASBESTOS	AREA	55	.9000F/CC	F/CC	704	0976	5	DRC
10/26/79	ASBESTOS	AREA	48	1.1600F/CC	F/CC	704	0976	6	DRC
10/30/79	ASBESTOS	BREATH Z	18	.1000F/CC	F/CC	704	0972	0	GWR
10/30/79	ASBESTOS	AREA	18	.1000F/CC	F/CC	704	0972	1	GWR
11/26/79	ASBESTOS	BREATH Z	47	2.0400F/CC	F/CC	704	0979	0	DRC
11/26/79	ASBESTOS	BREATH Z	92	1.8300F/CC	F/CC	704	0979	1	DRC
11/26/79	ASBESTOS	AREA	51	.9400F/CC	.7000 F/CC	704	0979	2	DRC
11/26/79	ASBESTOS	BREATH Z	64	1.3400F/CC	F/CC	704	0979	3	DRC
11/26/79	ASBESTOS	BREATH Z	47	.9500F/CC	F/CC	704	0979	4	DRC
11/26/79	ASBESTOS	BREATH Z	91	.8500F/CC	.3000 F/CC	704	0979	5	DRC
11/26/79	ASBESTOS	BREATH Z	70	2.0300F/CC	F/CC	704	0979	6	DRC
11/26/79	ASBESTOS	BREATH Z	47	.9500F/CC	F/CC	704	0979	7	DRC
11/26/79	ASBESTOS	BREATH Z	105	.4600F/CC	F/CC	704	0979	8	DRC
11/26/79	ASBESTOS	BREATH Z	80	1.4400F/CC	.7000 F/CC	704	0979	9	DRC
11/26/79	ASBESTOS	BREATH Z	58	.9000F/CC	F/CC	704	0980	0	DRC
11/26/79	ASBESTOS	BREATH Z	47	.4700F/CC	F/CC	704	0980	1	DRC
11/26/79	ASBESTOS	BREATH Z	109	.3600F/CC	F/CC	704	0980	2	DRC
11/26/79	ASBESTOS	BREATH Z	83	2.0300F/CC	.5000 F/CC	704	0980	3	DRC
11/26/79	ASBESTOS	BREATH Z	66	.4900F/CC	F/CC	704	0981	0	DRC
11/27/79	ASBESTOS	BREATH Z	54	.6200F/CC	F/CC	704	0981	1	DRC
11/27/79	ASBESTOS	BREATH Z	54	.6200F/CC	F/CC	704	0981	2	DRC
11/27/79	ASBESTOS	BREATH Z	41	.8600F/CC	F/CC	704	0981	3	DRC
11/27/79	ASBESTOS	BREATH Z	38	1.8600F/CC	3.3000 F/CC		0981	4	DRC
01/15/80	ASBESTOS	BREATH Z	60	4.4000F/CC	2.4000 F/CC	#1	0989	0	GWR
01/15/80	ASBESTOS	BREATH Z	60	3.2000F/CC	1.1000 F/CC	#1	0989	1	GWR
01/15/80	ASBESTOS	BREATH Z	60	1.5000F/CC	1.1000 F/CC	#1	0989	2	GWR
01/15/80	ASBESTOS	BREATH Z	45	1.6000F/CC	1.2000 F/CC	#1	0989	3	GWR
01/15/80	ASBESTOS	AREA	70	.4000F/CC	F/CC	#1	0989	4	GWR
01/15/80	ASBESTOS	AREA	60	.8000F/CC	F/CC	#1	0989	5	GWR

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 4 of 14 **asbestosclaims.law/library/18227/4**

UCC TECHNICAL CENTER ASBESTOS MONITORING

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP UNIT
01/15/80	ASBESTOS	AREA	22	0300F/CC	F/CC	#1	0989	6	GWR
02/20/80	ASBESTOS	BREATH Z	30	2000F/CC	F/CC	5	1013	0	WFB
02/20/80	ASBESTOS	BREATH Z	95	4000F/CC	F/CC	5	1013	1	WFB
02/20/80	ASBESTOS	BREATH Z	29	1000F/CC	F/CC	5	1013	2	WFB
02/20/80	ASBESTOS	BREATH Z	83	3000F/CC	F/CC	5	1013	3	WFB
02/20/80	ASBESTOS	BREATH Z	24	7000F/CC	F/CC	5	1013	4	WFB
02/20/80	ASBESTOS	BREATH Z	60	8000F/CC	F/CC	5	1013	5	WFB
02/22/80	ASBESTOS	BREATH Z	50	1 50000F/CC	F/CC	777	1012	0	GWR
02/22/80	ASBESTOS	BREATH Z	50	1 60000F/CC	F/CC	777	1012	1	GWR
02/22/80	ASBESTOS	AREA	50	7000F/CC	F/CC	777	1012	2	GWR
03/19/80	ASBESTOS	BREATH Z	37	1000F/CC	1000 F/CC	770	1028	0	WFB
03/19/80	ASBESTOS	BREATH Z	37	1000F/CC	1000 F/CC	770	1028	1	WFB
03/19/80	ASBESTOS	AREA	38	1000F/CC	F/CC	770	1028	2	WFB
03/20/80	ASBESTOS	BREATH Z	84	6000F/CC	1000 F/CC	103	1029	0	WFB
03/20/80	ASBESTOS	BREATH Z	89	1000F/CC	1000 F/CC	103	1029	1	WFB
03/20/80	ASBESTOS	AREA	88	1000F/CC	F/CC	103	1029	2	WFB
04/01/80	ASBESTOS	BREATH Z	85	4000F/CC	F/CC	773	1033	0	DRC
04/01/80	ASBESTOS	BREATH Z	145	2000F/CC	1000 F/CC	773	1033	1	DRC
04/01/80	ASBESTOS	BREATH Z	86	2000F/CC	F/CC	773	1033	2	DRC
04/01/80	ASBESTOS	BREATH Z	140	1000F/CC	1000 F/CC	773	1033	3	DRC
04/03/80	ASBESTOS	BREATH Z	80	2300F/CC	F/CC	5	1034	0	WFB
04/03/80	ASBESTOS	BREATH Z	43	4100F/CC	0700 F/CC	5	1034	1	WFB
04/03/80	ASBESTOS	BREATH Z	80	1700F/CC	F/CC	5	1034	2	WFB
04/03/80	ASBESTOS	BREATH Z	60	2600F/CC	0600 F/CC	5	1034	3	WFB
04/11/80	ASBESTOS	BREATH Z	60	3500F/CC	F/CC	5	1040	0	DRC
04/11/80	ASBESTOS	BREATH Z	105	4300F/CC	F/CC	5	1040	1	DRC
04/11/80	ASBESTOS	BREATH Z	80	0900F/CC	F/CC	5	1040	2	DRC
04/11/80	ASBESTOS	BREATH Z	48	6500F/CC	2000 F/CC	5	1040	3	DRC
04/11/80	ASBESTOS	BREATH Z	60	3500F/CC	F/CC	5	1040	4	DRC
04/11/80	ASBESTOS	BREATH Z	105	8100F/CC	F/CC	5	1040	5	DRC
04/11/80	ASBESTOS	BREATH Z	87	1800F/CC	F/CC	5	1040	6	DRC
04/11/80	ASBESTOS	BREATH Z	49	0600F/CC	3000 F/CC	5	1040	7	DRC
04/11/80	ASBESTOS	BREATH Z	60	4800F/CC	F/CC	5	1040	8	DRC
04/11/80	ASBESTOS	BREATH Z	84	1 24000F/CC	F/CC	5	1040	9	DRC
04/11/80	ASBESTOS	BREATH Z	68	6900F/CC	F/CC	5	1041	0	DRC
04/11/80	ASBESTOS	BREATH Z	27	2 7200F/CC	F/CC	5	1041	1	DRC
04/16/80	ASBESTOS	BREATH Z	157	4800F/CC	F/CC		1042	0	DRC
04/16/80	ASBESTOS	BREATH Z	130	3400F/CC	2000 F/CC		1042	1	DRC
04/16/80	ASBESTOS	BREATH Z	150	1 3400F/CC	F/CC		1042	2	DRC
04/16/80	ASBESTOS	BREATH Z	125	4200F/CC	5000 F/CC		1042	3	DRC
04/16/80	ASBESTOS	BREATH Z	155	1300F/CC	F/CC		1042	4	DRC
04/16/80	ASBESTOS	BREATH Z	125	0700F/CC	0600 F/CC		1042	5	DRC
04/16/80	ASBESTOS	BREATH Z	63	1500F/CC	F/CC	5	1043	0	DRC
04/28/80	ASBESTOS	BREATH Z	108	3700F/CC	F/CC	5	1043	1	DRC
04/28/80	ASBESTOS	BREATH Z	30	4800F/CC	F/CC	5	1043	2	DRC
04/28/80	ASBESTOS	BREATH Z	45	0600F/CC	1400 F/CC	5	1043	3	DRC
04/28/80	ASBESTOS	BREATH Z	57	5200F/CC	F/CC	5	1043	4	DRC
04/28/80	ASBESTOS	BREATH Z	111	6200F/CC	F/CC	5	1043	5	DRC
04/28/80	ASBESTOS	BREATH Z	58	4300F/CC	F/CC	5	1043	6	DRC

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 5 of 14 **asbestosclaims.law/library/18227/5**

REPORT RC001 UCC TECHNICAL CENTER ASBESTOS MONITORING 09/04/87 PAGE 6

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	B 10000 T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP UNIT
04/28/80	ASBESTOS	BREATH Z	116	.6400F/CC	F/CC	5	1043	7	DAC
04/28/80	ASBESTOS	BREATH Z	89	.3400F/CC	.2700 F/CC	5	1043	8	DAC
07/03/80	ASBESTOS	BREATH Z	108	.7000F/CC	F/CC	789	1064	0	DAC
07/03/80	ASBESTOS	BREATH Z	108	.3000F/CC	F/CC	789	1064	1	DAC
07/03/80	ASBESTOS	BREATH Z	90	.3000F/CC	F/CC	789	1064	2	DAC
07/21/80	ASBESTOS	BREATH Z	25	1.0700F/CC	F/CC	5	1068	6	RAC
07/21/80	ASBESTOS	BREATH Z	18	.0800F/CC	F/CC	5	1068	1	RAC
07/21/80	ASBESTOS	BREATH Z	15	.0900F/CC	F/CC	5	1068	2	RAC
07/21/80	ASBESTOS	BREATH Z	15	.0500F/CC	F/CC	5	1068	3	RAC
07/21/80	ASBESTOS	AREA	15	.0500F/CC	F/CC	5	1068	4	RAC
07/21/80	ASBESTOS	AREA	15	.0900F/CC	F/CC	5	1068	5	RAC
07/21/80	ASBESTOS	AREA	15	.0100F/CC	F/CC	5	1068	6	RAC
07/21/80	ASBESTOS	AREA	15	.0100F/CC	F/CC	5	1068	7	RAC
07/21/80	ASBESTOS	AREA	15	.0100F/CC	F/CC	5	1068	8	RAC
07/21/80	ASBESTOS	AREA	15	.0500F/CC	F/CC	5	1068	9	RAC
08/05/80	ASBESTOS	BREATH Z	79	1.8500F/CC	F/CC	707	1070	0	DAC
08/05/80	ASBESTOS	BREATH Z	78	.9200F/CC	F/CC	707	1070	1	DAC
08/18/80	ASBESTOS	BREATH Z	41	15.4000F/CC	F/CC	777	1075	0	DAC
08/18/80	ASBESTOS	BREATH Z	42	6.3000F/CC	F/CC	777	1075	1	DAC
08/18/80	ASBESTOS	BREATH Z	118	11.3000F/CC	4.1000 F/CC	777	1075	2	DAC
08/18/80	ASBESTOS	BREATH Z	149	3.9000F/CC	1.8000 F/CC	777	1075	3	DAC
08/18/80	ASBESTOS	BREATH Z	15	1.0000F/CC	F/CC	5	1082	0	RAC
08/18/80	ASBESTOS	BREATH Z	15	.5000F/CC	F/CC	5	1082	1	RAC
08/18/80	ASBESTOS	BREATH Z	15	.6000F/CC	F/CC	5	1082	2	RAC
08/18/80	ASBESTOS	BREATH Z	17	.1000F/CC	F/CC	5	1082	3	RAC
08/18/80	ASBESTOS	BREATH Z	15	45.7000F/CC	F/CC	5	1082	4	RAC
08/19/80	ASBESTOS	BREATH Z	125	14.4000F/CC	3.8000 F/CC	777	1076	0	DAC
08/19/80	ASBESTOS	BREATH Z	118	10.1000F/CC	2.5000 F/CC	777	1076	1	DAC
08/19/80	ASBESTOS	BREATH Z	93	.1000F/CC	F/CC	706	1077	0	DAC
08/19/80	ASBESTOS	BREATH Z	95	.3000F/CC	F/CC	706	1077	1	DAC
08/25/80	ASBESTOS	BREATH Z	74	.1000F/CC	F/CC	777	1078	0	DAC
08/25/80	ASBESTOS	BREATH Z	64	.1000F/CC	.1000 F/CC	777	1078	1	DAC
08/25/80	ASBESTOS	BREATH Z	71	.1000F/CC	F/CC	777	1078	2	DAC
08/25/80	ASBESTOS	BREATH Z	64	.2000F/CC	.1000 F/CC	777	1078	3	DAC
08/25/80	ASBESTOS	BREATH Z	68	.2000F/CC	F/CC	777	1078	4	DAC
08/25/80	ASBESTOS	BREATH Z	73	.1000F/CC	.1000 F/CC	777	1078	5	DAC
08/26/80	ASBESTOS	BREATH Z	15	.3000F/CC	F/CC	5	1083	0	RAC
08/26/80	ASBESTOS	BREATH Z	15	1.6000F/CC	F/CC	5	1083	1	RAC
08/26/80	ASBESTOS	BREATH Z	15	.6000F/CC	F/CC	5	1083	2	RAC
08/26/80	ASBESTOS	AREA	15	.1000F/CC	F/CC	5	1083	3	RAC
08/26/80	ASBESTOS	BREATH Z	15	.2000F/CC	F/CC	5	1083	4	RAC
08/26/80	ASBESTOS	AREA	15	.1000F/CC	F/CC	5	1083	5	RAC
08/26/80	ASBESTOS	AREA	15	.1000F/CC	F/CC	5	1083	6	RAC
09/03/80	ASBESTOS	BREATH Z	27	.1000F/CC	F/CC	236	1089	0	RAC
09/09/80	ASBESTOS	BREATH Z	20	.1000F/CC	F/CC	777	1087	0	GWR
09/09/80	ASBESTOS	BREATH Z	18	.1100F/CC	F/CC	777	1087	1	GWR
09/09/80	ASBESTOS	BREATH Z	18	.1500F/CC	F/CC	777	1087	2	GWR
09/09/80	ASBESTOS	BREATH Z	24	1.1700F/CC	F/CC	705	1088	0	GWR
09/09/80	ASBESTOS	BREATH Z	24	1.3000F/CC	F/CC	705	1088	1	GWR

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 6 of 14 **asbestosclaims.law/library/18227/6**

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INIT
10/20/80	ASBESTOS	BREATH Z	60	1.3000F/CC	F/CC	702	1106	0	DKC
10/20/80	ASBESTOS	BREATH Z	57	.3.0400F/CC	F/CC	702	1106	1	DKC
10/29/80	ASBESTOS	BREATH Z	56	.3.1000F/CC	F/CC	707	1121	0	MFS
10/29/80	ASBESTOS	BREATH Z	28	14.9000F/CC	F/CC	707	1121	1	MFS
10/29/80	ASBESTOS	BREATH Z	56	11.9000F/CC	F/CC	707	1121	2	MFS
10/29/80	ASBESTOS	BREATH Z	28	14.9000F/CC	F/CC	707	1121	3	MFS
11/24/80	ASBESTOS	BREATH Z	41	.0450F/CC	F/CC	704	1123	0	MFS
11/24/80	ASBESTOS	BREATH Z	41	.1300F/CC	F/CC	704	1123	1	MFS
12/12/80	ASBESTOS	BREATH Z	15	4.1000F/CC	F/CC	5	1131	0	JLM
12/12/80	ASBESTOS	BREATH Z	15	.1000F/CC	F/CC	5	1131	1	JLM
12/12/80	ASBESTOS	BREATH Z	15	.8000F/CC	F/CC	5	1131	2	JLM
12/12/80	ASBESTOS	BREATH Z	15	2.6000F/CC	F/CC	5	1131	3	JLM
12/12/80	ASBESTOS	BREATH Z	15	.1000F/CC	F/CC	5	1131	4	JLM
12/12/80	ASBESTOS	BREATH Z	15	.3000F/CC	F/CC	5	1131	5	JLM
12/12/80	ASBESTOS	BREATH Z	15	.4000F/CC	F/CC	5	1132	0	JLM
12/12/80	ASBESTOS	BREATH Z	15	.1000F/CC	F/CC	5	1132	1	JLM
12/12/80	ASBESTOS	BREATH Z	15	.6000F/CC	F/CC	5	1132	2	JLM
12/12/80	ASBESTOS	BREATH Z	15	.9000F/CC	F/CC	5	1132	3	JLM
12/12/80	ASBESTOS	BREATH Z	15	1.5000F/CC	F/CC	5	1132	4	JLM
12/12/80	ASBESTOS	BREATH Z	15	.1000F/CC	F/CC	5	1132	5	JLM
04/20/81	ASBESTOS	BREATH Z	85	.1000F/CC	F/CC	773	1167	0	DKC
04/20/81	ASBESTOS	BREATH Z	123	.2000F/CC	F/CC	773	1167	1	DKC
04/20/81	ASBESTOS	BREATH Z	78	.1000F/CC	F/CC	773	1167	2	DKC
04/20/81	ASBESTOS	BREATH Z	125	.1000F/CC	F/CC	773	1167	3	DKC
04/21/81	ASBESTOS	BREATH Z	34	.1000F/CC	F/CC	704	1170	0	MFS
04/21/81	ASBESTOS	BREATH Z	34	.2200F/CC	F/CC	704	1170	1	MFS
04/21/81	ASBESTOS	AREA	51	.1000F/CC	F/CC	704	1170	2	MFS
07/10/81	ASBESTOS	BREATH Z	160	.4000F/CC	F/CC		1198	0	DKC
07/10/81	ASBESTOS	BREATH Z	159	.3000F/CC	F/CC		1198	1	DKC
07/10/81	ASBESTOS	BREATH Z	149	.5000F/CC	F/CC		1198	2	DKC
07/10/81	ASBESTOS	BREATH Z	148	.2000F/CC	F/CC		1198	3	DKC
07/10/81	ASBESTOS	BREATH Z	164	.1000F/CC	2000 F/CC		1198	4	DKC
07/10/81	ASBESTOS	BREATH Z	159	.3000F/CC	2000 F/CC		1198	5	DKC
07/10/81	ASBESTOS	BREATH Z	156	.4000F/CC	4000 F/CC		1198	6	DKC
07/10/81	ASBESTOS	BREATH Z	155	.2000F/CC	1000 F/CC		1198	7	DKC
07/24/81	ASBESTOS	BREATH Z	52	.3000F/CC	F/CC	770	1207	0	DKC
07/24/81	ASBESTOS	BREATH Z	51	.7000F/CC	F/CC	770	1207	1	DKC
08/05/81	ASBESTOS	BREATH Z	16	.0740F/CC	0740 F/CC	707	1212	0	MFS
08/05/81	ASBESTOS	BREATH Z	15	.0450F/CC	0450 F/CC	707	1212	1	MFS
08/05/81	ASBESTOS	BREATH Z	45	.0890F/CC	F/CC	701	1213	0	MFS
10/02/81	ASBESTOS	BREATH Z	18	.1000F/CC	F/CC	3	1231	0	RBW
10/02/81	ASBESTOS	AREA	17	.1000F/CC	F/CC	3	1231	1	RBW
10/09/81	ASBESTOS	BREATH Z	15	.4000F/CC	F/CC	3	1232	0	RBW
10/09/81	ASBESTOS	AREA	15	.2000F/CC	F/CC	3	1232	1	RBW
11/13/81	ASBESTOS	BREATH Z	15	.5000F/CC	F/CC	271	1268	0	RBW
11/13/81	ASBESTOS	BREATH Z	15	.2000F/CC	F/CC	271	1268	1	RBW
11/30/81	ASBESTOS	BREATH Z	15	.1000F/CC	F/CC	5	1269	0	HHF
11/30/81	ASBESTOS	BREATH Z	15	.4000F/CC	F/CC	5	1269	1	HHF
11/30/81	ASBESTOS	BREATH Z	15	.1000F/CC	F/CC	5	1269	2	HHF

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 7 of 14 asbestosclaims.law/library/18227/7

REPORT RC01 UCC TECHNICAL CENTER ASBESTOS MONITORING

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	B-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INIT
11/30/81	ASBESTOS	BREATH Z	15	1.1000F/CC	F/CC	5	1269	3	MHF
01/26/82	ASBESTOS	BREATH Z	26	3.0800F/CC	F/CC	704	1274	0	MEH
01/26/82	ASBESTOS	BREATH Z	28	3.6000F/CC	F/CC	704	1274	1	MEH
02/16/82	ASBESTOS	BREATH Z	50	1.1600F/CC	F/CC	701	1301	0	MFS
02/16/82	ASBESTOS	BREATH Z	150	.0900F/CC	F/CC	701	1301	1	MFS
02/16/82	ASBESTOS	BREATH Z	50	4.4000F/CC	F/CC	701	1301	2	MFS
02/16/82	ASBESTOS	BREATH Z	150	.1400F/CC	F/CC	701	1301	3	MFS
02/16/82	ASBESTOS	BREATH Z	50	1.0700F/CC	F/CC	701	1301	4	MFS
02/16/82	ASBESTOS	BREATH Z	115	.2700F/CC	F/CC	701	1301	5	MFS
02/16/82	ASBESTOS	AREA	47	1.3200F/CC	F/CC	701	1301	6	MFS
02/16/82	ASBESTOS	AREA	143	.3700F/CC	F/CC	701	1301	7	MFS
02/16/82	ASBESTOS	AREA	47	1.3500F/CC	F/CC	701	1301	8	MFS
02/16/82	ASBESTOS	AREA	143	.5600F/CC	F/CC	701	1301	9	MFS
02/17/82	ASBESTOS	BREATH Z	190	.1300F/CC	F/CC	701	1302	0	MFS
02/17/82	ASBESTOS	BREATH Z	140	.0400F/CC	0600 F/CC	701	1302	1	MFS
02/17/82	ASBESTOS	AREA	183	.0400F/CC	F/CC	701	1302	2	MFS
02/17/82	ASBESTOS	AREA	136	.0100F/CC	F/CC	701	1302	3	MFS
02/17/82	ASBESTOS	AREA	183	.1000F/CC	F/CC	701	1302	4	MFS
02/17/82	ASBESTOS	AREA	136	.0200F/CC	F/CC	701	1302	5	MFS
02/17/82	ASBESTOS	BREATH Z	190	.1100F/CC	F/CC	701	1305	0	MFS
02/17/82	ASBESTOS	BREATH Z	140	.0800F/CC	0700 F/CC	701	1305	1	MFS
03/01/82	ASBESTOS	BREATH Z	15	.5300F/CC	F/CC	706	1287	0	MFS
04/14/82	ASBESTOS	BREATH Z	135	.1300F/CC	0400 F/CC	704	1314	0	MFS
04/21/82	ASBESTOS	BREATH Z	92	1.2000F/CC	F/CC	706	1315	0	MEH
04/21/82	ASBESTOS	BREATH Z	92	.9000F/CC	F/CC	706	1315	1	MEH
04/21/82	ASBESTOS	AREA	93	1.0000F/CC	F/CC	706	1315	2	MEH
07/23/82	ASBESTOS	BREATH Z	132	2.0000F/CC	F/CC	70	1373	0	MFS
07/23/82	ASBESTOS	AREA	132	.5600F/CC	F/CC	70	1373	1	MFS
07/23/82	ASBESTOS	BREATH Z	141	1.6000F/CC	F/CC	70	1373	2	MFS
07/23/82	ASBESTOS	AREA	141	.7100F/CC	F/CC	70	1373	3	MFS
04/06/83	ASBESTOS	BREATH Z	33	.3200F/CC	0700 F/CC	709	1425	0	MFS
04/07/83	ASBESTOS	AREA	571	.1000F/CC	F/CC	2000	1474	0	MFS
05/09/83	ASBESTOS	BREATH Z	10	.0100F/CC	F/CC	2002	1458	0	MEH
05/09/83	ASBESTOS	SOURCE	9	.0100F/CC	F/CC	2002	1458	1	MEH
11/08/83	ASBESTOS	BREATH Z	134	.2900F/CC	F/CC	770	1500	0	MEH
11/08/83	ASBESTOS	AREA	23	.0600F/CC	F/CC	770	1500	1	MEH
11/08/83	ASBESTOS	AREA	97	.0300F/CC	F/CC	770	1500	2	MEH
11/08/83	ASBESTOS	SOURCE	97	.0500F/CC	F/CC	770	1500	3	MEH
11/10/83	ASBESTOS	BREATH Z	30	.0700F/CC	F/CC	707	1508	0	MFS
11/10/83	ASBESTOS	BREATH Z	30	.1800F/CC	F/CC	707	1508	1	MFS
01/12/84	ASBESTOS	BREATH Z	89	.2700F/CC	F/CC	FE5382	1560	0	MEH
01/12/84	ASBESTOS	BREATH Z	82	.0800F/CC	F/CC	FE5382	1560	1	MEH
01/12/84	ASBESTOS	BREATH Z	88	.1500F/CC	F/CC	FE5382	1560	2	MEH
01/12/84	ASBESTOS	BREATH Z	88	.2400F/CC	F/CC	FE5382	1560	3	MEH
01/12/84	ASBESTOS	BREATH Z	86	.1700F/CC	F/CC	FE5382	1560	4	MEH
03/20/84	ASBESTOS	BREATH Z	120	1.5000F/CC	F/CC	706	1553	0	MFS
04/02/84	ASBESTOS	BREATH Z	66	.4800F/CC	F/CC	FE5382	1563	0	MGK
04/02/84	ASBESTOS	AREA	65	.3600F/CC	F/CC	FE5382	1563	1	MGK
04/25/84	ASBESTOS	BREATH Z	35	1.8600F/CC	F/CC	48	1591	0	MEH

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 8 of 14 **asbestosclaims.law/library/18227/8**

REPORT R101 UCC TECHNICAL CENTER ASBESTOS MONITORING

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP UNIT
04/25/84	ASBESTOS	BREATH Z	34	3.3100F/CC	F/CC	48	1591	1	MFS
08/01/84	ASBESTOS	BREATH Z	130	5200F/CC	F/CC	706	1612	0	MFS
08/01/84	ASBESTOS	AREA	130	0800F/CC	F/CC	706	1612	1	MFS
08/01/84	ASBESTOS	AREA	125	0100F/CC	F/CC	706	1612	2	MFS
11/13/84	ASBESTOS	BREATH Z	155	0300F/CC	F/CC		1700	0	MFS
11/13/84	ASBESTOS	BREATH Z	155	0400F/CC	F/CC		1700	1	MFS
11/13/84	ASBESTOS	BREATH Z	160	0100F/CC	F/CC		1700	2	MFS
11/13/84	ASBESTOS	BREATH Z	153	0300F/CC	F/CC		1700	3	MFS
01/04/85	ASBESTOS	BREATH Z	130	4400F/CC	F/CC	6	1719	0	MFS
01/04/85	ASBESTOS	BREATH Z	125	0600F/CC	F/CC	6	1719	1	MFS
01/04/85	ASBESTOS	BREATH Z	125	0100F/CC	F/CC	6	1719	2	MFS
01/04/85	ASBESTOS	BREATH Z	120	2100F/CC	F/CC	6	1719	3	MFS
01/08/85	ASBESTOS	BREATH Z	80	4000F/CC	F/CC	6	1720	0	MFS
01/08/85	ASBESTOS	BREATH Z	78	9400F/CC	F/CC	6	1720	1	MFS
01/08/85	ASBESTOS	BREATH Z	35	0600F/CC	F/CC	6	1720	2	MFS
01/08/85	ASBESTOS	BREATH Z	35	1300F/CC	F/CC	6	1720	3	MFS
02/06/85	ASBESTOS	BREATH Z	260	3300F/CC	1800 F/CC	160	1721	0	MFS
02/06/85	ASBESTOS	BREATH Z	257	3100F/CC	1700 F/CC	160	1721	1	MFS
02/06/85	ASBESTOS	BREATH Z	260	1100F/CC	0600 F/CC	160	1721	2	MFS
02/27/85	ASBESTOS	BREATH Z	160	0500F/CC	F/CC	238	1755	0	MFS
02/27/85	ASBESTOS	BREATH Z	160	0300F/CC	F/CC	238	1755	1	MFS
03/05/85	ASBESTOS	BREATH Z	415	2000F/CC	1700 F/CC	271	1757	0	MFS
03/05/85	ASBESTOS	BREATH Z	413	3600F/CC	3100 F/CC	271	1757	1	MFS
03/05/85	ASBESTOS	BREATH Z	415	0260F/CC	0220 F/CC	271	1757	2	MFS
03/05/85	ASBESTOS	BREATH Z	412	0400F/CC	0340 F/CC	271	1757	3	MFS
03/05/85	ASBESTOS	BREATH Z	410	1200F/CC	1000 F/CC	271	1757	4	MFS
04/09/85	ASBESTOS	BREATH Z	75	0600F/CC	F/CC	116	1762	0	MFS
04/09/85	ASBESTOS	BREATH Z	75	0400F/CC	F/CC	116	1762	1	MFS
04/09/85	ASBESTOS	BREATH Z	75	5000F/CC	F/CC	116	1762	2	MFS
04/09/85	ASBESTOS	BREATH Z	26	1000F/CC	F/CC	231	1763	0	MFS
04/09/85	ASBESTOS	BREATH Z	26	2000F/CC	F/CC	231	1763	1	MFS
04/11/85	ASBESTOS	BREATH Z	63	1.3000F/CC	F/CC	701	1764	0	MFS
04/16/85	ASBESTOS	BREATH Z	20	0300F/CC	F/CC	236	1766	0	MFS
04/16/85	ASBESTOS	BREATH Z	20	0300F/CC	F/CC	236	1766	1	MFS
04/23/85	ASBESTOS	BREATH Z	193	1800F/CC	F/CC	238	1775	0	MFS
04/23/85	ASBESTOS	BREATH Z	193	1600F/CC	F/CC	238	1775	1	MFS
04/23/85	ASBESTOS	BREATH Z	195	0200F/CC	F/CC	238	1775	2	MFS
04/23/85	ASBESTOS	BREATH Z	195	1600F/CC	F/CC	238	1775	3	MFS
04/26/85	ASBESTOS	BREATH Z	35	3800FPM	FPM	707	1778	0	MFS
04/26/85	ASBESTOS	BREATH Z	35	2700FPM	FPM	707	1778	1	MFS
05/07/85	ASBESTOS	BREATH Z	35	2700MG/M3	MG/M3		1781	0	MFS
05/07/85	ASBESTOS	BREATH Z	35	1500MG/M3	MG/M3		1781	1	MFS
05/07/85	ASBESTOS	BREATH Z	95	2400MG/M3	MG/M3		1781	2	MFS
05/07/85	ASBESTOS	BREATH Z	95	2000MG/M3	MG/M3		1781	3	MFS
06/26/85	ASBESTOS	BREATH Z	292	1400F/CC	0800 F/CC	210	1812	0	MFS
06/26/85	ASBESTOS	BREATH Z	287	2300F/CC	1400 F/CC	210	1812	1	MFS
06/26/85	ASBESTOS	BREATH Z	284	1500F/CC	0900 F/CC	210	1812	2	MFS
06/26/85	ASBESTOS	BREATH Z	290	1400F/CC	0900 F/CC	210	1812	3	MFS
06/26/85	ASBESTOS	BREATH Z	290	1700F/CC	1000 F/CC	210	1812	4	MFS

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976-1…
ACL Doc 18227 · Page 9 of 14
Published by AsbestosClaims.Law
asbestosclaims.law/library/18227/9

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOT TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INTI
06/26/85	ASBESTOS	BREATH Z	290	.0900F/CC	.0500 F/CC	210	1012	5	MES
09/27/85	ASBESTOS	BREATH Z	365	1.0320F/CC	.7850 F/CC	242	1833	0	VES
09/27/85	ASBESTOS	BREATH Z	366	.3150F/CC	.2410 F/CC	242	1833	1	VES
09/27/85	ASBESTOS	BREATH Z	372	.0930F/CC	.0720 F/CC	242	1833	2	VES
11/11/85	ASBESTOS	BREATH Z	418	1.2200F/CC	1.0600 F/CC	707	1854	0	VES
11/11/85	ASBESTOS	BREATH Z	410	1.5400F/CC	1.3200 F/CC	707	1854	1	VES
11/12/85	ASBESTOS	BREATH Z	427	.6040F/CC	.5320 F/CC	707	1855	0	VES
11/12/85	ASBESTOS	BREATH Z	403	.4620F/CC	.3900 F/CC	707	1855	1	VES
11/18/85	ASBESTOS	BREATH Z	445	.0550F/CC	.0410 F/CC	103	1856	0	VES
11/18/85	ASBESTOS	BREATH Z	443	.0830F/CC	.0770 F/CC	103	1856	1	VES
11/18/85	ASBESTOS	BREATH Z	448	.1170F/CC	.1050 F/CC	103	1856	2	VES
11/18/85	ASBESTOS	BREATH Z	442	.2330F/CC	.2150 F/CC	103	1856	3	VES
11/18/85	ASBESTOS	BREATH Z	436	.2520F/CC	.2290 F/CC	103	1856	4	VES
02/19/86	ASBESTOS	BREATH Z	119	3.7400F/CC	.9250 F/CC	5	1901	0	VES
02/19/86	ASBESTOS	BREATH Z	117	1.9700F/CC	.4800 F/CC	5	1901	1	VES
02/19/86	ASBESTOS	BREATH Z	110	4.4200F/CC	1.0100 F/CC	5	1901	2	VES
02/19/86	ASBESTOS	BREATH Z	100	.2400F/CC	.0500 F/CC	5	1901	3	VES
02/20/86	ASBESTOS	BREATH Z	401	1.2450F/CC	1.0400 F/CC	5	1902	0	VES
02/20/86	ASBESTOS	BREATH Z	402	.2100F/CC	.1760 F/CC	5	1902	1	VES
02/20/86	ASBESTOS	BREATH Z	398	1.2890F/CC	1.0690 F/CC	5	1902	2	VES
02/21/86	ASBESTOS	BREATH Z	253	1.9430F/CC	1.0240 F/CC	5	1903	0	VES
02/21/86	ASBESTOS	BREATH Z	247	.4790F/CC	.2210 F/CC	5	1903	1	VES
02/21/86	ASBESTOS	BREATH Z	248	1.9420F/CC	1.0030 F/CC	5	1903	2	VES
03/05/86	ASBESTOS	BREATH Z	61	.2200F/CC	.0280 F/CC	2056	1907	0	VES
04/10/86	ASBESTOS	BREATH Z	418	.5760F/CC	.5020 F/CC	9	1942	0	VES
04/10/86	ASBESTOS	BREATH Z	416	.5910F/CC	.5120 F/CC	9	1942	1	VES
04/10/86	ASBESTOS	BREATH Z	412	.3720F/CC	.3190 F/CC	9	1942	2	VES
05/02/86	ASBESTOS	BREATH Z	152	.2240F/CC	.2290 F/CC	791	1957	0	VES
05/02/86	ASBESTOS	BREATH Z	154	2.3400F/CC	.7510 F/CC	791	1957	1	VES
05/02/86	ASBESTOS	AREA	152	.1400F/CC	F/CC	791	1957	2	VES
05/02/86	ASBESTOS	AREA	153	.0810F/CC	F/CC	791	1957	3	VES
05/08/86	ASBESTOS	AREA	968	.0090F/CC	F/CC	791	1961	0	VES
05/08/86	ASBESTOS	AREA	967	.0100F/CC	F/CC	791	1961	1	VES
05/08/86	ASBESTOS	AREA	964	.0030F/CC	F/CC	791	1961	2	VES
05/12/86	ASBESTOS	BREATH Z	394	.5540F/CC	.2910 F/CC	9	1960	0	VES
05/12/86	ASBESTOS	BREATH Z	395	.3450F/CC	.2850 F/CC	9	1960	1	VES
05/12/86	ASBESTOS	BREATH Z	398	.2960F/CC	.2450 F/CC	9	1960	2	VES
05/12/86	ASBESTOS	BREATH Z	402	.3410F/CC	.2860 F/CC	9	1960	3	VES
06/04/86	ASBESTOS	BREATH Z	397	.5980F/CC	.4950 F/CC	20	1983	0	VES
06/04/86	ASBESTOS	BREATH Z	390	.6250F/CC	.5080 F/CC	20	1983	1	VES
06/23/86	ASBESTOS	BREATH Z	59	.9280F/CC	F/CC	770	1999	0	VES
06/23/86	ASBESTOS	BREATH Z	58	1.3500F/CC	F/CC	770	1999	1	VES
07/01/86	ASBESTOS	BREATH Z	467	.0320F/CC	.0310 F/CC	701	2001	0	VES
08/19/86	ASBESTOS	BREATH Z	29	.7600F/CC	.0460 F/CC	2002	2010	0	VES
08/19/86	ASBESTOS	AREA	303	.0130F/CC	F/CC	2002	2010	1	VES
08/19/86	ASBESTOS	AREA	308	.0110F/CC	F/CC	2002	2010	2	VES
08/26/86	ASBESTOS	BREATH Z	431	.0450F/CC	.0400 F/CC	2002	2019	0	VES
08/26/86	ASBESTOS	AREA	432	.0150F/CC	F/CC	2002	2019	1	VES
08/26/86	ASBESTOS	AREA	431	.0230F/CC	F/CC	2002	2019	2	VES

REPORT RC01

UCC TECHNICAL CENTER ASBESTOS MONITORING

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A FOOT	BUILDING OR ZONE	RECORD NUMBER	PARD GROUP	SAMP UNIT
09/02/86	ASBESTOS	BREATH Z	72	.3460F/CC	0519 F/CC	726	2026	0	VES
09/02/86	ASBESTOS	BREATH Z	69	.1000F/CC	0140 F/CC	726	2026	1	VES
09/03/86	ASBESTOS	BREATH Z	75	1.4290F/CC	2230 F/CC	726	2027	0	VES
09/03/86	ASBESTOS	BREATH Z	75	2.6420F/CC	4130 F/CC	726	2027	1	VES
09/09/86	ASBESTOS	BREATH Z	87	.5260F/CC	0950 F/CC	309	2029	0	VES
09/09/86	ASBESTOS	BREATH Z	86	.5530F/CC	0990 F/CC	309	2029	1	VES
09/09/86	ASBESTOS	AREA	87	.0760F/CC	F/CC	309	2029	2	VES
09/13/86	ASBESTOS	BREATH Z	353	.1640F/CC	1030 F/CC	707	2035	0	VES
09/13/86	ASBESTOS	BREATH Z	272	.2210F/CC	F/CC	707	2035	1	VES
10/08/86	ASBESTOS	AREA	309	.0105F/CC	F/CC		2047	0	VES
10/08/86	ASBESTOS	AREA	306	.0018F/CC	F/CC		2047	1	VES
10/08/86	ASBESTOS	BREATH Z	300	.1520F/CC	0950 F/CC		2047	2	VES
10/08/86	ASBESTOS	BREATH Z	296	.8270F/CC	5100 F/CC		2047	3	VES
10/08/86	ASBESTOS	BREATH Z	289	.0290F/CC	0176 F/CC		2047	4	VES
10/23/86	ASBESTOS	AREA	448	.0030F/CC	F/CC	770	2069	0	VES
10/23/86	ASBESTOS	AREA	449	.0030F/CC	F/CC	770	2069	1	VES
10/23/86	ASBESTOS	AREA	444	.0030F/CC	F/CC	770	2069	2	VES
12/16/86	ASBESTOS	BREATH Z	264	.0620F/CC	F/CC	9	2104	0	VES
12/16/86	ASBESTOS	BREATH Z	263	.0370F/CC	F/CC	9	2104	1	VES
12/16/86	ASBESTOS	BREATH Z	247	.0160F/CC	F/CC	9	2104	2	VES
12/16/86	ASBESTOS	AREA	254	.0025F/CC	F/CC	9	2104	3	VES
12/16/86	ASBESTOS	AREA	250	.0037F/CC	F/CC	9	2104	4	VES
12/17/86	ASBESTOS	AREA	415	.0028F/CC	F/CC	9	2107	0	VES
12/17/86	ASBESTOS	AREA	418	.0130F/CC	F/CC	9	2107	1	VES
12/17/86	ASBESTOS	BREATH Z	399	.1654F/CC	1380 F/CC	9	2107	2	VES
12/17/86	ASBESTOS	BREATH Z	408	.0664F/CC	0564 F/CC	9	2107	3	VES
12/17/86	ASBESTOS	BREATH Z	390	.0328F/CC	0270 F/CC	9	2107	4	VES
12/17/86	ASBESTOS	BREATH Z	389	.1710F/CC	1390 F/CC	9	2107	5	VES
12/18/86	ASBESTOS	BREATH Z	408	.0400F/CC	0340 F/CC	9	2108	0	VES
12/18/86	ASBESTOS	BREATH Z	404	.0560F/CC	0470 F/CC	9	2108	1	VES
12/18/86	ASBESTOS	BREATH Z	396	.0470F/CC	0380 F/CC	9	2108	2	VES
12/18/86	ASBESTOS	AREA	391	.0038F/CC	F/CC	9	2108	3	VES
12/18/86	ASBESTOS	AREA	383	.0038F/CC	F/CC	9	2108	4	VES
01/06/87	ASBESTOS	BREATH Z	378	.0780F/CC	0610 F/CC	9	2108	5	VES
01/06/87	ASBESTOS	BREATH Z	423	.1470F/CC	1300 F/CC	9	2109	0	VES
01/06/87	ASBESTOS	BREATH Z	408	.4590F/CC	3900 F/CC	9	2109	1	VES
01/06/87	ASBESTOS	BREATH Z	397	.2240F/CC	1856 F/CC	9	2109	2	VES
01/07/87	ASBESTOS	BREATH Z	412	.2190F/CC	1880 F/CC	9	2110	0	VES
01/07/87	ASBESTOS	BREATH Z	403	.2420F/CC	2030 F/CC	9	2110	1	VES
01/21/87	ASBESTOS	BREATH Z	434	.0071F/CC	0064 F/CC	704	2118	0	VES
01/21/87	ASBESTOS	AREA	429	.0050F/CC	F/CC	704	2118	1	VES
01/26/87	ASBESTOS	BREATH Z	448	.0290F/CC	0271 F/CC	707	2120	0	VES
01/26/87	ASBESTOS	AREA	1032	.0009F/CC	F/CC	701	2125	0	VES
01/26/87	ASBESTOS	AREA	920	.0010F/CC	F/CC	701	2125	1	VES
01/27/87	ASBESTOS	BREATH Z	455	.0032F/CC	0030 F/CC	706-7	2126	0	VES
01/27/87	ASBESTOS	BREATH Z	452	.0076F/CC	0072 F/CC	706-7	2126	1	VES
01/29/87	ASBESTOS	AREA	1022	.0009F/CC	F/CC	740	2137	0	VES
01/29/87	ASBESTOS	AREA	878	.0011F/CC	F/CC	740	2137	1	VES
01/30/87	ASBESTOS	BREATH Z	441	.0070F/CC	0064 F/CC	773	2130	0	VES

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976…
ACL Doc 18227 · Page 11 of 14
Published by AsbestosClaims.Law
asbestosclaims.law/library/18227/11

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INIT
02/03/87	ASBESTOS	BREATH Z	434	.0250F/CC	.0226 F/CC	726	2141	0	VES
02/03/87	ASBESTOS	BREATH Z	427	.0047F/CC	.0042 F/CC	726	2131	1	VES
02/05/87	ASBESTOS	AREA	1044	.0010F/CC	F/CC	770	2139	0	VES
02/05/87	ASBESTOS	AREA	938	.0010F/CC	F/CC	770	2139	1	VES
02/05/87	ASBESTOS	AREA	1022	.0008F/CC	F/CC	770	2139	2	VES
02/10/87	ASBESTOS	BREATH Z	453	.0110F/CC	.0104 F/CC	777	2140	0	VES
02/11/87	ASBESTOS	BREATH Z	463	.0015F/CC	.0014 F/CC	726	2141	0	VES
03/11/87	ASBESTOS	BREATH Z	417	.0314F/CC	.0274 F/CC	106	2158	0	VES
03/12/87	ASBESTOS	BREATH Z	446	.0340F/CC	.0317 F/CC	106	2160	0	VES
03/12/87	ASBESTOS	BREATH Z	435	.0570F/CC	.0531 F/CC	106	2160	1	VES
03/12/87	ASBESTOS	BREATH Z	435	.0070F/CC	.0060 F/CC	106	2160	2	VES
03/13/87	ASBESTOS	BREATH Z	429	.0410F/CC	.0366 F/CC	106	2161	0	VES
03/20/87	ASBESTOS	BREATH Z	436	.0360F/CC	.0327 F/CC	740	2168	0	VES
04/14/87	ASBESTOS	BREATH Z	423	.0870F/CC	.0760 F/CC	9	2177	0	HJK
04/14/87	ASBESTOS	BREATH Z	424	.0790F/CC	.0680 F/CC	9	2177	1	HJK
04/14/87	ASBESTOS	BREATH Z	425	.0440F/CC	.0380 F/CC	9	2177	2	HJK
04/15/87	ASBESTOS	BREATH Z	401	.0150F/CC	.0120 F/CC	9	2178	0	HJK
04/15/87	ASBESTOS	BREATH Z	395	.1710F/CC	1400 F/CC	9	2178	1	HJK
04/16/87	ASBESTOS	BREATH Z	424	.1140F/CC	0890 F/CC	9	2179	0	HJK
04/16/87	ASBESTOS	BREATH Z	370	.0540F/CC	.0420 F/CC	9	2179	1	HJK
04/16/87	ASBESTOS	BREATH Z	367	.0140F/CC	.0110 F/CC	9	2179	2	HJK
04/20/87	ASBESTOS	BREATH Z	402	.0040F/CC	.0030 F/CC	2009	2186	0	HJK
04/20/87	ASBESTOS	BREATH Z	400	.0130F/CC	.0100 F/CC	2009	2186	1	HJK
04/21/87	ASBESTOS	BREATH Z	396	.2090F/CC	1720 F/CC	1	2187	0	HJK
04/21/87	ASBESTOS	BREATH Z	398	.1420F/CC	1180 F/CC	1	2187	1	HJK
04/21/87	ASBESTOS	BREATH Z	393	.0030F/CC	.0030 F/CC	1	2187	2	HJK
04/22/87	ASBESTOS	BREATH Z	424	.2390F/CC	2110 F/CC	1	2188	0	HJK
04/22/87	ASBESTOS	BREATH Z	422	.0020F/CC	.0010 F/CC	1	2188	1	HJK
04/22/87	ASBESTOS	BREATH Z	423	.0520F/CC	.0460 F/CC	1	2188	2	HJK
04/23/87	ASBESTOS	BREATH Z	426	.1570F/CC	.1390 F/CC	1	2189	0	HJK
04/23/87	ASBESTOS	BREATH Z	425	.0460F/CC	.0410 F/CC	1	2189	1	HJK
04/23/87	ASBESTOS	BREATH Z	424	.1290F/CC	.1130 F/CC	1	2189	2	HJK
04/24/87	ASBESTOS	BREATH Z	346	.0040F/CC	.0040 F/CC	2	2193	0	HJK
04/24/87	ASBESTOS	BREATH Z	343	.0040F/CC	.0040 F/CC	2	2193	1	HJK
04/24/87	ASBESTOS	AREA	344	.0040F/CC	F/CC	2	2193	2	HJK
04/27/87	ASBESTOS	BREATH Z	415	.1280F/CC	.1280 F/CC	2	2194	0	HJK
04/27/87	ASBESTOS	BREATH Z	416	.2200F/CC	.2280 F/CC	2	2194	1	HJK
04/30/87	ASBESTOS	BREATH Z	410	1.1530F/CC	.9850 F/CC	3	2198	0	HJK
04/30/87	ASBESTOS	BREATH Z	406	.0470F/CC	.0400 F/CC	3	2198	1	HJK
04/30/87	ASBESTOS	BREATH Z	406	.1900F/CC	.1610 F/CC	3	2198	2	HJK
05/01/87	ASBESTOS	BREATH Z	423	.2330F/CC	.2050 F/CC	3	2199	0	HJK
05/01/87	ASBESTOS	BREATH Z	423	.1160F/CC	.1030 F/CC	3	2199	1	HJK
05/01/87	ASBESTOS	BREATH Z	419	.1190F/CC	.1040 F/CC	3	2199	2	HJK
05/06/87	ASBESTOS	BREATH Z	421	.4950F/CC	.4330 F/CC	1	2216	0	HJK
05/06/87	ASBESTOS	BREATH Z	420	.5470F/CC	.4780 F/CC	1	2216	1	HJK
05/07/87	ASBESTOS	BREATH Z	329	1.1390F/CC	F/CC	705	2208	0	VES
05/07/87	ASBESTOS	BREATH Z	324	1.1360F/CC	F/CC	705	2208	1	VES
05/07/87	ASBESTOS	AREA	325	.0230F/CC	F/CC	705	2208	2	VES
05/07/87	ASBESTOS	BREATH Z	424	.4020F/CC	.3550 F/CC	1	2217	0	HJK

UCC 017446

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976...
ACL Doc 18227 · Page 12 of 14
Published by AsbestosClaims.Law
asbestosclaims.law/library/18227/12

REPORT RC01 UCC TECHNICAL CENTER ASBESTOS MONITORING 09/04/87 PAGE 13

DATE	CONTAMINANT NAME	SAMPLE TYPE	SAMP TOTL TIME	AIR CONC	8-HOUR T W A CONC	BUILDING OR ZONE	RECORD NUMBER	CARD GROUP	SAMP INIT
05/07/87	ASBESTOS	BREATH Z	418	.4960 F/CC	.4330 F/CC	1	2217	1	HJK
05/07/87	ASBESTOS	BREATH Z	418	.2310 F/CC	.2010 F/CC	1	2217	2	HJK
05/07/87	ASBESTOS	BREATH Z	421	.2800 F/CC	.2460 F/CC	1	2217	3	HJK
05/08/87	ASBESTOS	BREATH Z	406	.1570 F/CC	.1320 F/CC	1	2218	0	HJK
05/08/87	ASBESTOS	BREATH Z	403	.5030 F/CC	.4220 F/CC	1	2218	1	HJK
05/08/87	ASBESTOS	AREA	392	.0030 F/CC	F/CC	1	2218	2	HJK
05/08/87	ASBESTOS	AREA	403	.0090 F/CC	F/CC	1	2218	3	HJK

TOTAL NUMBER OF ITEMS RETRIEVED 595

Union Carbide trial exhibit UC-3477: UCC Technical Center Asbestos Monitoring Report: Air Sampling Data, 1976… Published by AsbestosClaims.Law
ACL Doc 18227 · Page 13 of 14 **asbestosclaims.law/library/18227/13**

Published by AsbestosClaims.Law
asbestosclaims.law/library/18227/14