DOT Asbestos

UC 140-2

UNION CARBIDE

INTERNAL CORRESPONDENCE

JUN 1 8 1980

METALS DIVISION

P. O. BOX 573 · 4625 ROYAL AVE., NIAGARA FALLS, NEW YORK 1430

PLAINTIFF'S EXHIBIT
UC-3516

To (Name) W. B. DeAtley
Division UCC-Metals Division
Location Box K
King City, CA 93930

Date June 13, 1980

Originating Dept. "Calidria" Asbestos

Answering letter date

Subject Sylodex Bag Design Change - "a" Logo

Copy to R. E. Byrne, Jr.
H. B. Rhodes
J. J. Sibley
[redacted]
File

RECEIVED
JUN 17 1980
F. J. SHORTSLEEVE

Enclosed is a currently-used SYLODEX bag to which I have attached the "a" logo cut from a J-M bag, also enclosed.

Based on the attached correspondence from J-M, the "a" logo should be near the OSHA warning and the red border should be used in spite of the increased costs. (I would be interested in the amount of upcharge for the extra printing color.) The actual size of the logo is not specified but I think it should be similar to the enclosed sample. I presume the bottom of the red portion could be cropped or the red border enlarged if your bag supplier sees some advantage to this. Please check with me before making any significant changes. The "a" itself takes the color of the bag.

Please have the bag re-designed for the next regular orders for SYLODEX-14 and SYLODEX-24 bags.

Since we ship such a small quantity of non-SYLODEX products to Europe, I do not think we should add the "a" logo to other bag designs. However, I would like your opinion on having self-stick labels made which you could affix to any other product shipped to EEC countries - primarily HPO-EX to Mercomed. If this will help prevent further consideration of a "Skull & Crossbones" label, we should use "a" logo labels on any bag going to Europe.

Per the Asbestos International Association, all asbestos suppliers are now using the "a" logo with the hope it will be adopted as an international symbol for asbestos. I understand that J-M is using it on all bags.

We are awaiting guidance from the Law Dept. on the design of all of our bags with respect to warning labels.

John

John L. Myers

JLM:dal
Enc.

UCC 009129

Union Carbide trial exhibit UC-3516: John L. Myers to W. B. DeAtley on Sylodex Bag Redesign with the Asbestos In... Published by AsbestosClaims.Law
ACL Doc 18260 · Page 1 of 1 asbestosclaims.law/library/18260/1