To: J.L.M.

Dr. Walter M. Neville

cc: HBR

U.S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION
ANALYTICAL LABORATORY
390 WAKARA WAY — P.O. BOX 8137
SALT LAKE CITY, UTAH 84108

FTS 588-5287 524-5287
Area Code: 801

Do you want to follow up on this 4270 4270 or should we just send samples?

April 5, 1979

VI.E.9

Gentlemen,

We are interested in purchasing various types of relatively pure asbestos for our quality control program. We need about one pound (500g.) or less of material. If you can supply us, please let us know, and also what the approximate purity is.

We are also interested in knowing where we can purchase laboratory size quantities of Polyox (water soluble resins).

Sincerely,
Walt Neville

800-621-0737 St Louis

Local lab supply

PLAINTIFF'S EXHIBIT
UC-3572

Samples sent:
(CCC-25
R6-144
5/10/79
H.G.R.

1 lb R6-144
+ literature on
144-4 depart

sent 5/9/79

RECEIVED
APR 16 1979
UCC-CALIDRIA
NIAGARA FALLS, N.Y.

A 18052
UCC 007927

Published by AsbestosClaims.Law
asbestosclaims.law/library/18308/1