PLAINTIFF'S EXHIBIT

UC-3828

INTERNAL CORRESPONDENCE

MINING AND METALS DIVISION

P. O. BOX 579, NIAGARA FALLS, NEW YORK 14302

To (Name) Mr. F. H. Larrison
Division Mining & Metals
Location King City, California

Date November 3, 1972
Originating Dept. "Calidria" Asbestos - Marketing
RESEARCH AND DEVELOPMENT DEPARTMENT

Answering letter date

Copy to Mr. P. J. Morgan
Mr. J. W. Rawlings
NF-File

Subject OSHA Warning Labels

In discussing the Permutit order for HPP in plain bags, we have realized that we are not in compliance with OSHA's intended warning label requirements.

OSHA has agreed that our warning label is adequate for existing bags; but on "plain" bags, we do not identify the contents as asbestos. It is this fact that we have overlooked.

Therefore, until plain bags with the prescribed OSHA warning statement are in use, you should stamp all existing plain bags with "CONTAINS ASBESTOS" on the front face above the warning label. This should meet the intent of the OSHA regulations.

Even though many of these bags are used for shipments to Holland, I think we should stamp all of them to avoid any possibility of a citation.

John L. Myers

/cvb

A20130

UCC 012761

Union Carbide trial exhibit UC-3828: John L. Myers to F. H. Larrison on OSHA Warning Labels for Plain Calidria Ba...
Published by AsbestosClaims.Law
ACL Doc 18482 · Page 1 of 1
asbestosclaims.law/library/18482/1