PLAINTIFF'S EXHIBIT
UC-3885

UC 1-2

UNION CARBIDE

INTERNAL CORRESPONDENCE

UNION CARBIDE CORPORATION

270 PARK AVENUE, NEW YORK, N.Y.

To (Name)
Division
Location
Floor Number

Mr. F. H. Larrison, Jr.
Mining and Metals
P. O. Box K
King City, California 93930

Date: June 15, 1976

Originating Dept.: Medical Department

Floor Number: 4

Answering letter date:

Copy to

Mr. J. B. Browning
Mr. T. W. Carmody
Mr. E. C. Madlangbayan
Mr. W. C. Thurber
Dr. J. J. Welsh/Dr. K. S. Lane

Subject: Industrial Hygiene Survey
BUSINESS CONFIDENTIAL

Dear Mr. Larrison:

The following is the report of my industrial hygiene survey at King City, June 9, 1976. As you will recall, we discussed the general findings prior to my departure on that date.

I reviewed the environmental dust evaluation program with Mr. Madlangbayan giving particular attention to questions that might arise concerning the techniques employed. I also commended him (and you) on the efficient manner with which both the analytical work and the reporting of results are accomplished. I believe we are defining the work environment about as well as can be expected.

I discussed with you the program under consideration for meeting the new fiber limit (2 fibers/cc of air) that becomes effective July 1, 1976. This includes upgrading exhaust control systems in the two bagging areas, installation of a central vacuum system for better clean-up of floors, etc., more effective use of sprinklers in control of dust from ore pile and several innovations in material handling to reduce dust loss. A08370

UCC 013824


Published by AsbestosClaims.Law
asbestosclaims.law/library/18526/1

Published by AsbestosClaims.Law
**asbestosclaims.law/library/18526/2**