LINDE UNION CARBIDE

INTERNAL CORRESPONDENCE

RECEIVED

APR [illegible]

E. K. JENSEN

Package Gas Operations
Technology Center
P. O. Box 444, 100 Davidson Ave., Somerset, NJ 08873

To J. J. Neitz

Date April 17, 1987

Originating Dept. Environment and Health

Copy to M. D. Brower
D. Crowell
E. K. Jensen
R. S. Kramer
W. M. Therrien
D. E. White

Subject VERMICULITE

My commendation to you on a thorough and comprehensive approach to the vermiculite/asbestos matter outlined in your letter of 4/7/87, I agree with your recommendation that the Material Purchase Specification for vermiculite be revised, that we avoid purchasing any vermiculite from W. R. Graces' Libby, Montana mine and that we should continue following the Gas Products Safety Manual precautions for handling vermiculite.

I feel a bit uncomfortable in terminating the vermiculite testing in the remaining cold boxes, even though our track record to date indicates no abestos anywhere. The additional $3,500 required to finish the testing in the remaining cold boxes is, in my opinion, a reasonable amount to pay in order to close this matter for all time. I would hate to defend a future Worker's Compensation claim on the basis that we neglected to finish the job.

Other than that, I am in full agreement with your letter of 4/7/87.

N. A. DiFranco

N. A. DiFranco

NAD/ld
(017)

A 10571

PLAINTIFF'S EXHIBIT
UC-4196

UCC 009984

Published by AsbestosClaims.Law
asbestosclaims.law/library/18790/1

Published by AsbestosClaims.Law
asbestosclaims.law/library/18790/2