BC: J. L. Myers
W. C. Thurber
File

RECEIVED
APR 18 1975

UNION CARBIDE
THE DISCOVERY COMPANY

Calidria ASBESTOS

UNION CARBIDE CORPORATION • MINING & METALS DIVISION • P.O. BOX 579 • NIAGARA FALLS, N. Y. 14302 • TEL: 716-278-3376

April 17, 1975

Mr. Lewis J. Gillich
Republic Powdered Metals
2628 Pearl Road
Medina, OH 44256

Dear Mr. Gillich:

This is in response to your request to Mr. Ray Brinson for information regarding the California Marks Bill. We are currently engaged in active discussions with Senator Marks regarding possible amendments to the bill. These discussions are being spearheaded by the California Manufacturers' Association.

A copy of the four amendments which have been suggested are attached. A copy of the supporting data which was submitted is also attached. We tried to draw the proposed amendments as broadly as the data would allow. Hopefully, the Republic products would fall within the scope of one of the amendments. If they do not, time is extremely short but it is not impossible to get the data and get them included.

Please let us know if you have any further questions.

Very truly yours,

H. B. Rhodes

H. B. Rhodes
Technology Manager

HBR:cjb
Attachments

CC: G. L. Dickson
R. J. Brinson

PLAINTIFF'S EXHIBIT
UC-4201



*Union Carbide trial exhibit UC-4201: H. B. Rhodes to Lewis J. Gillich on Proposed Amendments to the California M...* Published by AsbestosClaims.Law
ACL Doc 18795 · Page 1 of 3 asbestosclaims.law/library/18795/1

## PROPOSED AMENDMENTS

## CALIFORNIA MARKS BILL

1. Water-based interior texture sprays containing as sprayed a maximum of 3% by weight of chrysotile asbestos and a minimum of 2% by weight of water-soluble starch, soya protein, polyvinyl alcohol, or equivalent binder.

2. Latex-based interior and exterior coatings containing as sprayed a maximum of 5% by weight of chrysotile asbestos and a minimum of 8% by weight of vinyl, acrylic, vinyl-acrylic, or equivalent polymer binder.

3. Resin-based laminating and/or coating materials containing as sprayed a maximum of 12% by weight of chrysotile asbestos and a minimum of 6% by weight of polyester resin, alkyd resin, epoxy resin alone or in combination with coal-tar, or an equivalent resin binder.

4. Asphaltic-based coatings containing as sprayed a maximum of 15% by weight of chrysotile asbestos and a minimum of 40% by weight of cutback asphalt or emulsified asphalt binder.



*Union Carbide trial exhibit UC-4201: H. B. Rhodes to Lewis J. Gillich on Proposed Amendments to the California M...* Published by AsbestosClaims.Law
ACL Doc 18795 · Page 2 of 3 **asbestosclaims.law/library/18795/2**

Published by AsbestosClaims.Law
**asbestosclaims.law/library/18795/3**