GKD

HBR

AMCHEM PRODUCTS, Inc.

AMBLER, PENNA. 19002

PLEASE REPLY TO
P. O. BOX 9695
PHILADELPHIA, PA. 19131

June 30, 1975

Union Carbide Corp.
Metals Division
P. O. Box 579
4625 Royal Avenue
Niagara Falls, New York 14302

PLAINTIFF'S EXHIBIT
UC-4464

Gentlemen:

We would appreciate having comments on the potential health hazard of "Calidria" asbestos when incorporated as a thickener in adhesives and coatings. We believe the presence of minor quantities of Calidria in a compounded product would not present a hazard to the user of that product, but we would appreciate having your reasoning and opinion on this question.

Yours very truly,
AMCHEM PRODUCTS INC.
Foster Division

W. P. Ellis,
Director of Research

WPE:nfl

~~215-628-1235~~
Foster Div. - Phila.

RECEIVED
JUL 03 1975
UCC-CALIDRIA

A19435

UC 19032

UNION CARBIDE

INTERNAL CORRESPONDENCE

MINING AND METALS DIVISION

4625 ROYAL AVE., P. O. BOX 579, NIAGARA FALLS, NEW YORK 143

To (Name) Messrs. R. E. Byrne, Jr.
Division G. L. Dickson
Location J. L. Myers
W. C. Thurber

Date July 18, 1975

Originating Dept. – TECHNOLOGY DEPARTMENT

Answering letter date "Calidria" Asbestos

Copy to File

Subject Amchem Products, Inc.

Attached is a draft of a response to an asbestos-health inquiry from Amchem Products, Inc. I talked to Mr. Ellis by phone along the lines described in the draft and he seemed quite satisfied. He pushed very hard, however, to get it in writing. Your comments and suggestions are requested.

H. B. Rhodes

H. B. Rhodes ✓

HBR:pcr
Encl.

BC: JLM
WCT

Is it necessary to clear this with our Law Department? If so, it would be appreciated if WCT would send it in to RFXF.

Thanks.

H. B. R.

H. B. Rhodes

A 19464

HBR:pcr