METALS DIVISION – CALIDRIA ASBESTOS

CUSTOMER CALL REPORT

CUSTOMER & LOCATION: Chevron Mobile, Alabama

INDUSTRY CLASSIFICATION: Asphalt Products

SALESMAN: J.E. Welsh REGION: Southern DATE OF CALL: 11-13-79

ASBESTOS HEALTH & REGULATORY DOCUMENTS PROVIDED:

- ☐ MSDS
- ☐ Health & OSHA Information Blue Book
- ☐ Dust Count Report
- ☐ Other, specify below

PERSONS INTERVIEWED:

Mr. Beck Purchasing Agent

CALL OBJECTIVE:

Call made on potential SG130 customer.

RESULTS OF CALL:

SB
HPO

Advised Beck that I understood our SG130 was now an approved product in their driveway sealers but he was unable to confirm it for me. He said normally after lab approval a new material has to be approved at the operating level and then it goes to purchasing where a change in the formulation is issued to the various plants. This location according to Beck would be the only one in the geography the writer covers. Shipments of finished products are made to Chevron warehouses in Atlanta, Dallas, Knoxville, Nashville and Orlando. 2-3 carloads a year of J-M material are used to make the variety of asphaltics they produce here. Beck recalled that at one time they made a heavy fibered driveway sealer for Sears that contained asbestos but normally their regular sealers do not contain asbestos. Left my card as a contact for Beck when a change to CALIDRIA comes through so he will have a source to contact.

FOLLOW-UP ACTION REQUIRED:

TPN -- Can you please advise status of approval at Chevron and in what products?

COPIES TO: JPL:TPH:JLM: :KC-FILE:NF-FILE

NF PERMANENT FILE

PLAINTIFF'S EXHIBIT

UC-4545

Published by AsbestosClaims.Law
asbestosclaims.law/library/19102/1

Published by AsbestosClaims.Law
asbestosclaims.law/library/19102/2