for: H. B. Rhodes - Niagara Falls
R. E. Byrne - Niagara Falls
T. P. Norris - Chicago
W. C. Thurber - NY 38
KC Files
NF Files ✓

Calidria Asbestos

UNION CARBIDE CORPORATION
P.O. Box 579 Niagara Falls, N.Y. 14302

Save

PLAINTIFF'S EXHIBIT
UC-4640

By J. E. Walsh

Date 5-6-75

Full Name	Georgia Pacific	Interviewed	
Address	Decatur, Georgia	Dr. Bornstein, Research Director	
Mfrs. of	Chemical Resins		

Call made with H. B. Rhodes to update Bornstein on toxicology.

Before getting into the dark side of our business, Bornstein was probed on where they were on their new product line containing either 144 or 244. He advised that they had decided to use 244, as they found it to be more efficient and they can use less of it. The product is a two component adhesive that will be thermoset between panels. It is a completely different material from the original plywood adhesive containing 244 that Bornstein invented for Georgia Pacific. This is also his baby, and although they still recommend silica over asbestos to their customers, he is committed to 244 for this product line. They have decided to add the 244 at their plant locations, and thereby take the OSHA asbestos question out of the hands of their customers. Dr. Bornstein expects that they will begin plant production of the new adhesive anywhere between 3-6 months from now with the first GP plant beginning to use it located in Conway, North Carolina. Other GP plant users will be in Lufkin, Texas and Crossett, Arkansas. I guess you have to go where the wood is, but most of the plant locations are in the wilds and will be a challenge to try and cover. Bornstein advised that GP has 17 plants across the country capable of making the adhesive, but most likely only 12 of them will.

Dr. Rhodes proceeded to input to the good doctor the toxicology and regulatory story on 244, and a copy of our February 1 paper on the subject will be sent to him. Dr. Bornstein will be fighting the internal toxicology issue for us, and our hope is that we got through clearly enough to him during the discussion with enough ammunition for him to do it. We also offered to run dust monitorings at their various plants as they begin to produce the new adhesive.

JEW Phone Dr. Bornstein around 8-15 to see how the project is going.

Published by AsbestosClaims.Law
asbestosclaims.law/library/19188/2