

Peri 6/22
Please take
note to modify
the format.
Could you draft
an acknowledge-
ment letter to
Schultz also?
Dond Beth

UCTC 18877

Published by AsbestosClaims.Law
asbestosclaims.law/library/19267/1

GALVESTON COUNTY HEALTH DISTRICT

MAINLAND OFFICE: P.O. BOX 939, LA MARQUE, TEXAS 77568 (409) 938-7221
GALVESTON OFFICE: P.O. BOX 838, GALVESTON, TEXAS 77553, (409) 763-8531

ANIMAL CONTROL
GALVESTON COUNTY COORDINATED COMMUNITY CLINICS
GALVESTON EMERGENCY MEDICAL SERVICE
MOSQUITO CONTROL
POLLUTION CONTROL

PUBLIC HEALTH LABORATORY
PUBLIC HEALTH NURSING
SANITATION
VENEREAL DISEASE CONTROL
VITAL STATISTICS

June 19, 1987

RECEIVED
JUN 22 1987
H.E.A. DEPT.

Gilberto T. Rivera
Union Carbide Corporation
P. O. Box 471
Texas City, Texas 77592

Dear Mr. Rivera:

In a recent discussion with Steve Rossing of the Texas Air Control Board Region 7, the subject about NESHAP/Asbestos notifications arose. Steve and myself are both concerned about the lack of information that you provide in your notifications; concerning the techniquies that will be employed in the removal and disposal of the asbestos-containing material.

As provided in section 61.146 of 40CFR Part 61 Subpart M (Notification requirements) procedures to remove and dispose during demo/reno activities shall be recorded on the notification. We are interested in the procedures that will be employed during the removal project (i.e. wet removal) and methods used in the disposal process (i.e. double-bagged in polyethylene).

In the future, please be more specific about the removal and disposal procedures. If you have any questions, please contact me at 938-7221. Thank your for your cooperation.

Sincerely,

Ronald B. Schultz Jr.
Ronald B. Schultz, Jr.
Air Control Division
Galveston County Health District

RBS/pjg

xc: Steve Rossing, Texas Air Control Board, Region 7

UCTC 18878

Published by AsbestosClaims.Law
asbestosclaims.law/library/19267/3