PLAINTIFF'S EXHIBIT

UC-4903

UNION CARBIDE REPLY REQUESTED

IV. D

INTER-COMPANY REPLY MEMO / UC-149-8

LEWIS BUSINESS FORMS

TO (NAME) John Myers DATE Jan. 28, 1980

LOCATION Niagara Falls FROM Kemper West

SUBJECT Bag Specifications LOCATION King City

RECEIVED
FEB 1 1980
UCC-CALIDRIA
NIAGARA FALLS N.Y.

Hello John,

Due to many recent changes in warning labels for Asbestos, it became necessary to revise our bag specification sheets. Bill and I have gone over these quite thoroughly, but would appreciate your checking them over for approval.

Regards - Kemper

REPLY IN SPACE BELOW. DETACH AND RETURN TRIPLICATE. RETAIN THIS COPY.

P.S. In addition, I am sending to Ron Martin of Chase Bag, and John Paulsen of St Regis for "proofing".

ORIGINAL

A18534

X419809

Published by AsbestosClaims.Law
asbestosclaims.law/library/19411/1

Jan 25, 1980

UNION CARBIDE CORPORATION
METALS DIVISION
P. O. BOX K, KING CITY, CALIFORNIA 93930

INDEX

MULTIWALL BAGS

CODE NUMBER	PRODUCT
8003-A	HPP & T-135-P
8006-A	RG-110-D EX & Misc.
8007-A	RG-244
8011-A	Visbestos
8012-A	Super Visbestos
8013-A	SGP, AS-200, SG-200, HPP-EX
8018-A	SX-24
8018-B	SX-14
8019-C	Imco Shurlift
8020-A	Multi-use
8023-A	(90# poly from UCC C&P)
8024-A	SG-103-5
8025-A	SG-103-7

A41515C

A18535

Published by AsbestosClaims.Law
asbestosclaims.law/library/19411/2

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	HPP & T-135-P, HPP-EX NET WT 50 Lbs, 22.68 Kg.
CODE NO:	8003-A (Beater)
BAG SIZE:	19 x 22 x 5½ stepped end, fold T & B to face
VALVE:	5½" URH paper insert, 7" sleeve length, 60# minimum wt. bleached extensible
CONSTRUCTION:	3/60 bleached extensible
PRINTING:	One side, one color
INK SPEC:	PSSMA 161-A P500 Blue, water soluble
GLUE SPEC:	Water soluble
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.
MFG. LABEL:	Include Mo/Yr of Mfg., Bag Code No., Wt. mark
WARNING LABEL:	(on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:

1. Print Japanese 100% Caution Label on back of bag.
2. Print "Asbestos ORM-C" label on bottom.

APPROVED BY W B Whitley DATE 1/25/80

Revised 1/80

M Kwesk

X419811

A18536

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	RG-110 EX & Misc. -OMIT- NET WT____Lbs, _____Kg.
CODE NO:	8006-A
BAG SIZE:	23 x 26 x 7 stepped end, fold T & B to face.
VALVE:	5½" URH paper insert, 7" sleeve length, 60# minimum wt. extensible.
CONSTRUCTION:	3/60 extensible
PRINTING:	One side, one color
INK SPEC:	Black
GLUE SPEC:	Standard
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft of PE, bound with two steel straps each direction.
MFG. LABEL:	Include Mo/Yr of Mfg., Bag Code No., Wt. Mark
WARNING LABEL:	(on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:

1. Print " Asbestos ORM-C" label on bottom.

APPROVED BY W B. De Utley DATE 1/25/80

Revised 1/80
mkw

A18537

X419812

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT: RG-244 NET WT 10 Lbs, 4.54 Kg.

CODE NO: 8007-A

BAG SIZE: 22½ x 25 x 7 stepped end, fold T & B to face

VALVE: 5½" URH tuck-in sleeve, 60# minimum wt.

CONSTRUCTION: 1/50 and 2/60 extensible, 60# outer ply

PRINTING: One side one color

INK SPEC: PSSMA 7PA P402 Red

GLUE SPEC: Stnadard

PERFORATIONS: Undervalve: 7 x 7 on 3/4" centers, 1/8" pins
Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered

FINISHING WRAP: For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.

MFG. LABEL: Include Mo/Yr of Mfg., Bag Code No., Wt. mark

WARNING LABEL: (on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:
1. Print Japanese 100% Caution Label on back of bag.
2. Print "Asbestos ORM-C" label on bottom.

APPROVED BY W. B. DeLatter DATE 1/25/80

Revised 1/80
M K Wick

X419813

A18538

Published by AsbestosClaims.Law
asbestosclaims.law/library/19411/5

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	Visbestos NET WT 50 Lbs, 22.68 Kg.
CODE NO:	8011-A
BAG SIZE:	24 x 26½ x 7 stepped end, fold T & B to face
VALVE:	5½" URH paper insert, 7" sleeve length, 60# minimum wt. extensible
CONSTRUCTION:	4/50 extensible
PRINTING:	One side one color
INK SPEC:	PSSMA 22PE P602 Green
GLUE SPEC:	Standard
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins. Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered.
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.
MFG. LABEL:	Include Mo/Yr of Mfg., Bag Code No., Wt. Mark
WARNING LABEL:	(on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:

1. Print "Asbestos ORM-C" label on bottom.

APPROVED BY W. B. Dewitty DATE 1/25/80

Revised 1/80

MKWest

A 18539 X419814

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	Super Visbestos NET WT 50 Lbs, 22.68 Kg.
CODE NO:	8012-A
BAG SIZE:	19½ x 24 6½ stepped end, fold T & B to face.
VALVE:	5½" URH paper insert, 7" sleeve length, 60# minimum wt. extensible.
CONSTRUCTION:	3/50 extensible
PRINTING:	One side one color
INK SPEC:	PSSMA 22PE P602 Green
GLUE SPEC:	Standard
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins. Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered.
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.
MFG. LABEL:	Include Mo/Yr of Mfg., Bag Code No., Wt. Mark
WARNING LABEL:	(on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:

1. Print Japanses 100% Caution Label on back of bag.
2. Print "Asbestos ORM-C" on bottom.

APPROVED BY W B Whatley DATE 1/25/80

Revised 1/80
M Tillman

A1854C X419815

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	SG-100, SG-200, AS-200 NET WT 50 Lbs, 22.68 Kg. HPP-EX
CODE NO:	8013-A
BAG SIZE:	19 x 22 x 5½ stepped end, fold T & B to face
VALVE:	5½" URH paper insert, 7" sleeve length, 60# minimum wt. extensible
CONSTRUCTION:	3/60 extensible
PRINTING:	One side one color
INK SPEC:	Black
GLUE SPEC:	Standard
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins. Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered.
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.
MFG. LABEL:	Include Mo/ Yr of Mfg., Bag Code No., Wt. Mark
WARNING LABEL:	(on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:

1. Print Japanese 100% Caution Label on back of bag.
2. Print "Asbestos ORM-C" label on bottom.

APPROVED BY W.B. Whatley DATE 1/25/80

Revised 1/80

A18541

X419816

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	SX-24	5 Kg.
CODE NO:	8018-A	
BAG SIZE:	24 x 25 x 7 stepped end, fold T & B to face	
VALVE:	5½" URH tuck in sleeve, 60# minimum wt. Ext.	
CONSTRUCTION:	2/60 extensible inner, 1/50 bleached ext. outer ply	
PRINTING:	Two sides, one color	
INK SPEC:	Black	
GLUE SPEC:	Standard	
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered	
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.	
MFG. LABEL:	None	
WARNING LABEL:	European six language label	

SPECIAL INSTRUCTIONS:

1. Print "Asbestos ORM-C" on bottom

APPROVED BY W B Dutton DATE 1/25/80

Revised 1/80

MKW

X419817

A18542

Published by AsbestosClaims.Law
asbestosclaims.law/library/19411/9

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	SX-14	15 Kg.
CODE NO:	8018-B	
BAG SIZE:	24 x 25 x 7 stepped end, fold T & B to face	
VALVE:	5¼" URH paper insert, 60# minimum wt., extensible.	
CONSTRUCTION:	2/60 extensible inner, 1/50 bleached ext. outer ply.	
PRINTING:	Two sides, one color	
INK SPEC:	Black	
GLUE SPEC:	Standard	
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered	
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.	
MFG. LABEL:	None	
WARNING LABEL:	European six language label	

SPECIAL INSTRUCTIONS:

1. Print "Asbestos ORM-C" on bottom

APPROVED BY W.B. Dewitty DATE 1/25/80

Revised 1/80
MKWick

X419818

A18543

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	Imco Shurlift NET WT 50 Lbs, 22.68 Kg.
CODE NO:	8019-C
BAG SIZE:	19½ x 24 x 6½ stepped end, fold T & B to face
VALVE:	5½" URH paper insert, 7" sleeve length, 60# minimum wt. extensible
CONSTRUCTION:	4/50 extensible
PRINTING:	One side, two colors
INK SPEC:	PSSMA 22PE P602 green, and black
GLUE SPEC:	Standard
PERFORATIONS:	Undervalve: 7 x 7 on 3/4" centers, 1/8" pins Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered
FINISHING WRAP:	For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.
MFG. LABEL:	Include Mo/Yr of Mfg., Bag Code No., Wt. mark
WARNING LABEL:	(on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:

1. Print "Asbestos ORM-C" label on bottom.

APPROVED BY W.B. Dudley DATE 1/25/80

Revised 1/80

MKWeek

A 18544

X419819

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT: Multiple — OMIT — NET WT____Lbs, _____Kg.

CODE NO: 8020-A

BAG SIZE: 23 x 26 x 7 stepped end, fold T & B to face

VALVE: 5½"URH paper insert, 7" sleeve length, 60# minimum wt. extensible

CONSTRUCTION: 3/60 extensible

PRINTING: One side, one color

INK SPEC: Black

GLUE SPEC: Standard

PERFORATIONS: Undervalve: 7 x 7 on 3/4" centers, 1/8" pins
Overall: 1 x 2 or 1½ x 1½, 1/8" pins staggered

FINISHING WRAP: For outdoor storage, 4 mil PE wrap next to bags, then heavy kraft over PE, bound with two steel straps each direction.

MFG. LABEL: Include Mo/Yr of Mfg., Bag Code No., Wt. mark

WARNING LABEL: (on bag face) CAUTION: CONTAINS ASBESTOS FIBERS-AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:
1. Print Japanese 100% Caution Label on back of bag.
2. Print "Asbestos ORM-C" label on bottom.

APPROVED BY W. B. DeLilly DATE 1/25/80

Revised 1/80

X419820

A18545

UNION CARBIDE CORPORATION

Multiwall Bag Specifications

King City, CA.

PRODUCT:	SG 103-5 NET WT 50 Lbs, 22.68 Kg.
CODE NO:	8024-A
BAG SIZE:	18 x 21 satchel bottom valve bag
VALVE:	5" URH standard sleeve
CONSTRUCTION:	6 mil white opaque polyethylene
PRINTING:	One side, one color
INK SPEC:	Black
GLUE SPEC:	None
PERFORATIONS:	None
FINISHING WRAP:	3500/pallet box, two plastic bands each direction
MFG. LABEL:	Include Mo/Yr of Mfg, Bag Code No.
WARNING LABEL:	(on bag face) CAUTION: CONTAINS ASBESTOS FIBERS - AVOID CREATING DUST - BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

SPECIAL INSTRUCTIONS:

1. Print "Asbestos ORM-C" label on bottom.

APPROVED BY W B. D. Utley DATE 1/25/80

Revised 1/80

M Kurek

119821

A18546