c for T. P. Norris - Chicago
H. B. Rhodes - Niagara Falls
J. W. Ross - Atlanta
W. C. Thurber - NY 38
KC Files
NF Files

UNION CARBIDE CORPORATION
P.O. Box 579 Niagara Falls, N.Y. 14302

RECEIVED
NOV 26 1973
UCC - CALIDRIA
KING CITY, CA.

R. J. Kronkhyte
J.M. Anderson
A. A. Arbuckle
C. F. Clayton
R. L. Gilman
R. C. Hosmer
H. L. Gray
B. E. Utsey
D. E. Clark
D. J. Garcia
G. L. Weeks
M. K. West
File

PLAINTIFF'S EXHIBIT
UC-5088

By J. E. Walsh
Date 11/20/73

Full Name Georgia Pacific	Interviewed Bob Favero - Plant Manager George Fowler - Technical Service
Address Marietta, GA	
Mfrs. of Tape Joint Compounds	

Call made to determine if they had received any feedback since their OSHA inspection and asbestos dust count.

So far, so good, according to Favero, meaning no calls or contact from OSHA since the late September inspection and count. The inspector had advised them that they had a pretty clean-looking plant and didn't anticipate that their would be any problems, but if there were, they would receive a letter in 4 to 5 weeks. With seven weeks now having passed, the general feeling here is that the OSHA asbestos count must have been within the limits, despite a copy of our count showing them to be above. Reviewed again with Favero the short sample time on our count, which could have been a contributing factor as well as the fact that I sampled asbestos only, and OSHA sampled one complete batch process, which would tend to greatly reduce the fiber level numbers due to the longer sampling time. 210 continuing to work well, and they expect to place one more carload order this year for shipment around mid-December. George Fowler is Gene O'Neill's replacement, and also has transferred from Tigard. Unlike O'Neill, who got diverted to Pre-Mix in Miami enroute, Fowler has purchased a home and is planning to stay a while. He will be responsible for all G-P tech service on tape joint compounds in the U.S. Fowler will also spend a portion of his time on R & D work. Discussed briefly the work we were doing with their Akron, N. Y. people on pelletized and/or slurried asbestos to help overcome the OSHA problem they had encountered. This would be the type of R & D work that Fowler would be involved in and he will touch base with Bill Malbone to see how it is coming along. A package on the health aspect of asbestos was requested and will be prepared and sent to him

JW Be sure to check with Fowler on each future call here.

JEW/cs
Typed: 11/20/73

Union Carbide trial exhibit UC-5088: J. E. Walsh Call Report on Georgia Pacific, Marietta, GA, on OSHA Asbestos... Published by AsbestosClaims.Law
ACL Doc 19581 · Page 1 of 1 asbestosclaims.law/library/19581/1