OWENS-CORNING FIBERGLAS

SPECIFICATION

HISTOP COPY

DATE: November 4, 1970

ISSUED BY:
CONSTRUCTION MATERIALS PROCESS AND QUALITY CONTROL DEPARTMENT (Toledo)

SUBJECT: Specification Revision

REF. Purchase Acceptance Standard - PAS.2.1.43 - Regular Slotted Printed Cartons and Accessory Materials for Shipping Kaylo Beveled Lag a Kaylo Block


The attached subject PAS has been revised as follows:

1. Revised carton artwork.

Please cancel the 1/20/67 issue of this specification and replace with the attached.

EXHIBIT 7

Published by AsbestosClaims.Law
asbestosclaims.law/library/24563/1



Kaylo®

A-277 (5 5/8" LONG)

Handle with care

A-260 (7¼" LONG)

CAUTION— PRODUCT CONTAINS ASBESTOS FIBER

INHALATION OF DUST IN EXCESSIVE QUANTITIES OVER LONG PERIODS OF TIME MAY BE HARMFUL.

AVOID BREATHING DUST.

IF ADEQUATE VENTILATION IS NOT POSSIBLE, WEAR RESPIRATORS APPROVED BY THE U. S. BUREAU OF MINES FOR PNEUMOCONIOSIS PRODUCING DUST.

A-210-R1 (4" x 2 5/8")

OWENS/CORNING FIBERGLAS TRADEMARK ®

A-230 (8" LONG)

up

A-267 (2½" x 5⅛" TALL)

In order to eliminate possible deviations from corporate identity, printing dies should be ordered from The Pannier Corporation, 207 Sandusky Street, Pittsburgh, Pennsylvania 15212. Specify art element number and the length (example: A-230, 13" long).
If the printing dies are to be ordered elsewhere, a glossy print of the original art may be obtained from Pannier.

For A-230 logotype 10" long and over, the TRADEMARK ® shall measure 2⅜" long. For A-230 logotype 8" long and under, the measurement shall be equal to the distance from the left edge of the letter "L" to the right edge of the letter "S" in FIBERGLAS (see above print of logo) and shall be readable when printed. These dimensions pertain to carton printing only.

Art elements printed to match Black ink and PMS #2008 Red ink.

OWENS-CORNING FIBERGLAS CORPORATION, TOLEDO, OHIO 43601

PAS.2.1.43
11-4-70

Published by AsbestosClaims.Law
asbestosclaims.law/library/24563/2

"B"

KAYLO® INSULATION


A-208
(8½" x 4¼")

A-32 THIS SIDE UP

A-209
(5¼" x 2⅝")

FOR TEMPERATURES TO 1200° F.

A-27 HANDLE WITH CARE



A-60

THIS PRODUCT CONTAINS ASBESTOS FIBER

IF DUST IS CREATED WHEN THIS PRODUCT IS HANDLED, AVOID BREATHING THE DUST.


IF ADEQUATE VENTILATION CONTROL IS NOT POSSIBLE, WEAR RESPIRATOR APPROVED BY U.S. BUREAU OF MINES.

A-210
(3" x 2½")

Trademark shall be printed to match Glass Container Manufacturers Institute (GCMI) red Ink #7

PAS-9-1-13
1/19/67

Published by AsbestosClaims.Law
asbestosclaims.law/library/24563/3



Kaylo

A-277 (5 5/16" LONG)

Handle with care

A-260 (7¼" LONG)

CAUTION— PRODUCT CONTAINS ASBESTOS FIBER

INHALATION OF DUST IN EXCESSIVE QUANTITIES OVER LONG PERIODS OF TIME MAY BE HARMFUL.

AVOID BREATHING DUST.

IF ADEQUATE VENTILATION IS NOT POSSIBLE, WEAR RESPIRATORS APPROVED BY THE U. S. BUREAU OF MINES FOR PNEUMOCONIOSIS PRODUCING DUST.

A-210-R1 (4" x 2 5/8")

OWENS/CORNING FIBERGLAS TRADEMARK ®

A-230 (8" LONG)

up

A-267 (2½" x 5/16" TALL)

In order to eliminate possible deviations from corporate identity, printing dies should be ordered from The Pannier Corporation, 207 Sandusky Street, Pittsburgh, Pennsylvania 15212. Specify art element number and the length (example. A-230, 13" long).
If the printing dies are to be ordered elsewhere, a glossy print of the original art may be obtained from Pannier.

For A-230 logotype 10" long and over, the TRADEMARK ® shall measure 2¾" long. For A-230 logotype 8" long and under, the measurement shall be equal to the distance from the left edge of the letter "L" to the right edge of the letter "S" in FIBERGLAS (see above print of logo) and shall be readable when printed. These dimensions pertain to carton printing only.

Art elements printed to match Black ink and PMS #2008 Red ink.

OWENS-CORNING FIBERGLAS CORPORATION, TOLEDO, OHIO 43601

PAS.2.1.43

Published by AsbestosClaims.Law
asbestosclaims.law/library/24563/4